



US00D984220S

(12) **United States Design Patent** (10) **Patent No.:** **US D984,220 S**
Leyden et al. (45) **Date of Patent:** **** Apr. 25, 2023**

(54) **INSULATED CONTAINER**

(71) Applicant: **The Coleman Company, Inc.**, Wichita,
KS (US)

(72) Inventors: **Chris Leyden**, Portage, MI (US);
Carson Hawkes, Portage, MI (US)

(73) Assignee: **The Coleman Company, Inc.**, Wichita,
KS (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/782,919**

(22) Filed: **May 10, 2021**

(51) **LOC (14) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/605**

(58) **Field of Classification Search**
USPC D7/387, 601, 602, 605–608, 629, 709;
D3/272–274, 276, 279, 283; D15/81, 83,
D15/85, 86, 89
CPC B65D 81/38; B65D 81/3813; B65D
81/3816; B65D 81/3818; B65D 81/382;
B65D 81/3823; B65D 81/3825; B65D
81/3827; B65D 81/383; B65D 81/3832;
B65D 81/3834; F25D 3/02; F25D 3/06;
F25D 3/08; F25D 3/105; F25D 3/107;
F25D 3/125; F25D 3/14; F25D 11/00;
F25D 11/003; A45C 11/20; A47G 23/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D311,476 S * 10/1990 Kumakura D7/709
D326,391 S * 5/1992 Verchere D7/612
D500,057 S * 12/2004 Reuter D15/83
D530,137 S * 10/2006 Wilgus D7/300
D603,664 S * 11/2009 Roefs D7/709

D837,611 S * 1/2019 Lane D7/605
D933,753 S * 10/2021 Metz D21/468
D936,429 S * 11/2021 Fernandez Santana
B65D 43/22
D7/605
D957,199 S * 7/2022 Owens D7/605
D964,434 S * 9/2022 Rizzi D15/83
2022/0274764 A1 * 9/2022 Dong B65D 43/22

OTHER PUBLICATIONS

1900 Collection 11-Quart Steel Belted Cooler, Coleman, [online],
[site visited Dec. 20, 2022], Available from internet URL: https://www.coleman.com/explore-coleman/featured-collections/1900-collection/1900-collection-11-quart-steel-belted-cooler/SAP_2156050.html (Year: 2022).*

* cited by examiner

Primary Examiner — Mary Ann Calabrese
Assistant Examiner — Natalya M Rapundalo


(57) **CLAIM**

The ornamental design for an insulated container, as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of the insulated container
with the lid in the closed position;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a front perspective view of the insulated container
with the lid in the open position.
The broken lines depict portions of the insulated container
that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8