



US00D984242S

(12) **United States Design Patent** (10) **Patent No.:** **US D984,242 S**
Van Wagner et al. (45) **Date of Patent:** **** Apr. 25, 2023**

(54) **SEASHELL LOCK**
(71) Applicants: **Rachael Van Wagner**, Milford, NH (US); **Darrell Van Wagner**, Milford, NH (US)
(72) Inventors: **Rachael Van Wagner**, Milford, NH (US); **Darrell Van Wagner**, Milford, NH (US)
(**) Term: **15 Years**

D498,587 S * 11/2004 de Baschmakoff D3/243
D498,588 S * 11/2004 de Baschmakoff D3/243
D529,789 S * 10/2006 Klecker D8/356
D548,043 S * 8/2007 Yang D8/334
D606,841 S * 12/2009 Stevens D8/334
D655,885 S * 3/2012 Meekma D99/28
D690,187 S * 9/2013 Deslias D8/343
D741,111 S * 10/2015 Johnston D7/567
D759,461 S * 6/2016 Thomson D8/335
D814,265 S * 4/2018 Kasper D8/330
D842,074 S * 3/2019 Cabral Herrera D8/331
D861,106 S * 9/2019 Hsu D21/808
D873,361 S * 1/2020 Hsu D21/808

(21) Appl. No.: **29/770,820**
(22) Filed: **Feb. 17, 2021**
(51) **LOC (14) Cl.** **08-07**
(52) **U.S. Cl.**
USPC **D8/348**
(58) **Field of Classification Search**
USPC D8/334, 333, 343, 339, 335, 330, 331, D8/332; D99/28, 34, 35, 36
CPC E05B 77/00; E05B 71/00; E05B 67/36; E05B 65/00; E05B 67/063; E05B 13/10; E05B 2047/0084; E05B 77/28; E05B 37/00; E05B 2047/0068; E05B 2047/0024; E05B 85/10; E05B 37/025; E05B 41/00
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

CN 307335078 * 8/2021

* cited by examiner

Primary Examiner — Eliza Z Harvey
Assistant Examiner — Kayla Marie Bennett
(74) *Attorney, Agent, or Firm* — Greensfelder, Hemker & Gale, P.C.; Benjamin D. Rotman

(57) **CLAIM**


The ornamental design for a seashell lock, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a seashell lock in accordance with the invention;
FIG. 2 is a front view of FIG. 1;
FIG. 3 is a back view of FIG. 1;
FIG. 4 is a left view of FIG. 1;
FIG. 5 is a right view of FIG. 1;
FIG. 6 is a top view of FIG. 1;
FIG. 7 is a bottom view of FIG. 1; and,
FIG. 8 is a perspective view thereof, showing the seashell lock in an alternate configuration of use.
The portions of the seashell lock shown in broken lines form no part of the claimed design.

(56) **References Cited**
U.S. PATENT DOCUMENTS
272,593 A * 2/1883 Smith E05B 67/36 70/393
D25,664 S * 6/1896 Roche D8/334
1,112,279 A * 9/1914 Ferris E05B 67/36 70/41
D124,955 S * 2/1941 Botham D28/79
D166,238 S * 3/1952 Bedinger D28/80
D173,021 S * 9/1954 Ditchik D8/334
D262,390 S * 12/1981 Pippus D8/334
D300,510 S * 4/1989 Mason, Jr. D9/757
D397,339 S * 8/1998 Davis D14/189
D481,925 S * 11/2003 Ling D8/334

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8