



US00D984268S

(12) **United States Design Patent**
Iida

(10) **Patent No.:** **US D984,268 S**

(45) **Date of Patent:** **** Apr. 25, 2023**

(54) **BATTERY TRAY**
(71) Applicant: **FDK CORPORATION**, Tokyo (JP)
(72) Inventor: **Yuya Iida**, Tokyo (JP)
(**) Term: **15 Years**
(21) Appl. No.: **35/512,656**
(22) Filed: **Mar. 29, 2021**

(80) **Hague Agreement Data**
Int. Filing Date: **Mar. 29, 2021**
Int. Reg. No.: **DM/214225**
Int. Reg. Date: **Mar. 29, 2021**
Int. Reg. Pub. Date: **Oct. 1, 2021**

(51) **LOC (14) Cl.** **09-07**
(52) **U.S. Cl.**
USPC **D9/456; D9/760; D3/313**
(58) **Field of Classification Search**
USPC D9/414, 434, 455, 456, 499, 501, 517,
D9/737, 739, 756, 759, 760; D6/512,
D6/513, 672, 675, 675.1; D3/201, 304,
D3/313, 318, 319; D13/119
CPC A47F 1/00; A47F 3/00; A47F 3/14; A47F
3/142; B65D 1/34; B65D 1/36; B65D
5/00; B65D 5/001; B65D 5/52; B65D
21/00; B65D 21/02; B65D 21/0209;
B65D 81/3813
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D216,604 S * 2/1970 Brindley D3/313
D241,777 S * 10/1976 Allman et al. D9/456
D248,731 S * 8/1978 Ogawa D9/756
D278,253 S * 4/1985 Evenson D3/313
D318,420 S * 7/1991 Amelse D9/760
5,273,153 A * 12/1993 Braun B32B 27/12
206/561

5,641,061 A * 6/1997 de Muylder-Braun ... A47F 7/02
206/6.1
D391,078 S * 2/1998 Jacober D3/304
D392,463 S * 3/1998 Grey D3/319
5,736,272 A * 4/1998 Veenstra H01M 50/20
429/97
D395,166 S * 6/1998 Grey D9/456
D413,442 S * 9/1999 Jacober D3/304
6,071,056 A * 6/2000 Hollowell H01L 21/67333
414/405
D468,688 S * 1/2003 Helman D13/119
D477,158 S * 7/2003 Calcerano D6/675.1
D490,375 S * 5/2004 Pomerance D13/119
D529,401 S * 10/2006 Aoki D9/456
D592,045 S * 5/2009 Banakar D9/759
D635,364 S * 4/2011 Benetti D3/313
D677,625 S * 3/2013 Rowe D13/119
D931,213 S * 9/2021 Heroux D13/119

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306685631 * 7/2021
JP 2021120298 A * 8/2021

Primary Examiner — Wendy L Arminio


(57) **CLAIM**

The ornamental design for a battery tray, as shown and described.

DESCRIPTION

- 1. Battery tray
- 1.1 : Front
- 1.2 : Back
- 1.3 : Left side
- 1.4 : Right side
- 1.5 : Top
- 1.6 : Bottom
- 1.7 : Reference perspective view (front, top, left side)
- 1.8 : Reference top view
- 1.9 : Sectional view taken along line A-A
- 1.10 : Sectional view taken along line B-B
- 1.11 : Sectional view taken along line C-C

1 Claim, 11 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


2009/0257850 A1* 10/2009 Samson B65D 1/36
414/222.01
2015/0125728 A1* 5/2015 Yi H01M 50/105
206/703
2016/0028054 A1* 1/2016 Moon H01M 50/213
429/100
2019/0044109 A1* 2/2019 Sugimoto H01M 50/213

* cited by examiner


1.1




1.2




1.3




1.4




1.5




1.6



1.7



1.8



1.9



1.10



1.11

