



US00D984357S

(12) **United States Design Patent** (10) **Patent No.:** **US D984,357 S**
Choi et al. (45) **Date of Patent:** **** Apr. 25, 2023**

- (54) **DOOR**
- (71) Applicant: **DEKA Products Limited Partnership**,
Manchester, NH (US)
- (72) Inventors: **Sooshin Choi**, Londonderry, NH (US);
Spencer Winfield Trafton, Nashua, NH
(US)
- (73) Assignee: **FedEx Corporation**, Memphis, TN
(US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/725,395**
- (22) Filed: **Feb. 25, 2020**
- (51) **LOC (14) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/413**
- (58) **Field of Classification Search**
USPC D6/671.1, 669, 509, 492, 703, 705.5;
D8/346, 330, 331; D11/143–156, 164;
D12/423, 400–415, 93–96, 98–114, 190,
D12/196, 223; D24/232, 170–171, 177,
D24/185–186, 184, 231
CPC B65D 88/14; B65D 88/129; B65D 88/12;
B65D 88/121; B65D 88/00; B65D
88/127; B65D 88/52
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D260,252 S	8/1981	Groene	
D364,294 S *	11/1995	Brightbill	D6/703
D388,027 S	12/1997	Polak	
D388,368 S	12/1997	Polak	
D408,767 S	4/1999	Bar	
D424,483 S	5/2000	Tripodi	
6,161,714 A	12/2000	Matsuura et al.	

D447,460 S	9/2001	Snook	
D470,084 S	2/2003	Schlough	
D520,273 S *	5/2006	Mehmen	D6/703
D536,202 S *	2/2007	Mehmen	D6/705.5
D630,156 S	1/2011	Farber	
D636,301 S	4/2011	Dammacco	
D734,029 S	7/2015	Lee, II	
D740,555 S	10/2015	Huber	
D740,556 S	10/2015	Huber	
9,248,958 B2	2/2016	Pherson	
9,254,857 B2	2/2016	Fiebelkorn	
D779,858 S *	2/2017	Conn	D6/669
D793,914 S	8/2017	Eriksson	
D795,614 S *	8/2017	Thuma	D6/671.1
D817,512 S *	5/2018	Menon	D24/232
D827,939 S	9/2018	Jakubowski et al.	
D860,040 S *	9/2019	Mihlbauer	D11/145
D863,203 S	10/2019	Eriksson et al.	
10,773,881 B2	9/2020	Pherson et al.	
D909,174 S *	2/2021	Beyer	D8/330

(Continued)

Primary Examiner — Susan E Krakower

Assistant Examiner — Jerry Shiuang-Hua Hsu

(74) Attorney, Agent, or Firm — Finnegan, Henderson,
Farabow, Garrett & Dunner LLP


(57) **CLAIM**

The ornamental design for a door, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and left side perspective view of the door, showing the new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.
 The broken lines illustrate portions of the door which form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D911,254	S	2/2021	Bourassa et al.	
D911,916	S *	3/2021	Choi	D12/415
D911,917	S *	3/2021	Choi	D12/415
D935,379	S *	11/2021	Choi	D12/415
D936,560	S *	11/2021	Choi	D12/413
D940,056	S *	1/2022	Choi	D12/423
2008/0042379	A1	2/2008	Amran	
2017/0080967	A1	3/2017	Atkins	
2018/0146757	A1	5/2018	Signh Johar	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7