



US00D984408S

(12) **United States Design Patent**  
**Han**

(10) **Patent No.:** **US D984,408 S**

(45) **Date of Patent:** **\*\* Apr. 25, 2023**

(54) **BLUETOOTH SPEAKER**

(71) Applicant: **Shenzhen Hanke Technology Co., Ltd.**, Guangdong (CN)

(72) Inventor: **Zhao Han**, Guangdong (CN)

(73) Assignee: **Shenzhen Hanke Technology Co., Ltd.**, Guangdong (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/805,693**

(22) Filed: **Aug. 30, 2021**

(51) **LOC (14) Cl.** ..... **14-01**

(52) **U.S. Cl.**  
USPC ..... **D14/204**

(58) **Field of Classification Search**

USPC ..... D14/170–172, 188, 203.1, 203.3, 203.6,  
D14/204, 214, 216, 348; D26/51, 104

CPC ... H04R 1/02; H04R 5/02; H04R 7/00; H04R  
7/02; H04R 9/06; H04R 2400/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D434,750 S	*	12/2000	Childers	.....	D14/204
D509,212 S	*	9/2005	Hioki	.....	D14/215
D513,248 S	*	12/2005	Yang	.....	D14/204
D575,271 S	*	8/2008	Baird	.....	D14/214
D674,766 S	*	1/2013	Desrosiers	.....	D14/204
D766,868 S	*	9/2016	Breines	.....	D14/204
D826,903 S	*	8/2018	Yang	.....	H04R 1/02 D14/204
D875,065 S	*	2/2020	Lee	.....	D14/204
D902,881 S	*	11/2020	Takahashi	.....	D14/188
D930,610 S	*	9/2021	Sugiyama	.....	D14/204
D934,196 S	*	10/2021	Kim	.....	H04R 1/02 D14/204

\* cited by examiner

*Primary Examiner* — Janice Patyk

(74) *Attorney, Agent, or Firm* — True Shepherd, LLC;  
Andrew Cheng

(57) **CLAIM**

The ornamental design for a Bluetooth speaker, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right and top perspective view of a Bluetooth speaker, showing my design.

FIG. 2 is a rear, left and bottom perspective view thereof.

FIG. 3 is a front elevation view thereof.

FIG. 4 is a rear elevation view thereof.

FIG. 5 is a left side elevation view thereof.

FIG. 6 is a right-side elevation view thereof.

FIG. 7 is a top plan view thereof.

FIG. 8 is a bottom plan view thereof.

FIG. 9 is a front, right and top perspective view of a second embodiment of a Bluetooth speaker.

FIG. 10 is a rear, left and bottom perspective view of the second embodiment of the Bluetooth speaker of FIG. 9.

FIG. 11 is a front elevation view of the second embodiment of the Bluetooth speaker of FIG. 9.

FIG. 12 is a rear elevation view of the second embodiment of the Bluetooth speaker of FIG. 9.


FIG. 13 is a left side elevation view of the second embodiment of the Bluetooth speaker of FIG. 9.

FIG. 14 is a right-side elevation view of the second embodiment of the Bluetooth speaker of FIG. 9.

FIG. 15 is a top plan view of the second embodiment of the Bluetooth speaker of FIG. 9; and,

FIG. 16 is a bottom plan view of the second embodiment of the Bluetooth speaker of FIG. 9.

**1 Claim, 16 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16