



US00D984787S

(12) **United States Design Patent**
Mahoney et al.

(10) **Patent No.:** **US D984,787 S**

(45) **Date of Patent:** **** May 2, 2023**

- (54) **FOOTWEAR SOLE**
- (71) Applicant: **Saucony, Inc.**, Waltham, MA (US)
- (72) Inventors: **Christopher J. Mahoney**, Concord, MA (US); **Luca B. Ciccone**, Leominster, MA (US); **Andrea A. Paulson**, Arlington, MA (US)
- (73) Assignee: **Saucony, Inc.**, Waltham, MA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/739,787**
- (22) Filed: **Jun. 29, 2020**
- (51) **LOC (14) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/947; D2/956**
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36
See application file for complete search history.

- D252,420 S * 7/1979 Bowers D2/959
- 4,172,293 A 10/1979 Vistins
- D255,177 S * 6/1980 Fuzita D2/953
- 4,281,467 A * 8/1981 Anderie A43B 13/223
- 4,633,597 A * 1/1987 Shiang A43B 7/081
- 4,685,224 A * 8/1987 Anger A43B 17/08
- 4,934,071 A * 6/1990 Virgini A43B 17/03
- D327,976 S * 7/1992 Biotteau D2/953
- D335,762 S * 5/1993 Peterson D2/956
- D336,560 S * 6/1993 Peterson D2/955
- D339,908 S * 10/1993 Banik D2/976
- D401,745 S * 12/1998 Greenberg D2/954
- D476,469 S * 7/2003 Belley D2/960
- 6,655,048 B2 12/2003 Moretti
- D492,101 S * 6/2004 Issler D2/954
- 6,860,036 B2 3/2005 Zhu
- 6,986,183 B2 1/2006 Delgorgue et al.

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Warner Norcross + Judd LLP


(57) **CLAIM**

The ornamental design for a footwear sole, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of the footwear sole;
 FIG. 2 is a side view thereof;
 FIG. 3 is a first close up side view thereof; and,
 FIG. 4 is a second close up side view thereof.
 Features shown in broken lines do not form any part of the claimed design. Any broken lines immediately adjacent the solid-line portions of the design form the boundary of the design, with the broken lines forming no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D543,340 S *	5/2007	Favreau	A43B 13/141	D2/960
D548,437 S *	8/2007	McClaskie	A43B 5/00	D2/954
D559,512 S *	1/2008	McClaskie		D2/954
D578,745 S *	10/2008	Kaufman		D2/956
D581,641 S *	12/2008	Bethke, Jr.		D2/954
D612,137 S *	3/2010	Duan		D2/951
D616,639 S *	6/2010	Larregain		D2/960
D682,523 S *	5/2013	Shyllon		D2/954
D714,532 S *	10/2014	Miner		D2/947
D721,474 S *	1/2015	Miner		D2/947
D722,220 S *	2/2015	Miner		D2/947
D725,357 S *	3/2015	Miner		D2/947
D748,385 S *	2/2016	Birkinhead		D2/951
D779,182 S *	2/2017	Hobson		D2/960
9,687,040 B2	6/2017	Peikert et al.		
D791,455 S *	7/2017	Birkinhead		D2/947
D792,978 S *	7/2017	Kay		D24/190
9,756,898 B2	9/2017	Peikert et al.		
D798,547 S *	10/2017	Hobson		D2/908
D806,883 S *	1/2018	Kay		D24/190
D814,160 S *	4/2018	Gibson		D2/951
D876,053 S *	2/2020	Daiber		D2/947
D917,144 S *	4/2021	Jensen		D2/947
D927,170 S *	8/2021	Dyer		D2/980
D932,165 S *	10/2021	Petrie		D2/951
D938,152 S *	12/2021	Odinot		D2/951
D945,129 S *	3/2022	Daiber		D2/947
D959,111 S *	8/2022	Zhang		D2/947
D962,615 S *	9/2022	Cleveland		D2/947
D964,702 S *	9/2022	Schenone		D2/947
D967,618 S *	10/2022	O'Connor	A43B 13/12	D2/951
D967,619 S *	10/2022	O'Connor		D2/951
11,478,041 B2 *	10/2022	Bischoff	A43B 13/223	
D968,065 S *	11/2022	O'Connor		D2/951
D970,176 S *	11/2022	Klumpp		D2/951
11,510,459 B2 *	11/2022	Houng	A43B 5/00	
2004/0123493 A1 *	7/2004	Russell	A43B 13/181	36/114
2012/0180336 A1 *	7/2012	Sullivan	A43B 13/188	36/31
2016/0295971 A1	10/2016	Arnese et al.		
2020/0375316 A1 *	12/2020	Dealey	D04B 1/24	

* cited by examiner




Fig. 1



Fig. 2




Fig. 3




Fig. 4