



US00D984911S

(12) **United States Design Patent** (10) **Patent No.:** **US D984,911 S**
Xu et al. (45) **Date of Patent:** **** May 2, 2023**

(54) **MOTION SENSOR**
(71) Applicant: **YoSmart, INC**, Irvine, CA (US)
(72) Inventors: **Manxiang Xu**, Irvine, CA (US);
Weilong Zuo, Shenzhen (CN)
(**) Term: **15 Years**
(21) Appl. No.: **29/730,086**

D846,418 S * 4/2019 Yang D10/46
D851,807 S * 6/2019 Wu D26/85
D863,080 S * 10/2019 Lee D10/70
D887,621 S * 6/2020 Wu D26/89
D888,315 S * 6/2020 Velez D26/85
D899,089 S * 10/2020 Yu D3/297
D899,286 S * 10/2020 Zhao D10/106.8
D902,460 S * 11/2020 Yi D26/51
D917,684 S * 4/2021 Jung D23/364
D917,685 S * 4/2021 Jung D23/364
D949,030 S * 4/2022 Timmerman D10/70

(22) Filed: **Apr. 1, 2020**
(51) **LOC (14) Cl.** **10-04**
(52) **U.S. Cl.**
USPC **D10/70**
(58) **Field of Classification Search**
USPC D10/106.8, 106.7; D26/51, 31, 36, 72,
D26/85; D13/108
CPC A61B 5/721; A61B 6/527; A61L 2209/111
See application file for complete search history.

OTHER PUBLICATIONS

How to Set Up YoLink Motion Sensor, YouTube, publication date
Dec. 8, 2020, (online) URL: <https://www.youtube.com/watch?v=1mO9pgo250k> (Year: 2020).*

* cited by examiner

Primary Examiner — Nicole C Shiflet
Assistant Examiner — Antoinette Martine Suiter

(56) **References Cited**
U.S. PATENT DOCUMENTS

D360,842 S * 8/1995 Hu D10/106.6
D443,377 S * 6/2001 Handsaker D26/72
D646,824 S * 10/2011 Bembridge D26/85
D692,605 S * 10/2013 Madonia D26/51
D724,970 S * 3/2015 Hasegawa D10/70
9,029,781 B2 * 5/2015 Huang G01J 5/10
250/342
D749,504 S * 2/2016 Jeong D13/108
D762,132 S * 7/2016 Hays D10/70
D775,980 S * 1/2017 Christianson D10/70
D790,373 S * 6/2017 Daoura D10/104.1
D795,183 S * 8/2017 Akana D13/108
D796,355 S * 9/2017 Cho D10/70
D812,563 S * 3/2018 Akana D13/108
D825,358 S * 8/2018 Lee D10/70
D825,359 S * 8/2018 Lee D10/70
D826,748 S * 8/2018 Kim D10/70
D839,191 S * 1/2019 Akana D13/108


(57) **CLAIM**

The ornamental design for a motion sensor, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of a motion sensor
showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left-side elevation view thereof;
FIG. 5 is a right-side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a rear plan view thereof.
The broken lines depict portions of the article that form no
part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




Fig.2




Fig.3




Fig.4




Fig.5




FIG. 6




FIG. 7