



US00D984957S

(12) **United States Design Patent**
Ni et al.

(10) **Patent No.:** **US D984,957 S**

(45) **Date of Patent:** **** May 2, 2023**

(54) **TIRE**

(71) Applicant: **SAILUN GROUP CO., LTD.**, Qingdao (CN)

(72) Inventors: **Pan Ni**, Qingdao (CN); **Cong Zhao**, Qingdao (CN)

(**) Term: **15 Years**

(21) Appl. No.: **35/513,472**

(22) Filed: **Dec. 24, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **Dec. 24, 2021**

Int. Reg. No.: **DM/218426**

Int. Reg. Date: **Dec. 24, 2021**

Int. Reg. Pub. Date: **Jan. 28, 2022**

(30) **Foreign Application Priority Data**

Jun. 30, 2021 (CN) 202130409995.8

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/588**

(58) **Field of Classification Search**

USPC D12/568-604, 900

CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D475,344 S * 6/2003 Tsubono D12/601
D483,322 S * 12/2003 Knowles D12/601
D606,930 S * 12/2009 Taylor D12/585
D615,480 S * 5/2010 Jacobs D12/586

D651,558 S * 1/2012 Youn D12/588
D724,010 S * 3/2015 Lim D12/584
D740,208 S * 10/2015 Rohweder D12/588
D779,416 S * 2/2017 Zhang D12/585
D797,655 S * 9/2017 Liu D12/588
D882,506 S * 4/2020 Maggelet D12/601
D883,907 S * 5/2020 Nyun D12/588
D894,108 S * 8/2020 Takahashi D12/585
D904,972 S * 12/2020 Nyun D12/588
D916,003 S * 4/2021 Lamb D12/584
D931,788 S * 9/2021 Inui D12/585
D931,789 S * 9/2021 Sakata D12/585
D952,545 S * 5/2022 Davis D12/601
D954,636 S * 6/2022 Severyn D12/604

* cited by examiner

Primary Examiner — John A Voytek

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

1. Tire

1.1 : Front

1.2 : Left

1.3 : Perspective

1.4 : Enlarged

The rear view is the same as the front view after being rotated 180 degrees clockwise, so the rear view is omitted; the right view is symmetrical to the left view, so the right view is omitted; the top and bottom views are the same as the front view, so the top and bottom views are omitted. The red box with the indication "A" shown in reproduction 1.1 is an enlarged view of the tire shown in reproduction 1.4.

1 Claim, 4 Drawing Sheets
(1 of 4 Drawing Sheet(s) Filed in Color)



1.1



1.2



1.3



1.4

