



US00D985422S

(12) **United States Design Patent**
Liao(10) **Patent No.:** **US D985,422 S**
(45) **Date of Patent:** ** **May 9, 2023**(54) **FLAGPOLE RING**(71) Applicant: **Guizhou Shunyue Trading Co., Ltd.**,
Guizhou Province (CN)(72) Inventor: **Shuangqiang Liao**, Guizhou Province
(CN)(73) Assignee: **Guizhou Shunyue Trading Co., Ltd.**,
Danzhai County (CN)(**) Term: **15 Years**(21) Appl. No.: **29/844,181**(22) Filed: **Jun. 27, 2022**(51) LOC (14) Cl. **08-08**(52) U.S. Cl.
USPC **D11/181; D8/349**(58) **Field of Classification Search**USPC D11/166, 181, 182, 183, 184; D8/37, 38,
D8/72, 330, 339, 349, 351, 354, 363, 373,
D8/376, 378, 380, 382, 383, 394, 396;
D20/16, 17, 33, 41, 42, 43CPC A47G 7/045; A45F 3/44; G09F 17/00;
H01Q 1/1228

See application file for complete search history.

(56)

References Cited**U.S. PATENT DOCUMENTS**

D2,458 S *	9/1866	Prolz	D8/382
D10,319 S *	11/1877	Kempshall	D8/382
1,729,621 A *	10/1929	Lorber	A44B 15/00 24/3.6
2,447,075 A *	8/1948	Madsen	G09F 17/00 116/173
2,799,240 A *	7/1957	Andrews	E04H 12/32 D11/166
3,245,642 A *	4/1966	Dicke	H01Q 1/1228 248/539
D208,493 S *	9/1967	Yokich	D8/380


D283,484 S *	4/1986	Aoki	D8/382
D311,679 S *	10/1990	Morris	248/318
5,005,512 A *	4/1991	Fu	E04H 12/182 116/173
D329,589 S *	9/1992	Parduhn	D8/396
5,446,473 A *	8/1995	Nielsen	H01Q 1/1228 343/890
5,522,342 A *	6/1996	Chen-Chao	G09F 17/00 116/174
5,572,835 A *	11/1996	Atkins	G09F 17/00 248/407
D409,081 S *	5/1999	Protz, Jr.	D8/367
6,082,157 A *	7/2000	Boyce	A45B 3/00 70/164
D432,401 S *	10/2000	Kalbach	D8/382
D573,455 S *	7/2008	Ryman	G09F 17/00 D23/262
7,740,220 B2 *	6/2010	Jeanveau	E04H 12/2269 248/534
7,793,462 B1 *	9/2010	Sherette	A47G 7/06 428/34.1
D723,902 S	3/2015	Wongso	(Continued)

*Primary Examiner — Karen S Acker**(74) Attorney, Agent, or Firm — Shen Huang*(57) **CLAIM**

The ornamental design for a flagpole ring, as shown and described.

DESCRIPTION

FIG. 1 is a top, left, and front perspective view of a flagpole ring, showing my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a left side elevation view thereof;
 FIG. 5 is a right side elevation view thereof;
 FIG. 6 is a rear elevation view thereof;
 FIG. 7 is a front elevation view thereof; and,
 FIG. 8 is bottom, right, and front perspective view.

1 Claim, 8 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

- 8,973,517 B1 * 3/2015 Bort G09F 17/00
362/183
- D794,556 S 8/2017 Liao
- D812,461 S * 3/2018 Lee G09F 17/00
D8/394
- 9,915,051 B2 * 3/2018 Niroumand E02D 27/26
- 10,640,945 B1 * 5/2020 Niroumand E02D 5/44
- D934,668 S * 11/2021 Petrunic D8/386
- D951,812 S * 5/2022 Tao D11/181
- 11,506,316 B2 * 11/2022 Simon F16L 37/0982
- 2010/0101479 A1 * 4/2010 Grahl E04H 12/32
116/173
- 2010/0132236 A1 * 6/2010 Dibben G09F 7/18
40/606.01
- 2013/0051927 A1 * 2/2013 Kruse E02D 27/32
405/232
- 2019/0251880 A1 * 8/2019 Klevana G09F 17/00
- 2022/0101763 A1 * 3/2022 Thompson G09F 17/00

* cited by examiner



FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8