



US00D985511S

(12) **United States Design Patent**  
**Kan et al.**

(10) **Patent No.:** **US D985,511 S**

(45) **Date of Patent:** **\*\* May 9, 2023**

(54) **CONNECTOR**

(71) Applicant: **Japan Aviation Electronics Industry, Limited**, Tokyo (JP)

(72) Inventors: **Shin Kan**, Tokyo (JP); **Toshiro Kobuchi**, Tokyo (JP)

(73) Assignee: **JAPAN AVIATION ELECTRONICS INDUSTRY, LIMITED**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/800,466**

(22) Filed: **Jul. 21, 2021**

(30) **Foreign Application Priority Data**

Apr. 20, 2021 (JP) ..... 2021-008383 D

(51) **LOC (14) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/147**

(58) **Field of Classification Search**  
USPC ..... D13/154, 146, 147, 123, 133,  
D13/137.1–139.8, 110, 159, 184, 199,  
D13/112, 101, 113–116, 122, 152, 156,  
D13/151; D8/354, 356  
CPC ..... H01R 13/6271; H01R 13/6272; H01R  
13/6315; H01R 13/631; H01R 13/639;  
H01R 13/641; H01R 13/506; H01R  
13/6581; H01R 43/16; H01R 43/18;  
H01R 13/518; H01R 12/73; H01R 13/20  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D603,798 S \* 11/2009 Obikane ..... D13/147  
D603,801 S \* 11/2009 Obikane ..... D13/147  
D642,986 S \* 8/2011 Nishimura ..... D13/147  
D684,120 S \* 6/2013 Miyazaki ..... D13/147

D695,691 S \* 12/2013 Kobuchi ..... D13/147  
D703,146 S \* 4/2014 Takenaga ..... D13/147  
D722,564 S \* 2/2015 Yoshida ..... D13/147  
D723,471 S \* 3/2015 Miyazaki ..... D13/147  
D737,213 S \* 8/2015 Yoshioka ..... D13/147  
D743,905 S \* 11/2015 Kobuchi ..... D13/147  
D748,583 S \* 2/2016 Kobuchi ..... D13/147  
D767,499 S \* 9/2016 Goto ..... D13/147  
D774,464 S \* 12/2016 Takenaga ..... D13/147  
D793,342 S \* 8/2017 Ashibu ..... D13/147  
D828,307 S \* 9/2018 Ashibu ..... D13/147  
D877,704 S \* 3/2020 Takenaga ..... D13/147  
D885,347 S \* 5/2020 Ishida ..... D13/147

(Continued)

*Primary Examiner* — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka


(57) **CLAIM**

The ornamental design for a connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a connector showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a perspective view showing a front, top and right side thereof;  
FIG. 8 is a perspective view showing a rear, bottom and left side thereof;  
FIG. 9 is a perspective view showing a front, right and bottom side thereof; and,  
FIG. 10 is a perspective view showing a rear, left and top side thereof.  
The broken line showing of the connector is for the purpose of illustrating portions of the article and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D894,842 S \* 9/2020 Ashibu ..... D13/147  
D933,613 S \* 10/2021 Takenaga ..... D13/147  
2011/0263140 A1\* 10/2011 Sato ..... H01R 13/6275  
439/74  
2020/0044374 A1\* 2/2020 Ishida ..... H01R 12/716

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10