US00D985650S

(12) United States Design Patent

Hebert et al.

(10) Patent No.: US D985,650 S
(45) Date of Patent: ** May 9, 2023

(54) **IMAGING DEVICE**

(71) Applicant: **FLIR Surveillance, Inc.**, Wilsonville, OR (US)

(72) Inventors: **James Hebert**, Billerica, MA (US); **Carlos Santos**, Billerica, MA (US); **David Roy**, Billerica, MA (US); **Matthew Beam**, Billerica, MA (US)

(73) Assignee: **Teledyne FLIR Surveillance, Inc.**, Wilsonville, OR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/753,556**

(22) Filed: **Sep. 30, 2020**

(51) **LOC (14) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/200**; D16/208

(58) **Field of Classification Search**
USPC D16/200–204, 205–208, 243; D10/46, D10/47, 50, 52, 62, 65, 70, 71, 104.1, D10/106.6, 106.7, 109.1, 109.2, 121; D14/317, 474, 496, 507
CPC G03B 17/02; G03B 21/10; G03B 2217/00; G03B 2217/243; H04N 5/2252; H04N 5/2253; H04N 5/2254
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D532,806	S *	11/2006	Cheng	D16/203
D750,685	S *	3/2016	Santos	D16/208
D781,990	S *	3/2017	Cheng	D22/109
D783,116	S *	4/2017	Cheng	D22/109
D814,600	S *	4/2018	Cheng	D22/109
D841,112	S *	2/2019	Shi	D22/109
D873,946	S *	1/2020	Hedeen	D22/109
2009/0295932	A1 *	12/2009	Ichii	H04N 5/232945 348/220.1

FOREIGN PATENT DOCUMENTS

CN	305081537	*	3/2019
CN	306297993	*	1/2021

OTHER PUBLICATIONS

"Teledyne Flir BFS-U3-31S4C-C" from Wilcoimaging.com, first retrieved Jun. 28, 2022 from the internet <https://wilcoimaging.com/products/teledyne-flir-bfs-u3-31s4c-c?currency=USD&variant=41985261863127&utm_medium=cpc&utm_source=google&utm_campaign=Google%20Shopping&gclid=EAIalQobChMlgtSa_PPQ-AIV-8mUCR1jbwEIEAQYECABEglv1fD_BwE>. (Year: 2022).*

(Continued)

Primary Examiner — Elizabeth J Oswecki
Assistant Examiner — Lacey Chey Bowman
(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**

The ornamental design for an imaging device, as shown and described.

DESCRIPTION

FIG. **1** is a front, left, and top perspective view of an imaging device showing our new design;
FIG. **2** is a rear, right, and top perspective view thereof;
FIG. **3** is a front, right, and bottom perspective view thereof;
FIG. **4** is a top plan view thereof;
FIG. **5** is a bottom plan view thereof;
FIG. **6** is a rear elevational view thereof;
FIG. **7** is a front elevational view thereof;
FIG. **8** is left side elevational view thereof; and,
FIG. **9** is a right side elevational view thereof.
The broken lines in the figures are shown for the purpose of illustrating portions of the imaging device, and/or environmental matter and form no part of the claimed design. The dot-dash broken lines define the bounds of the claimed design and form no part thereof.

1 Claim, 8 Drawing Sheets





(56) **References Cited**

OTHER PUBLICATIONS

"Flir A615 Automated Process/R & D Thermal Camera w/ Choice of Lens" from Pass-thermal.co.uk, first retrieved Jun. 28, 2022 from the internet <https://www.pass-thermal.co.uk/flir-a615-automated-process-r-d-thermal-camera-w-choice-of-lens> (Year: 2022).*
"ATN ThOR-HD 384 1.25-5x Thermal Rifle Scope" from Atncorp.com, first retrieved Jan. 24, 2023 from the internet <https://www.atncorp.com/thermal-scope-thor-hd-384-1-25x-5x> (Year: 2023).*
"Nighthunter S35 Thermal Scope" from Steiner-optics.com, first retrieved Jan. 24, 2023 from the internet <https://www.steiner-optics.com/imaging-systems/nighthunter-s35> (Year: 2023).*

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9