



US00D985760S

(12) **United States Design Patent**
Bilgic

(10) **Patent No.:** **US D985,760 S**

(45) **Date of Patent:** **** May 9, 2023**

- (54) **INHALATION DEVICE**
- (71) Applicant: **NEUTEC INHALER ILAC SANAYI VE TICARET ANONIM SIRKETI, Istanbul (TR)**
- (72) Inventor: **Mahmut Bilgic, Istanbul (TR)**
- (73) Assignee: **NEUTEC INHALER ILAC SANAYI VE TICARET A. S., Istanbul (TR)**

D693,458 S *	11/2013	Wright	D24/110
D711,528 S *	8/2014	Grunstad	D24/110
D816,208 S *	4/2018	Bhide	D24/110
D855,792 S	8/2019	Toksoz		
D869,636 S	12/2019	Castellucci et al.		
D948,705 S *	4/2022	Cotton	D24/110
D952,129 S *	5/2022	Lastow	D24/110
2005/0183723 A1 *	8/2005	Pinon	A61M 15/0065 128/203.15
2012/0291782 A1 *	11/2012	Bowman	A61M 15/0045 128/203.15

(Continued)

- (**) Term: **15 Years**
- (21) Appl. No.: **29/817,008**
- (22) Filed: **Nov. 28, 2021**

Primary Examiner — Richard Kearney
Assistant Examiner — Michael Hoffman
 (74) *Attorney, Agent, or Firm* — Craft Chu PLLC;
 Andrew W. Chu

(30) **Foreign Application Priority Data**

Oct. 5, 2021 (TR) 2021010522

(51) **LOC (14) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D24/110**

(58) **Field of Classification Search**
 USPC D24/107, 108, 110, 110.5, 127, 164;
 D23/360
 CPC A61M 15/00; A61M 15/0025; A61M
 15/0026; A61M 15/005; A61M 15/0065;
 A61M 15/0071; A61M 15/0091; A61M
 11/00; A61M 11/02; A61M 11/04; A61K
 9/007; A61K 9/0073; A61K 9/0075;
 A61K 9/0078; A61K 9/008
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,506 S	5/1997	Maher		
D499,802 S *	12/2004	Pinon	D24/110
D636,073 S	4/2011	White et al.		
D659,236 S *	5/2012	Bobjer	D24/110
D677,377 S *	3/2013	White	D24/110


(57) **CLAIM**

The ornamental design for an inhalation device, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the inhalation device showing my design in a closed configuration;
 FIG. 2 is an end elevation view thereof in the closed configuration;
 FIG. 3 is an opposite end elevation thereof in the closed configuration;
 FIG. 4 is a side elevation view thereof in the closed configuration;
 FIG. 5 is an opposite side elevation view thereof in the closed configuration;
 FIG. 6 is a top plan view thereof in the closed configuration;
 FIG. 7 is a bottom plan view thereof in the closed configuration;
 FIG. 8 is an upper perspective view thereof in a first opened configuration; and,
 FIG. 9 is another upper perspective view thereof in a second opened configuration.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0000601 A1* 1/2014 Arvidsson A61M 15/0081
128/203.15
2017/0056608 A1* 3/2017 McDerment A61M 15/004
2021/0154418 A1* 5/2021 Trummer A61M 15/003

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9