



US00D986064S

(12) **United States Design Patent**
Kersley et al.

(10) **Patent No.:** **US D986,064 S**

(45) **Date of Patent:** **** May 16, 2023**

(54) **TWIST AND LOCK TELESCOPING PACKAGE**

(71) Applicant: **MOCAP LLC**, Park Hills, MO (US)

(72) Inventors: **Samuel Joseph Kersley**, Sheffield (GB); **Lance J. Eftink**, Leadington, MO (US)

(73) Assignee: **MOCAP LLC**, Park Hills, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/776,698**

(22) Filed: **Mar. 31, 2021**

(51) **LOC (14) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/503**

(58) **Field of Classification Search**
USPC D9/435, 442, 449, 450, 454, 499, 503, D9/504, 517, 520, 695, 696, 697, 698,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,046,279 A 9/1977 Rosler
4,279,355 A 7/1981 Schwartz et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 305971787 * 8/2020
WO 1994024008 A1 10/1994
(Continued)

OTHER PUBLICATIONS

Extendable Plastic Brush Case, posted at Amazon.com on Dec. 22, 2020, [site visited Jun. 17, 2022]. Available from internet, URL: <<https://www.amazon.com/dp/B08R5RMQKT/>> (Year: 2020).*

(Continued)

Primary Examiner — Andrew Kerr

Assistant Examiner — Chariton Alexakis

(74) *Attorney, Agent, or Firm* — Armstrong Teasdale LLP


(57) **CLAIM**

We claim the ornamental design for a twist and lock telescoping package, as substantially shown and described.

DESCRIPTION

FIG. 1 is perspective view of a twist and lock telescoping package shown my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right-side elevation view thereof;
FIG. 5 is a left-side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of the twist and lock telescoping package of FIG. 1 in a partly extended condition of use;
FIG. 9 is a front elevation view thereof;
FIG. 10 is a rear elevation view thereof;
FIG. 11 is a right-side elevation view thereof;
FIG. 12 is a left-side elevation view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is perspective view of the bottom part of the twist and lock telescoping package of FIG. 1, shown separately to show aspects of the claimed design that are not visible when combined;
FIG. 16 is a front elevation view thereof;
FIG. 17 is a rear elevation view thereof;
FIG. 18 is a right-side elevation view thereof;
FIG. 19 is a left-side elevation view thereof;
FIG. 20 is a top plan view thereof;
FIG. 21 is a bottom plan view thereof;
FIG. 22 is perspective view of the top part of the twist and lock telescoping package of FIG. 1;
FIG. 23 is a front elevation view thereof;
FIG. 24 is a rear elevation view thereof;
FIG. 25 is a right-side elevation view thereof;
FIG. 26 is a left-side elevation view thereof;
FIG. 27 is a top plan view thereof; and,
FIG. 28 is a bottom plan view thereof.

(Continued)



The features of the claimed twist and lock telescoping package design are shown in solid lines in FIGS. 1-28, while the broken lines in FIGS. 1-28 depict portions of the twist and lock telescoping package that form no part of the claimed design.

1 Claim, 24 Drawing Sheets

(58) Field of Classification Search

USPC D9/699, 723, 724, 727, 728, 772;
 D7/213, 601, 628, 629, 669, 679;
 D24/114; D28/76, 77, 78, 82, 88, 91.1
 CPC B01F 35/2115; B65D 7/24; B65D 9/12;
 B65D 11/00; B65D 11/18; B65D 21/00;
 B65D 21/068; B65D 21/08; B65D
 21/086; B65D 25/22; B65D 25/44; B65D
 41/0478; B65D 41/0492; B65D 59/04;
 A45D 40/04; A46B 11/001; A61B 50/30

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,596,340 A * 6/1986 Luther B65D 21/086
 220/8
 5,411,161 A 5/1995 Fish, Jr.
 5,543,186 A 8/1996 Anderson et al.
 5,605,242 A * 2/1997 Hwang B65D 21/086
 220/4.03
 5,680,949 A 10/1997 Roesler
 D397,615 S * 9/1998 Nash D9/557
 5,829,591 A * 11/1998 Lyons B65D 21/086
 220/8
 6,202,876 B1 3/2001 DeJonge
 6,484,897 B1 11/2002 Crawley
 D558,451 S * 1/2008 Roesler B65D 21/086
 D3/282
 8,397,911 B1 3/2013 Bauman
 8,710,958 B2 4/2014 Yang et al.

8,789,694 B2 7/2014 Roesler
 D741,709 S 10/2015 Sohler
 9,211,969 B2 12/2015 Maze et al.
 D748,813 S * 2/2016 Ishiguro A45D 40/04
 D24/224
 9,296,511 B2 3/2016 Jones et al.
 9,359,112 B2 6/2016 Hadar et al.
 9,540,152 B2 1/2017 Roesler
 9,622,565 B2 4/2017 Weigel et al.
 9,630,744 B2 4/2017 Sohler
 9,884,716 B2 2/2018 Minnette et al.
 9,889,965 B2 2/2018 Morgan et al.
 D827,449 S * 9/2018 Roesler A46B 11/001
 D9/711
 10,792,120 B2 * 10/2020 Whelan A61B 50/30
 2006/0086755 A1 4/2006 Roth et al.
 2006/0191947 A1 8/2006 Jedryk et al.
 2006/0231444 A1 10/2006 Roesler
 2007/0012693 A1 1/2007 Kummer
 2007/0272698 A1 11/2007 Brown et al.
 2014/0360908 A1 12/2014 Sorensen et al.
 2015/0003886 A1 * 1/2015 Gallardo A46B 11/001
 15/160
 2015/0008153 A1 1/2015 Ackerman
 2015/0076140 A1 * 3/2015 Roesler B65D 41/0492
 220/4.01
 2015/0076149 A1 * 3/2015 Roesler B65D 25/22
 220/212
 2015/0344180 A1 12/2015 Shakoori Divani
 2018/0153277 A1 * 6/2018 Domy A45D 40/04
 2018/0221836 A1 * 8/2018 Ni B01F 35/2115

FOREIGN PATENT DOCUMENTS

WO 2013171749 A1 11/2013
 WO 2018002920 A1 1/2018

OTHER PUBLICATIONS

International Search Report and Written Opinion issued for Appli-
 cation No. PCT/US2022/022248, dated Jul. 5, 2022 (12 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28