



US00D986078S

(12) **United States Design Patent**
Pennebaker

(10) **Patent No.:** **US D986,078 S**

(45) **Date of Patent:** **** May 16, 2023**

(54) **SLOPED WIRELESS SENSOR**

(71) Applicant: **E. Strode Pennebaker**, Houston, TX
(US)

(72) Inventor: **E. Strode Pennebaker**, Houston, TX
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/748,444**

(22) Filed: **Aug. 28, 2020**

(51) **LOC (14) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/75**

(58) **Field of Classification Search**
USPC D10/46, 49, 52, 75, 83, 104.1, 102;
D6/672; D14/125, 240, 251, 366, 383,
D14/389; D24/165, 186
CPC G01F 23/14; G01F 25/20; G01F 22/02;
G01F 15/061; G01F 25/0084; G01F
25/10; G01F 25/0092; G01L 19/086;
G01D 11/245

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D308,522 S *	6/1990	Swinburne	D14/251
D583,474 S *	12/2008	Mitsunami	D24/165
D583,948 S *	12/2008	Hachimaru	D24/165
D610,133 S *	2/2010	Asano	D14/240
D612,503 S *	3/2010	Johnston	D24/186
D666,563 S *	9/2012	Lee	D14/125
D673,952 S *	1/2013	Toda	D14/383
D690,137 S *	9/2013	Kikkert	D6/672
D690,138 S *	9/2013	Kikkert	D6/672
D743,035 S *	11/2015	Uozumi	D24/165
D762,860 S *	8/2016	He	D24/186
D789,362 S *	6/2017	Eljas	D14/366
D805,414 S *	12/2017	Pennebaker, III	D10/102
D842,727 S *	3/2019	Pennebaker	D10/102

D850,430 S *	6/2019	Wu	D14/240
D857,903 S *	8/2019	Esfandiari	D24/186
D862,702 S *	10/2019	Nishiyama	D24/165
D868,602 S *	12/2019	Pennebaker, III	D10/49
D871,944 S *	1/2020	Pennebaker, III	D10/102
10,828,295 B2 *	11/2020	Bian	A61K 9/50
D905,027 S *	12/2020	Chang	D14/240
D940,575 S *	1/2022	Deem	D10/49
D942,628 S *	2/2022	Dai	D24/165
D947,687 S *	4/2022	Pennebaker	D10/49
D964,194 S *	9/2022	Pennebaker, III	D10/75
2020/0051046 A1 *	2/2020	Wang	G06Q 20/3272

* cited by examiner

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Lillian Windham

(74) *Attorney, Agent, or Firm* — Osha Bergman Watanabe & Burton LLP

(57) **CLAIM**

The ornamental design for a sloped wireless sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sloped wireless sensor; FIG. 2 is a top view of the sloped wireless sensor system of FIG. 1;

FIG. 3 is a bottom view of the sloped wireless sensor system of FIG. 1;

FIG. 4 is a front view of the sloped wireless sensor system of FIG. 1;


FIG. 5 is a rear view of the sloped wireless sensor system of FIG. 1;

FIG. 6 is a left side view of the sloped wireless sensor system of FIG. 1; and,

FIG. 7 is a right side view of the sloped wireless sensor system of FIG. 1.

The broken lines depict unclaimed portions of the wireless sensor and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7