



US00D986086S

(12) **United States Design Patent** (10) **Patent No.:** **US D986,086 S**
Baldwin et al. (45) **Date of Patent:** **** May 16, 2023**

(54) **STACK LIGHT** D383,867 S 9/1997 Shalvi
 (71) Applicant: **Mallory Sonalert Products, Inc.**, Indianapolis, IN (US) D411,124 S * 6/1999 Karlin D10/114.1
 5,952,915 A 9/1999 Marquardt et al.
 (72) Inventors: **Christopher M. Baldwin**, Avon, IN D414,713 S * 10/1999 Renk D10/114.6
 (US); **Mark T. Monnett**, Cloverdale, IN (US) 6,130,618 A 10/2000 Burnett et al.
 6,166,623 A 12/2000 Coward
 (73) Assignee: **MALLORY SONALERT PRODUCTS, INC.**, Indianapolis, IN (US) D439,858 S 4/2001 Decosse
 6,512,450 B1 1/2003 Burnett et al.
 6,814,610 B2 * 11/2004 Kurose F21V 23/06
 439/367
 D557,159 S 12/2007 Sasaki
 7,445,360 B2 11/2008 Ikeda
 7,587,178 B2 * 9/2009 Marquardt G08B 21/18
 455/426.2
 (**) Term: **15 Years** 7,880,637 B2 * 2/2011 Weiss G08B 5/36
 362/240
 (21) Appl. No.: **29/753,629** D673,475 S 1/2013 Di Giovine
 D673,476 S 1/2013 Clore
 D676,775 S * 2/2013 Martin, Jr. D10/114.9
 9,030,318 B1 5/2015 Baldwin et al.
 (22) Filed: **Oct. 1, 2020**

Related U.S. Application Data

(62) Division of application No. 29/611,351, filed on Jul. 20, 2017, now Pat. No. Des. 898,600.
 (51) **LOC (14) Cl.** **10-05**
 (52) **U.S. Cl.**
 USPC **D10/114.2**
 (58) **Field of Classification Search**
 USPC D10/114.6, 114.2; 362/86; D26/38, 72,
 D26/104; D25/126; D12/179; 404/6, 9
 CPC H04R 1/2811; H04R 1/028; H04R 17/00;
 F21V 23/003; F21V 23/06
 See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

3,868,671 A 2/1975 Maguire et al.
 3,873,866 A 3/1975 Goble
 4,602,245 A 7/1986 Yang et al.
 D322,584 S 12/1991 Kawashima et al.
 D363,036 S 10/1995 Sasaki
 D363,250 S * 10/1995 Miyatake D10/114.6

Primary Examiner — Katrina N Gonzalez
 (74) *Attorney, Agent, or Firm* — William F. Bahret


(57) **CLAIM**

The ornamental design for a stack light, as shown and described.

DESCRIPTION

FIG. 1 is an top, front perspective view of a stack light showing our new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a left side elevation view thereof; and,
 FIG. 5 is a right side elevation view thereof.
 The dot-dash broken lines represent the bounds of the claim and form no part of the claimed design. The appearance of any portion of the article within the area defined by the dot-dash broken line in FIG. 1 likewise forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D749,007 S * 2/2016 Shigematsu D10/114.6
9,307,309 B2 4/2016 Feller et al.
9,863,611 B2 1/2018 Gutekunst et al.
9,997,031 B2 6/2018 Dolezalek et al.
10,134,246 B2 * 11/2018 Schoettle F21V 19/003
10,309,594 B1 6/2019 Baldwin et al.
D876,267 S * 2/2020 Kuwano D10/114.1
D878,947 S * 3/2020 Umemoto D10/114.6
D898,600 S * 10/2020 Baldwin D10/114.2
10,984,636 B2 * 4/2021 Dolezalek G08B 7/06
2003/0030567 A1 2/2003 Hetzel et al.
2013/0314916 A1 * 11/2013 Clore F21V 5/04
362/235
2015/0198317 A1 7/2015 Feller et al.
2015/0201261 A1 7/2015 Feller et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5