



US00D986302S

(12) **United States Design Patent** (10) **Patent No.:** **US D986,302 S**
Burmester et al. (45) **Date of Patent:** **** May 16, 2023**

(54) **SLOT NOZZLE ASSEMBLY**

(71) Applicant: **NORDSON CORPORATION**,
Westlake, OH (US)

(72) Inventors: **Thomas Burmester**, Bleckede (DE);
Hubert Kufner, Lüneburg (DE)

(73) Assignee: **Nordson Corporation**, Westlake, OH
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/781,788**

(22) Filed: **Apr. 30, 2021**

(51) **LOC (14) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/144; D15/144.1**

(58) **Field of Classification Search**
USPC D15/122, 135, 136, 138, 144, 144.1,
D15/144.2, 199; D18/18, 50, 55, 56, 99
CPC B05C 5/0254; B42C 9/0006
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D416,268 S	*	11/1999	Linner		D15/146
D457,538 S	*	5/2002	Gressett, Jr.		D15/144
D519,536 S	*	4/2006	de Leeuw		D15/144
D520,538 S	*	5/2006	de Leeuw		D15/144
D536,354 S	*	2/2007	Kufner		D15/144
D550,261 S	*	9/2007	Bondeson		D15/144
D588,617 S	*	3/2009	Burmester		D15/144
D639,834 S	*	6/2011	Christen		D15/144
D640,295 S	*	6/2011	Pietrowski		D15/126
D640,296 S	*	6/2011	Pietrowski		D15/126
D671,970 S	*	12/2012	Saine		D15/144.1
D673,594 S	*	1/2013	Ganzer		D15/144.1
D685,829 S	*	7/2013	Ganzer		D15/144.1
D768,726 S	*	10/2016	Helgesson		D15/9.2
D809,028 S	*	1/2018	Imahase		D15/135

D815,670 S	*	4/2018	Terabe		D15/135
2008/0145530 A1	*	6/2008	Bondeson		D01D 4/025 427/207.1
2009/0258138 A1	*	10/2009	Burmester		B05B 7/0884 427/207.1

(Continued)

FOREIGN PATENT DOCUMENTS

EP	1932598 A2	*	6/2008		B05B 7/0861
JP	2008-110343 A		5/2008		

(Continued)

Primary Examiner — Michael C Stout

Assistant Examiner — Fritzgerald L Butac

(74) *Attorney, Agent, or Firm* — BakerHostetler



(57) **CLAIM**

The ornamental design for a slot nozzle assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a slot nozzle assembly according to a first embodiment;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a back elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of a slot nozzle assembly according to a second embodiment;
FIG. 9 is a front elevation view thereof;
FIG. 10 is a back elevation view thereof;
FIG. 11 is a left side elevation view thereof;
FIG. 12 is a right side elevation view thereof;
FIG. 13 is a top plan view thereof; and,
FIG. 14 is a bottom plan view thereof.
The broken lines show portions of a slot nozzle assembly that form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0065305 A1 3/2014 Kai
2018/0250701 A1 9/2018 Kuenne

FOREIGN PATENT DOCUMENTS

JP 2012-020283 A 2/2012
JP 2018-144030 A 9/2018

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14