



US00D986559S

(12) **United States Design Patent** (10) **Patent No.:** **US D986,559 S**
Weeks (45) **Date of Patent:** **** May 23, 2023**

- (54) **SHOE MIDSOLE PERIPHERY**
- (71) Applicant: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)
- (72) Inventor: **John Maxwell Weeks**, Playa Del Rey, CA (US)
- (73) Assignee: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/822,666**
- (22) Filed: **Jan. 11, 2022**

Related U.S. Application Data

- (62) Division of application No. 29/776,811, filed on Apr. 1, 2021, now Pat. No. Des. 946,253.
- (51) **LOC (14) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/947; D2/953**
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,594,965	A *	8/1926	Kaplan	A43B 21/06 36/59 C
5,628,128	A *	5/1997	Miller	A43B 13/181 36/114
D522,231	S *	6/2006	Dojan	D2/977
D523,233	S *	6/2006	Dojan	D2/977
D524,033	S *	7/2006	Morris	D2/977
D532,599	S *	11/2006	Dojan	D2/977
D532,600	S *	11/2006	Dojan	D2/977
D534,346	S *	1/2007	Dojan	D2/977
D553,837	S *	10/2007	Hubbard	D2/964
D556,433	S *	12/2007	Le	D2/960
D597,295	S *	8/2009	Duffy	D2/977
D609,894	S *	2/2010	Andersen	D2/954
D634,524	S *	3/2011	Pauk	D2/947
D655,487	S *	3/2012	Blakeslee	D2/977
D669,254	S *	10/2012	Vestuti	D2/947

(Continued)

FOREIGN PATENT DOCUMENTS

CN	302827759	5/2014
CN	303592925	2/2016

(Continued)

Primary Examiner — T Chase Nelson
(74) *Attorney, Agent, or Firm* — Marshall A. Lerner; Steven J. Kim; Kleinberg & Lerner, LLP

(57) **CLAIM**

The ornamental design for a shoe midsole periphery, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a shoe midsole periphery in accordance with my new design; and, FIG. 2 is a left side elevation view thereof.

The broken lines shown in the drawings represent portions of the shoe midsole periphery that form no part of the claimed design.

The surfaces devoid of shading lines are not claimed.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS


D671,301 S * 11/2012 Dombrow D2/951
 D677,451 S * 3/2013 Amphyon D2/947
 D690,918 S * 10/2013 Dombrow D2/951
 D693,101 S * 11/2013 Dombrow D2/951
 D702,430 S * 4/2014 Nascimento D2/951
 D722,427 S * 2/2015 Glancy, Jr. D2/951
 D733,411 S * 7/2015 Lonigan D2/947
 D734,006 S * 7/2015 Portzline D2/947
 D754,956 S * 5/2016 McCourt D2/947
 D764,786 S * 8/2016 Nascimento D2/977
 D767,862 S * 10/2016 Hurayt D2/947
 D770,152 S * 11/2016 Fogg D2/951
 D779,174 S * 2/2017 de Montgolfier D2/947
 D782,789 S * 4/2017 O'Connor D2/947
 D783,972 S * 4/2017 O'Connor D2/947
 D858,066 S * 9/2019 Hatfield D2/947
 D876,768 S * 3/2020 Aden D2/947
 D876,770 S * 3/2020 Aden D2/947
 D876,771 S * 3/2020 Aden D2/947
 D887,689 S * 6/2020 Bove D2/947
 D917,845 S * 5/2021 Huang D2/947
 D919,943 S * 5/2021 Zhang D2/954
 D928,481 S * 8/2021 Teteriatnikov D2/947
 D936,345 S * 11/2021 Chang D2/947
 D943,254 S * 2/2022 Jury D2/947
 D943,946 S * 2/2022 Cheney D2/947
 D945,135 S * 3/2022 Petrie D2/951
 D945,136 S * 3/2022 Petrie D2/951
 D945,137 S * 3/2022 Petrie D2/951
 D946,253 S * 3/2022 Weeks D2/947
 D947,505 S * 4/2022 Lin D2/908
 D948,184 S * 4/2022 Uzzeni D2/947
 11,291,269 B2 * 4/2022 Parker A43B 13/141
 D950,903 S * 5/2022 Zhuang D2/944
 D951,608 S * 5/2022 Lin D2/943
 D954,405 S * 6/2022 Wu D2/907
 D955,710 S * 6/2022 Jiade D2/947
 D957,097 S * 7/2022 Park D2/947
 D968,766 S * 11/2022 Van De Stouwe D2/907
 D972,271 S * 12/2022 Nethongkome D2/955

D973,330 S * 12/2022 Mohamed D2/954
 D975,968 S * 1/2023 Smith D2/903
 2005/0132608 A1 * 6/2005 Dojan A43B 13/20
 36/28
 2005/0132610 A1 * 6/2005 Foxen A43B 13/20
 36/29
 2008/0201984 A1 * 8/2008 Dojan A43B 13/146
 36/35 B
 2010/0180469 A1 * 7/2010 Baucom A43B 3/0031
 36/55
 2014/0259787 A1 * 9/2014 Guyan A43B 13/181
 36/103
 2015/0040425 A1 * 2/2015 Adams A43B 7/082
 36/29
 2015/0128455 A1 * 5/2015 Lubart A43C 15/00
 36/25 R
 2016/0021972 A1 * 1/2016 Grelle A43B 7/24
 36/140
 2016/0157554 A1 * 6/2016 Adams A43B 13/20
 36/28
 2016/0183632 A1 * 6/2016 Scofield A43B 13/187
 36/28
 2016/0324260 A1 * 11/2016 Guyan A43B 13/20
 2021/0120913 A1 * 4/2021 Blanche B29D 35/122

FOREIGN PATENT DOCUMENTS

CN 304092267 4/2016
 CN 304212851 7/2017
 CN 304485300 2/2018
 CN 305050476 3/2019
 CN 305050485 3/2019
 CN 306674592 7/2021
 CN 306918561 11/2021
 EM 008280184-0008 10/2021
 GB 9005310166-0012 6/2018
 GB 9005310166-0013 6/2018
 GB 9005310166-0017 6/2018
 GB 9008272777-0006 11/2020
 IT 2020000003611-0129 3/2021
 IT 2020000003611-0150 3/2021

* cited by examiner






FIG. 2