



US00D987157S

(12) **United States Design Patent** (10) **Patent No.:** **US D987,157 S**  
**Dong** (45) **Date of Patent:** **\*\* May 23, 2023**

(54) **LAMP**  
(71) Applicant: **Jinmei Dong**, Zhongxiang (CN)  
(72) Inventor: **Jinmei Dong**, Zhongxiang (CN)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/858,459**  
(22) Filed: **Nov. 1, 2022**  
(51) **LOC (14) Cl.** ..... **26-05**  
(52) **U.S. Cl.**  
USPC ..... **D26/74; D26/93**  
(58) **Field of Classification Search**  
USPC ..... D16/221, 222; D26/24, 72-74, 85-88,  
D26/93, 102, 104-106, 108-110, 112,  
D26/118, 138, 141-142  
CPC ..... F21S 4/00; F21S 4/10; F21S 4/20; F21S  
6/00; F21S 6/002; F21S 6/003; F21S  
8/00; F21S 8/02; F21S 8/024; F21S  
8/026; F21S 8/03; F21S 8/033; F21S  
8/04; F21V 21/02; F21V 21/06; F21V  
21/10; F21V 21/14; F21V 21/28  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
2,967,040 A \* 1/1961 Picha ..... F21V 21/02  
248/343  
4,515,570 A \* 5/1985 Beltran ..... A63H 33/18  
446/485  
D437,654 S \* 2/2001 Chen ..... D26/74  
D447,158 S \* 8/2001 Hsu ..... D16/101  
D536,473 S \* 2/2007 Tan ..... D26/93  
D581,089 S \* 11/2008 St-Hilaire ..... D26/118  
D584,442 S \* 1/2009 Benensohn ..... D26/89  
D590,982 S \* 4/2009 Benensohn ..... D26/79  
D633,231 S \* 2/2011 Morrison ..... D26/24  
D692,475 S \* 10/2013 Hasuda ..... D16/134  
D699,387 S \* 2/2014 Snell ..... D26/124  
D742,555 S \* 11/2015 Shum ..... D26/2

D888,313 S \* 6/2020 Xie ..... D26/74  
D895,465 S \* 9/2020 Loew ..... D10/106.6  
D905,316 S \* 12/2020 Bie ..... D26/93  
D916,358 S \* 4/2021 Hsu ..... D26/138  
D926,354 S \* 7/2021 Hsu ..... D26/138  
D932,674 S \* 10/2021 Liu ..... D26/104  
D932,681 S \* 10/2021 Chen ..... D26/104  
D945,054 S \* 3/2022 Williams ..... F21S 8/026  
D26/142  
D963,921 S 9/2022 de Azúa Pérez de Luco  
D975,332 S \* 1/2023 Wu ..... D26/74  
D976,477 S \* 1/2023 Amato ..... D26/88  
2011/0080727 A1\* 4/2011 Maxik ..... F21S 8/026  
362/235

(Continued)

**OTHER PUBLICATIONS**

ELCO Lighting Accessories for Recessed Fixtures, revision date Jun. 30, 2018, retrieved Jan. 24, 2023 from URL: <https://s1.img-b.com/lightingdirect.com/mediabase/specifications/elco/581648/elco-l-brckt-specification-sheet.pdf> (Year: 2018).\*


*Primary Examiner* — Richard Kearney  
*Assistant Examiner* — Christina M. Dodson

(57) **CLAIM**  
The ornamental design for a lamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, bottom and right side perspective view of a lamp, showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The broken lines in the drawings illustrate the portions of the lamp, which form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

2012/0262921 A1\* 10/2012 Boomgaarden ..... F21K 9/235  
362/249.02  
2018/0092192 A1\* 3/2018 Arai ..... F21V 3/049


\* cited by examiner




***FIG. 1***




**FIG. 2**




**FIG. 3**



***FIG. 4***




***FIG. 5***



***FIG. 6***





***FIG. 7***