



US00D987913S

(12) **United States Design Patent**
Qiu

(10) **Patent No.:** **US D987,913 S**
(45) **Date of Patent:** **** May 30, 2023**

- (54) **LEAKPROOF PAD**
- (71) Applicant: **JIANGSU ZHONGHENG PET ARTICLES JOINT-STOCK CO., LTD., Yancheng (CN)**
- (72) Inventor: **Bin Qiu, Yancheng (CN)**
- (73) Assignee: **JIANGSU ZHONGHENG PET ARTICLES JOINT-STOCK CO., LTD., Yancheng (CN)**
- (**) Term: **15 Years**
- (21) Appl. No.: **29/852,743**
- (22) Filed: **Sep. 9, 2022**

- 5,233,787 A * 8/1993 Andersen A01K 1/0353
43/132.1
- 5,630,376 A * 5/1997 Ochi A01K 1/0353
604/385.01
- 6,059,247 A * 5/2000 Olivadoti A01K 1/0107
248/346.04
- 6,412,440 B2 * 7/2002 Kobayashi A01K 1/0157
119/161
- 6,450,119 B1 * 9/2002 Holt, Jr. A01K 1/0157
119/28.5
- 6,578,520 B2 * 6/2003 Otsuji A01K 1/0107
119/165
- D480,923 S * 10/2003 Neubourg D7/554.3
- 7,249,570 B1 * 7/2007 Roberson A01K 1/0157
119/169
- D688,838 S * 8/2013 Elliott D6/596
- D689,247 S * 9/2013 Reichert D30/119
- 8,852,717 B2 * 10/2014 Davis B32B 7/05
119/169
- D718,907 S * 12/2014 Calimano D30/161

(Continued)

Related U.S. Application Data

- (62) Division of application No. 29/700,046, filed on Jul. 31, 2019, now Pat. No. Des. 967,565.
- (51) **LOC (14) Cl.** **30-99**
- (52) **U.S. Cl.**
USPC **D30/161**
- (58) **Field of Classification Search**
USPC D30/161, 118, 120; D7/554.3, 624.1,
D7/388; D23/365; D25/60, 58, 138,
D25/140, 156; D6/310-314, 332, 583,
D6/616
CPC .. A01K 1/0272; A01K 1/0353; A01K 1/0245;
A01K 1/0151; A01K 1/0114; A01K
1/0125; A01K 1/0152; A01K 1/0107
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,851,808 A * 12/1974 Schilling A47G 23/06
206/557
- 5,211,133 A * 5/1993 Foley A01K 1/0114
119/165

Primary Examiner — David G Muller
(74) *Attorney, Agent, or Firm* — Bayramoglu Law Offices
LLC


(57) **CLAIM**

The ornamental design for a leakproof pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a leakproof pad showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
In the drawings the broken lines represent portions of the leakproof pad which form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | |
|------------|----|---|---------|------------|-------|-------------|
| D765,922 | S | * | 9/2016 | Savan | | D30/119 |
| D891,815 | S | * | 8/2020 | Tang | | D6/588 |
| D899,015 | S | * | 10/2020 | Rossi | | D30/161 |
| D930,268 | S | * | 9/2021 | Lee | | D30/118 |
| D939,789 | S | * | 12/2021 | Jakubowski | | D30/161 |
| D942,094 | S | * | 1/2022 | Courchesne | | D30/161 |
| 11,234,411 | B2 | * | 2/2022 | Becker | | A01K 1/0353 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7