



US00D987998S

(12) **United States Design Patent**
Sakai

(10) **Patent No.:** **US D987,998 S**

(45) **Date of Patent:** **** Jun. 6, 2023**

(54) **TRAY FOR TOY BEADS**

55/002; A47B 73/008; A47B 57/00; A47B
57/14; A47B 57/16; A47B 57/20

See application file for complete search history.

(71) Applicant: **EPOCH COMPANY, LTD**, Tokyo (JP)

(72) Inventor: **Ryo Sakai**, Tokyo (JP)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **EPOCH COMPANY, LTD.**, Toyko
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/788,821**

675,029	A *	5/1901	Walborg et al.	B65D 1/34 220/657
5,704,789	A *	1/1998	Yang	G09B 11/00 434/96
D510,481	S *	10/2005	Hodgson	D3/304
D815,833	S *	4/2018	Ng	D19/107
D891,513	S *	7/2020	Sakai	D19/111
D922,485	S *	6/2021	Sakai	D19/111
D923,090	S *	6/2021	Sakai	D19/111
D950,953	S *	5/2022	Kennedy, III	D24/227

(Continued)

(22) Filed: **Jul. 30, 2021**

(30) **Foreign Application Priority Data**

FOREIGN PATENT DOCUMENTS

Feb. 10, 2021 (JP) 2021-002952 D

(51) **LOC (14) Cl.** **03-01**

JP	JD-D2020-19246	*	7/2021
JP	JD-D2020-19247	*	7/2021

(Continued)

(52) **U.S. Cl.**

USPC **D3/304**

(58) **Field of Classification Search**

USPC D3/304, 305, 307, 309-314, 319, 323;
D9/414, 416, 431-432, 435, 444, 455,
D9/460, 499, 517, 518, 522, 702-714,

D9/719, 738-740; D6/524, 525, 553, 562

CPC A45C 7/0077; A45C 3/04; A45C 3/10;

B65D 43/0218; B65D 33/00; B65D

33/02; B65D 33/06; B65D 33/065; B65D

33/14; B65D 33/1683; B65D 33/12;

B65D 33/24; B65D 31/00; B65D 31/04;

B65D 31/10; B65D 11/1893; B65D

21/0213; B65D 1/00; B65D 1/22; B65D

1/24; B65D 1/34; B65D 1/36; B65D

1/38; B65D 1/225; B65D 1/243; A47B

87/0284; A47B 43/00; A47B 43/003;

A47B 46/021; A47B 55/00; A47B

(57) **CLAIM**

The ornamental design for a tray for toy beads, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing interior portions of the front and right sides, and the exterior rear and left sides of a tray for toy beads showing my new design;

FIG. 2 is a top plan view thereof;


FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left-side view thereof; and,

FIG. 6 is a right-side view thereof.

(Continued)



The broken lines shown are included for the purpose of illustrating portions of the article which form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

2002/0102905 A1* 8/2002 Tseng A63H 33/046
446/131
2005/0239038 A1* 10/2005 Olsen G09B 11/04
434/409
2016/0354705 A1* 12/2016 Poulus A63H 33/04
2017/0196319 A1* 7/2017 Ng A44C 27/00
2017/0291115 A1* 10/2017 Sakai A63F 9/06

FOREIGN PATENT DOCUMENTS

RU 2021501143 * 11/2021
RU 2021501144 * 11/2021

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6

