US00D988218S

(12) United States Design Patent

Finney et al.

(10) Patent No.: US D988,218 S
(45) Date of Patent: ** Jun. 6, 2023

(54) **VEHICLE INSTRUMENT PANEL**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley Coventry (GB)

(72) Inventors: **Nicolas Finney**, Whitley Coventry (GB); **Lee Perry**, Whitley Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley Coventry (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/849,015**

(22) Filed: **Aug. 8, 2022**

Related U.S. Application Data

(62) Division of application No. 29/728,256, filed on Mar. 17, 2020, now Pat. No. Des. 960,797, which is a division of application No. 29/656,246, filed on Jul. 11, 2018, now Pat. No. Des. 881,095.

(30) **Foreign Application Priority Data**

Apr. 25, 2018 (EM) 005248622
Jul. 5, 2018 (EM) 005438009

(51) **LOC (14) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/192**

(58) **Field of Classification Search**
USPC D12/192, 415, 114, 345; D15/28, 17; D10/122–127, 102–103, 98, 46; D23/324
CPC B60H 1/34; B60H 1/3407; B60H 1/3414; B60H 1/3421; B60H 1/3428; B60H 1/3435; B60H 1/3442; B60H 1/345; B60H 1/3457; B60H 2001/3464; B60H 2001/3471; B60H 2001/3478; B60H 2001/3485
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D836,510	S *	12/2018	Nakai	D12/192
D840,305	S *	2/2019	Chang	D12/192
D847,055	S *	4/2019	De Vienne	D12/192
D847,056	S *	4/2019	Myoi	D12/192
D881,095	S *	4/2020	Finney	D12/192
D929,283	S *	8/2021	Komatsu	D12/192
D934,335	S *	10/2021	Brzykcy	D17/20
D940,619	S *	1/2022	Jimenez	D12/192
D946,044	S *	3/2022	Zurmoehle	D14/489
D948,399	S *	4/2022	Noshiro	D12/192
D952,532	S *	5/2022	Moon	D12/192
D955,314	S *	6/2022	Hirose	D12/192

* cited by examiner

Primary Examiner — Katrina A Betton
(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a vehicle instrument panel, as shown and described.

DESCRIPTION

FIG. **1** is a front left elevated perspective view of a cross beam of a vehicle instrument panel according to the present invention.
FIG. **2** is a front left perspective view of the cross beam shown in FIG. **1**.
FIG. **3** is a rear right elevated perspective view thereof.
FIG. **4** is a rear right perspective view thereof.
FIG. **5** is a front view thereof.
FIG. **6** is a rear view thereof.
FIG. **7** is a left side view thereof.
FIG. **8** is a right side view thereof; and,
FIG. **9** is a top view thereof.

1 Claim, 9 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9