



US00D988236S

(12) **United States Design Patent** (10) **Patent No.:** **US D988,236 S**
Kleinschuster (45) **Date of Patent:** **** Jun. 6, 2023**

(54) **TIRE**

(71) Applicant: **Custom Wheel House, LLC**, Santa Fe Springs, CA (US)

(72) Inventor: **Sean J. Kleinschuster**, Menifee, CA (US)

(73) Assignee: **CUSTOM WHEEL HOUSE, LLC**, Santa Fe Springs, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/807,823**

(22) Filed: **Sep. 15, 2021**

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**

USPC **D12/544**; D12/568

(58) **Field of Classification Search**

USPC D12/568–604, 900, 533–550

CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,386 S	*	4/1991	Fujiki		D12/544
D323,135 S	*	1/1992	Thomas		D12/504
D389,103 S		1/1998	Hashimoto et al.		
D414,727 S		10/1999	Brown et al.		
D445,373 S		7/2001	Wohlgamuth		
D449,804 S	*	10/2001	Lo		D12/558
D487,055 S		2/2004	Rooney et al.		
D487,056 S		2/2004	Rooney et al.		
D580,347 S		11/2008	Lo		
D603,788 S		11/2009	Lundgren		
D608,272 S		1/2010	Osaka		

D621,342 S	8/2010	Osaka	
D653,195 S	1/2012	Sareen	
D711,814 S	8/2014	Ohara	
D732,463 S	6/2015	Petr et al.	
D766,165 S	*	9/2016	Chen D12/544
D780,098 S	2/2017	Sareen	

(Continued)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Reising Ethington P.C.

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of the tire; FIG. 2 is a side elevation view of the embodiment of the tire of FIG. 1;

FIG. 3 is a front elevation view of the embodiment of the tire of FIG. 1, it being understood that the tire tread pattern repeats uniformly throughout the circumference of the tire; FIG. 4 is a perspective view of another embodiment of the tire;


FIG. 5 is a side elevation view of the embodiment of the tire of FIG. 4;

FIG. 6 is a front elevation view of the embodiment of the tire of FIG. 4, it being understood that the tire tread pattern repeats uniformly throughout the circumference of the tire; FIG. 7 is a perspective view of yet another embodiment of the tire;

FIG. 8 is a side elevation view of the embodiment of the tire of FIG. 7; and,

FIG. 9 is a front elevation view of the embodiment of the tire of FIG. 7, it being understood that the tire tread pattern repeats uniformly throughout the circumference of the tire. In the drawings, the broken lines depict environmental subject matter only and do not form any part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D790,445 S	6/2017	Fitzgerald et al.	
D791,681 S	7/2017	Zhang et al.	
D792,333 S *	7/2017	Schaedler	D12/592
D806,640 S	1/2018	Petr	
D808,895 S	1/2018	Kreitzman et al.	
D859,297 S	9/2019	Liu	
D869,384 S *	12/2019	Hsueh	D12/544
D879,020 S	3/2020	Sato	
D893,403 S *	8/2020	Xu	D12/544
D902,129 S	11/2020	Kleinschuster et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9