



US00D988827S

(12) **United States Design Patent** (10) **Patent No.:** **US D988,827 S**  
**Kao** (45) **Date of Patent:** **\*\* Jun. 13, 2023**

(54) **CRIMPING HAND TOOL**  
 (71) Applicant: **JETOOL CORP.**, New Taipei (TW)  
 (72) Inventor: **Yi Ching Kao**, New Taipei (TW)  
 (73) Assignee: **JETOOL CORP.**, New Taipei City (TW)

2003/0005586 A1\* 1/2003 Beetz ..... B25B 7/12  
 30/90.1  
 2005/0000266 A1\* 1/2005 Hetland ..... H01R 43/045  
 72/409.06  
 2007/0169531 A1\* 7/2007 Chen ..... H01R 43/042  
 72/409.14  
 2009/0044410 A1\* 2/2009 Battenfeld ..... H02G 1/1221  
 30/91.2

(Continued)

(\*\*) Term: **15 Years**

**FOREIGN PATENT DOCUMENTS**

(21) Appl. No.: **29/777,540**

CN 301749311 12/2011  
 CN 305457503 11/2019

(22) Filed: **Apr. 7, 2021**

(Continued)

(30) **Foreign Application Priority Data**

**OTHER PUBLICATIONS**

Dec. 21, 2020 (TW) ..... 109307174

“Office Action of Taiwan Counterpart Application”, dated Jul. 13, 2021, p. 1-p. 3.

(51) **LOC (14) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/52**

(58) **Field of Classification Search**  
USPC ..... D8/4, 5, 21, 26, 51–58, 92, 93, 105;  
D19/69, 70; D21/532; D22/149, 150;  
D24/146, 148, 149

*Primary Examiner* — David G Muller  
*Assistant Examiner* — Christina Gabrielle Cosden  
 (74) *Attorney, Agent, or Firm* — JCIPRNET

CPC ..... H02G 1/1209; B25B 7/02; B25B 7/14;  
B25B 7/22; B25C 11/02; B25C 11/00;  
A61B 17/076; A61B 17/03; B26B 13/10;  
B26B 13/20; B26B 13/12; B26B 13/06;  
B26B 13/04; B26B 13/24

(57) **CLAIM**

The ornamental design for a crimping hand tool, as shown and described.

See application file for complete search history.

**DESCRIPTION**


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,053,025 A \* 4/2000 Beetz ..... B25B 27/146  
 72/413  
 6,698,090 B1 \* 3/2004 Hsu ..... H01R 43/042  
 29/760  
 D544,323 S 6/2007 Hutchfield  
 D740,095 S \* 10/2015 Battenfeld ..... D8/52  
 D847,599 S 5/2019 Chiang

FIG. 1 is a perspective view of a crimping hand tool showing my new design;  
 FIG. 2 is another perspective view thereof;  
 FIG. 3 is a front view thereof;  
 FIG. 4 is a rear view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a right side view thereof;  
 FIG. 7 is a top view thereof; and,  
 FIG. 8 is a bottom view thereof.  
 The broken line in the figures show portions of the crimping hand tool that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2009/0249855 A1\* 10/2009 Battenfeld ..... H01R 43/042  
72/409.13  
2016/0380416 A1\* 12/2016 Yen ..... H02G 1/1212  
30/91.2  
2017/0294752 A1\* 10/2017 Lin ..... H01R 43/027  
2020/0036149 A1\* 1/2020 Bröker ..... B25B 7/08  
2021/0194198 A1\* 6/2021 Weisheit ..... H01R 43/048  
2022/0021169 A1\* 1/2022 Huang ..... H01R 43/042

FOREIGN PATENT DOCUMENTS

CN 305825891 6/2020  
TW D111807 7/2006  
TW D134655 5/2010

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8