



US00D989324S

(12) **United States Design Patent** (10) **Patent No.:** **US D989,324 S**
Xu (45) **Date of Patent:** **** Jun. 13, 2023**

(54) **ONE WAY GLIDE REPOSITIONING PAD**

11,253,412 B1 * 2/2022 Xu B32B 5/26
D952,161 S * 5/2022 Xu D24/188
D959,671 S 8/2022 Xu
D965,792 S * 10/2022 Rodzewicz D24/183

(71) Applicant: **Keasy (Xiamen) Technology co., ltd,**
Xiamen (CN)

(Continued)

(72) Inventor: **Zhiyong Xu,** Putian (CN)

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

WO D219270-001 * 3/2022

(21) Appl. No.: **29/858,840**

OTHER PUBLICATIONS

(22) Filed: **Nov. 4, 2022**

Positioning Pad Draw Sheet Lift Patient Transfer Board Sliding Hospital Bed. Online, published date unknown, retrieved on Dec. 25, 2022 from URL: <https://www.ebay.com/itm/223512352365>.*

(51) **LOC (14) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/183**

(58) **Field of Classification Search**
USPC D24/124, 126, 128, 183, 184, 188, 190,
D24/193, 199; D29/100, 101, 101.1, 102,
D29/124; D12/128, 133
CPC A61G 7/10; A61G 7/1011; A61G 7/1023;
A61G 7/1026; A61G 7/1036; A61G
7/1051; A61G 7/1074; A61G 1/003;
A61G 1/01; A61G 1/013; A61G 1/042;
A61G 1/044; A61G 1/048; A47G 9/04;
A47B 1/00

Primary Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Daniel M. Cohn;
Howard M. Cohn

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a one way glide repositioning pad, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

1,474,738 A * 11/1923 Thierjung A47G 9/04
5/494
D325,893 S * 5/1992 Schuster D12/128
D359,809 S * 6/1995 Vann D24/190
D372,215 S * 7/1996 Lunde D12/128
D407,671 S * 4/1999 Muhanna D12/128
6,427,271 B1 * 8/2002 Gadzia A61G 1/01
5/625
D506,710 S * 6/2005 Hurtado D12/133
D562,986 S * 2/2008 Shurm D24/200
D622,399 S 8/2010 Veon
D663,353 S * 7/2012 Waltersdorf D19/1
D721,410 S * 1/2015 Curley D6/582

DESCRIPTION

FIG. 1 is a front, right and top perspective view of a one way glide repositioning pad showing my new design;
FIG. 2 is a rear, left and bottom perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a perspective view in bend state;
FIG. 10 is a perspective view of the one way glide repositioning pad shown in use and with environment; and,
FIG. 11 is an enlarged view of portion 11 shown in FIG. 1. The broken lines in FIG. 10 are for the purpose of depicting environment and form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D966,528 S	10/2022	Xu	
2009/0183309 A1*	7/2009	Stinson	A61G 7/001 5/81.1 T
2016/0095777 A1*	4/2016	Berman	A61G 7/1026 5/81.1 T

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11