



US00D989361S

(12) **United States Design Patent** (10) **Patent No.:** **US D989,361 S**
Kusunoki (45) **Date of Patent:** **** Jun. 13, 2023**

- (54) **REAR COMBINATION LAMP FOR AUTOMOBILE**
- (71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa (JP)
- (72) Inventor: **Teppei Kusunoki**, Kanagawa (JP)
- (73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)
- (**) Term: **15 Years**

- (21) Appl. No.: **29/736,016**
- (22) Filed: **May 27, 2020**

- (30) **Foreign Application Priority Data**
- Nov. 28, 2019 (JP) 2019-026366
- (51) **LOC (14) Cl.** **26-06**
- (52) **U.S. Cl.**
- USPC **D26/28**
- (58) **Field of Classification Search**
- USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36
(Continued)

- (56) **References Cited**
- U.S. PATENT DOCUMENTS**
- D611,175 S * 3/2010 Elliott D26/28
- D750,291 S * 2/2016 Platto D26/28
(Continued)

- FOREIGN PATENT DOCUMENTS**
- CN 306755127 * 4/2021
- JP D1312268 S 10/2007
(Continued)

OTHER PUBLICATIONS

“2020 Nissan Titan XD” by Caricos, Oct. 22, 2019, first visited Sep. 20, 2021. Online, URL: <https://www.caricos.com/cars/n/nissan/2020_nissan_titan_xd/#2> (Year: 2019).*

Primary Examiner — Angela J Lee
(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(57) **CLAIM**
The ornamental design for a rear combination lamp for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a rear combination lamp for automobile in accordance with a first embodiment of my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right side elevational view thereof; and,
 FIG. 6 is a front side perspective view thereof.

The rear combination lamp for automobile is configured to be mounted to an automobile. The mounting structure and support structure of the rear combination lamp for automobile, shown in broken lines in FIGS. 2 to 6, form no part of the claimed design since the mounting structure and support structure are hidden when the rear combination lamp for automobile is mounted to the automobile.

In addition, the appearance of the rear side structures of the rear combination lamp for automobile as shown in broken lines in FIGS. 2 to 6 is for purpose of illustrating the boundaries of the exterior surface of the rear combination lamp for automobile, and forms no part of the claimed design. The rear combination lamp for automobile has a front lens that is transparent such that features behind the lens are at least partially visible as illustrated.

A second embodiment of my new design includes the mirror image of the rear combination lamp for automobile shown in FIGS. 1 to 6.

1 Claim, 6 Drawing Sheets



(58)	Field of Classification Search	JP	D1382068 S	3/2010	
	CPC	JP	D1417998 S	7/2011	
	B65D 41/04; F21V 35/00; F21V 14/01;	JP	D1444765 S	6/2012	
	F23D 3/16; A47G 23/03; F21S 41/33;	JP	D1445518 S	7/2012	
	F21S 41/60; F21S 41/00; F21S 43/00;	JP	D1445526 S	7/2012	
	F21S 41/141; F21S 41/162; F21S 41/18;	JP	D1456871 S	12/2012	
	F21S 41/20; F21S 41/36; F21F 21/04;	JP	D1498624 S	6/2014	
	F21W 2103/40; F21W 2103/35; F21W	JP	D1500462 S	6/2014	
	2107/17; F21W 2107/13	JP	D1500463 S	6/2014	
	See application file for complete search history.	JP	D1508113 S	9/2014	
		JP	D1511711 S	11/2014	
		JP	D1550044 S	5/2016	
(56)	References Cited	JP	D1507448 S	9/2016	
		JP	D1570842 S	3/2017	
	U.S. PATENT DOCUMENTS	JP	D1533205 S	8/2017	
		JP	D1584966 S	9/2017	
	D763,489 S * 8/2016 Allen	JP	D1591858 S	11/2017	
	D763,490 S * 8/2016 Allen	JP	D1585040 S	12/2017	
	D907,263 S * 1/2021 Lin	JP	D1607869 S	7/2018	
	D917,750 S * 4/2021 Yang	JP	D1617706 S	11/2018	
	D950,783 S * 5/2022 Davis	JP	D1649270 S	1/2020	
	D950,787 S * 5/2022 Datta	JP	D1649271 S	1/2020	
	D955,617 S * 6/2022 Lin	JP	D1625166 S	2/2020	
	D973,928 S * 12/2022 Lin	JP	D1655018 S	3/2020	
		JP	D1658804 S	4/2020	
	FOREIGN PATENT DOCUMENTS	JP	D1660969 S	6/2020	
		JP	D1661036 S	6/2020	
JP	D1333901 S	6/2008	JP	D1598475 S	2/2021
JP	D1378734 S	2/2010			
JP	D1381775 S	3/2010			

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6