



US00D989361S

(12) **United States Design Patent**
Kusunoki

(10) **Patent No.:** **US D989,361 S**
(45) **Date of Patent:** **** Jun. 13, 2023**

(54) **REAR COMBINATION LAMP FOR
AUTOMOBILE**

(71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa
(JP)

(72) Inventor: **Teppei Kusunoki**, Kanagawa (JP)

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/736,016**

(22) Filed: **May 27, 2020**

(30) **Foreign Application Priority Data**

Nov. 28, 2019 (JP) 2019-026366

(51) **LOC (14) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D611,175 S * 3/2010 Elliott D26/28
D750,291 S * 2/2016 Platto D26/28
(Continued)

FOREIGN PATENT DOCUMENTS

CN 306755127 * 4/2021
JP D1312268 S 10/2007
(Continued)

OTHER PUBLICATIONS

“2020 Nissan Titan XD” by Caricos, Oct. 22, 2019, first visited Sep. 20, 2021. Online, URL: <https://www.caricos.com/cars/n/nissan/2020_nissan_titan_xd/#2> (Year: 2019).*

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(57) **CLAIM**

The ornamental design for a rear combination lamp for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a rear combination lamp for automobile in accordance with a first embodiment of my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof; and,

FIG. 6 is a front side perspective view thereof.

The rear combination lamp for automobile is configured to be mounted to an automobile. The mounting structure and support structure of the rear combination lamp for automobile, shown in broken lines in FIGS. 2 to 6, form no part of the claimed design since the mounting structure and support structure are hidden when the rear combination lamp for automobile is mounted to the automobile.

In addition, the appearance of the rear side structures of the rear combination lamp for automobile as shown in broken lines in FIGS. 2 to 6 is for purpose of illustrating the boundaries of the exterior surface of the rear combination lamp for automobile, and forms no part of the claimed design. The rear combination lamp for automobile has a front lens that is transparent such that features behind the lens are at least partially visible as illustrated.

A second embodiment of my new design includes the mirror image of the rear combination lamp for automobile shown in FIGS. 1 to 6.

1 Claim, 6 Drawing Sheets



(58) Field of Classification Search				JP	D1382068 S	3/2010
CPC	B65D 41/04;	F21V 35/00;	F21V 14/01;	JP	D1417998 S	7/2011
	F23D 3/16;	A47G 23/03;	F21S 41/33;	JP	D1444765 S	6/2012
	F21S 41/60;	F21S 41/00;	F21S 43/00;	JP	D1445518 S	7/2012
	F21S 41/141;	F21S 41/162;	F21S 41/18;	JP	D1445526 S	7/2012
	F21S 41/20;	F21S 41/36;	F21F 21/04;	JP	D1456871 S	12/2012
	F21W 2103/40;	F21W 2103/35;	F21W	JP	D1498624 S	6/2014
	2107/17;	F21W 2107/13		JP	D1500462 S	6/2014
				JP	D1500463 S	6/2014
See application file for complete search history.				JP	D1508113 S	9/2014
				JP	D1511711 S	11/2014
				JP	D1550044 S	5/2016
(56) References Cited				JP	D1507448 S	9/2016
U.S. PATENT DOCUMENTS				JP	D1570842 S	3/2017
				JP	D1533205 S	8/2017
D763,489 S *	8/2016	Allen	D26/28	JP	D1584966 S	9/2017
D763,490 S *	8/2016	Allen	D26/28	JP	D1591858 S	11/2017
D907,263 S *	1/2021	Lin	D26/28	JP	D1585040 S	12/2017
D917,750 S *	4/2021	Yang	D26/28	JP	D1607869 S	7/2018
D950,783 S *	5/2022	Davis	D26/28	JP	D1617706 S	11/2018
D950,787 S *	5/2022	Datta	D26/28	JP	D1649270 S	1/2020
D955,617 S *	6/2022	Lin	D26/28	JP	D1649271 S	1/2020
D973,928 S *	12/2022	Lin	D26/28	JP	D1625166 S	2/2020
				JP	D1655018 S	3/2020
				JP	D1658804 S	4/2020
				JP	D1660969 S	6/2020
				JP	D1661036 S	6/2020
				JP	D1598475 S	2/2021
JP	D1333901 S	6/2008				
JP	D1378734 S	2/2010				
JP	D1381775 S	3/2010				

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6