



(12) **United States Design Patent**
Unruh, Sr.

(10) **Patent No.:** **US D989,616 S**
(45) **Date of Patent:** **** Jun. 20, 2023**

(54) **SAFETY PLATE**

(71) Applicant: **ALU Holdings Inc.**, Kanab, UT (US)

(72) Inventor: **Arnold E. Unruh, Sr.**, Kanab, UT (US)

(73) Assignee: **ALU Holdings, Inc.**, Kanab, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/799,784**

(22) Filed: **Jul. 16, 2021**

(51) **LOC (14) Cl.** **08-09**

(52) **U.S. Cl.**
USPC **D8/403**

(58) **Field of Classification Search**
USPC D8/354, 349, 16, 373, 499, 396, 403;
D13/153; D25/119, 164, 199
CPC .. H02G 3/24; F16L 33/04; F16L 3/233; F16L
3/237
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS			
833,042	A *	10/1906	Gilbert F16B 2/065 24/562
2,644,410	A *	7/1953	Weber E04D 1/2918 52/552
3,349,534	A *	10/1967	Wotherspoon E04D 1/045 52/549
4,576,364	A *	3/1986	O’Fearna E04H 15/003 256/73
4,627,452	A *	12/1986	Caruso A45D 4/16 132/229
D307,650	S *	5/1990	Murdock D8/395
5,149,339	A *	9/1992	Collins, Jr. B03C 3/15 96/61
5,836,130	A *	11/1998	Unruh F16L 3/223 52/712
D405,544	S *	2/1999	Magnusson D25/121

D409,902	S *	5/1999	Salvucci D8/403
6,044,602	A *	4/2000	Canavan E04D 1/045 52/549
D458,392	S *	6/2002	O’Hagin D25/199
D471,316	S *	3/2003	Budde D27/161
D473,128	S *	4/2003	Costa D8/396
D479,885	S *	9/2003	O’Hagin D25/199
D508,200	S *	8/2005	Cagle D9/434
D510,257	S *	10/2005	Marty D8/356
D605,314	S *	12/2009	Polston D25/199
7,651,056	B2 *	1/2010	Tjerrild F16L 3/227 248/62
7,690,628	B2 *	4/2010	Hewitt E04H 17/161 24/21
D628,881	S *	12/2010	Kindig D8/403
D642,452	S *	8/2011	Kindig D8/403
D716,005	S *	10/2014	McNay D30/162
8,875,351	B1 *	11/2014	Williams B62B 5/069 16/421
D736,612	S *	8/2015	Sickler, Jr. D8/396
D736,768	S *	8/2015	Kuwabara D14/344

(Continued)

Primary Examiner — Keli L Hill
Assistant Examiner — Harold E Blackwell, II
(74) Attorney, Agent, or Firm — Gurr Brande &
Spendlove, PLLC; Robert A. Gurr


(57) **CLAIM**

The ornamental design for a safety plate, as shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of the safety plate;
FIG. 2 is a top plan view of the safety plate;
FIG. 3 is a bottom plan view of the safety plate;
FIG. 4 is a right side elevation view of the safety plate, the left side being a mirror image;
FIG. 5 is a front elevation view of the safety plate; and,
FIG. 6 is a back elevation view of the safety plate.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D759,010	S	*	6/2016	Fujita	D14/344
D766,065	S	*	9/2016	Smither	D8/322
D830,153	S	*	10/2018	Sadofsky	D8/354
D838,471	S	*	1/2019	Young	D3/201
D895,415	S	*	9/2020	Unruh, Sr.	D25/199
10,975,998	B2	*	4/2021	Unruh, Sr.	E04G 21/30
2011/0187681	A1	*	8/2011	Kim	G06F 3/0488
					345/204
2011/0302845	A1	*	12/2011	McRoskey	E06B 7/367
					49/460
2019/0219217	A1	*	7/2019	Unruh, Sr.	E04G 21/30

* cited by examiner






FIG. 1






FIG. 5




FIG. 6