



US00D989817S

(12) **United States Design Patent** (10) **Patent No.:** **US D989,817 S**
Barea (45) **Date of Patent:** **** Jun. 20, 2023**

(54) **TEXTILE THREAD CONTROL SENSOR FOR AUTOMATIC TEXTILE KNITTING OR SEWING MACHINES**

(71) Applicant: **BTSR INTERNATIONAL S.P.A.**,
Olgiate Olona (IT)

(72) Inventor: **Tiziano Barea**, Busto Arsizio (IT)

(73) Assignee: **BTSR INTERNATIONAL S.P.A.**,
Olgiate Olona (IT)

(**) Term: **15 Years**

(21) Appl. No.: **35/514,154**

(22) Filed: **Apr. 5, 2022**

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 5, 2022**

Int. Reg. No.: **DM/220214**

Int. Reg. Date: **Apr. 5, 2022**

Int. Reg. Pub. Date: **Apr. 29, 2022**

(30) **Foreign Application Priority Data**

Oct. 20, 2021 (EM) 008732267-0001

(51) **LOC (14) Cl.** **15-06**

(52) **U.S. Cl.**
USPC **D15/78**

(58) **Field of Classification Search**

USPC D15/66, 72, 78; D24/186, 187, 129, 168;
D16/203; D26/85; D8/354

CPC .. B65H 63/003; B65H 63/02; B65H 63/0328;
B65H 63/08; B65H 63/086; B65H 49/12;
B65H 75/00; D01H 13/1625; F15C
1/005; G01V 8/20; G01N 27/44791

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,769,475 A * 10/1973 Czwakiel B65H 63/02
200/81.9 R
3,790,728 A * 2/1974 Whittaker B65H 63/003
200/61.18
D433,050 S * 10/2000 Mitsui D16/237
7,503,270 B2 * 3/2009 Wieczorek D05B 57/00
112/185

(Continued)

OTHER PUBLICATIONS

BTSR, Smart Matrix 64H, (site visited Feb. 16, 2023), BTSR website, URL<<https://www.btsr.com/products/yarn-break-sensors/smart-matrix-64h>> (Year: 2023).*

(Continued)

Primary Examiner — Calvin E Vansant

Assistant Examiner — Mark T. Philipps

(74) *Attorney, Agent, or Firm* — Vorys, Sater, Seymour and Pease LLP

(57) **CLAIM**

The ornamental design for a textile thread control sensor for automatic textile, knitting, or sewing machines, as shown and described.

DESCRIPTION

1. Textile thread control sensor for automatic textile, knitting, or sewing machines

1.1 : Perspective

1.2 : Front

1.3 : Right

1.4 : Back

1.5 : Left

1.6 : Bottom

1.7 : Top

(Continued)




Fig. 1.1 is a perspective view of the textile thread control sensor for automatic textile, knitting, or sewing machines; fig. 1.2 is a front view thereof; fig. 1.3 is a right view thereof; fig. 1.4 is a back view thereof; fig. 1.5 is a left view thereof; fig. 1.6 is a bottom view thereof; fig. 1.7 is a top view thereof.

1 Claim, 7 Drawing Sheets

D753,068	S	*	4/2016	Terazawa	D13/165
D785,474	S	*	5/2017	Wingate	D10/70
D809,374	S	*	2/2018	Harrington	D8/394
D830,684	S	*	10/2018	Shirai	D15/78
D884,751	S	*	5/2020	Peavy	D15/78
D887,805	S	*	6/2020	Fleming	D8/51
D945,293	S	*	3/2022	Giusti	D10/103
D951,318	S	*	5/2022	Okawa	D15/199
D957,477	S	*	7/2022	Barea	D15/78
D959,999	S	*	8/2022	Grabbert	D10/52
2014/0110523	A1	*	4/2014	Barea	G01V 8/20 242/563

(56)

References Cited

U.S. PATENT DOCUMENTS


D591,120	S	*	4/2009	Buzby	D8/51
D591,121	S	*	4/2009	Buzby	D8/51
D724,983	S	*	3/2015	Yin	D10/101
D726,053	S	*	4/2015	Yin	D10/101

OTHER PUBLICATIONS


BTSR, Smart Matrix Knit, (site visited Feb. 16, 2023), BTSR website, URL<<https://www.btsr.com/products/yarn-break-sensors/smart-matrix-knit>> (Year: 2023).*

* cited by examiner


1.1




1.2




1.3




1.4



1.5



1.6



1.7

