



US00D989992S

(12) **United States Design Patent**  
**Liu**

(10) **Patent No.:** **US D989,992 S**  
(45) **Date of Patent:** **\*\* Jun. 20, 2023**

- (54) **ELECTRONIC CANDLE**
- (71) Applicant: **Quanzhou Aolaige Electronics Co., Ltd., Fujian (CN)**
- (72) Inventor: **Yumei Liu, Fujian (CN)**
- (73) Assignee: **Quanzhou Aolaige Electronics Co., Ltd., Fujian (CN)**
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/754,820**
- (22) Filed: **Oct. 14, 2020**
- (51) **LOC (14) Cl.** ..... **26-04**
- (52) **U.S. Cl.**  
USPC ..... **D26/96; D26/5**
- (58) **Field of Classification Search**  
USPC ..... D26/4, 5, 6, 7, 96, 102, 105, 108, 113,  
D26/116, 125, 154; D14/485, 486  
CPC ..... F21W 2121/00; F21V 35/00; F21V 14/02;  
F21V 37/0095; F21L 4/00; H01K 7/06;  
A47G 2200/08  
See application file for complete search history.

- D825,821 S \* 8/2018 Nguyen-Viveros ..... D26/96
- D835,831 S \* 12/2018 Ding ..... D26/96
- D900,350 S \* 10/2020 Ding ..... D26/5
- D901,748 S \* 11/2020 Wang ..... D26/96
- D906,579 S \* 12/2020 Li ..... D26/96

**OTHER PUBLICATIONS**

Homemory Flameless Votive Candles with Timer, posted Dec. 4, 2020 [online], [retrieved Apr. 10, 2023]. Retrieved from internet, <https://www.amazon.com/Homemory-Flameless-Realistic-Operated-Decoration/dp/B08R8KCSD4?th=1> (Date: Apr. 10, 2023) (Year: 2020).\*

Sehnsy Real Wax Flameless Votive Candles with Remote Timers, posted Aug. 15, 2022 [online], [retrieved Apr. 10, 2023]. Retrieved from internet, <https://www.amazon.com/SEHNSY-Flameless-Operated-Realistic-Christmas/dp/B0B9MRV5S3?th=1> (Date: Apr. 10, 2023) (Year: 2022).\*

\* cited by examiner

*Primary Examiner* — Natasha Vujcic  
*Assistant Examiner* — Robert B Rieker  
 (74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **CLAIM**

The ornamental design for an electronic candle, as shown and described.

**DESCRIPTION**


FIG. 1 is a top perspective view of an electronic candle, showing my design.  
 FIG. 2 is a bottom perspective view thereof.  
 FIG. 3 is a front elevation view thereof.  
 FIG. 4 is a rear elevation view thereof.  
 FIG. 5 is a left side elevation thereof.  
 FIG. 6 is a right side elevation thereof.  
 FIG. 7 is a top plan view thereof; and,  
 FIG. 8 is a bottom plan view thereof.

**1 Claim, 8 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D406,379 S \* 3/1999 Andrews ..... D26/96
- D645,171 S \* 9/2011 Hau ..... D26/5
- D706,963 S \* 6/2014 Thompson ..... D26/96
- D735,399 S \* 7/2015 Liu ..... D26/96
- D757,337 S \* 5/2016 Li ..... D26/96
- D760,422 S \* 6/2016 Li ..... D26/96
- D767,799 S \* 9/2016 Li ..... D26/4
- D788,352 S \* 5/2017 Patton ..... D26/96
- D793,615 S \* 8/2017 Patton ..... D26/96
- D800,929 S \* 10/2017 Li ..... D26/4
- D823,524 S \* 7/2018 Patton ..... D26/96
- D824,576 S \* 7/2018 Patton ..... D26/96






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8