



US00D990113S

(12) **United States Design Patent** (10) **Patent No.:** **US D990,113 S**
Rist (45) **Date of Patent:** **** Jun. 27, 2023**

(54) **SHOE SOLE**

(71) Applicant: **AIRWAIR INTERNATIONAL LIMITED**, Wellingborough (GB)

(72) Inventor: **Bethany Rist**, Wellingborough (GB)

(73) Assignee: **AIRWAIR INTERNATIONAL LIMITED**, Wellingborough (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/751,401**

(22) Filed: **Sep. 21, 2020**

(51) **LOC (14) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/947; D2/950; D2/960**

(58) **Field of Classification Search**
USPC D2/896, 902, 906, 908, 909, 916, 918,
D2/925, 946–962, 970, 974; 36/1, 1.5,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

170,161 A * 11/1875 Falcon A43B 13/08
36/33
180,276 A * 7/1876 Rogers A43B 13/08
36/15

(Continued)

FOREIGN PATENT DOCUMENTS

CN 304844068 * 10/2018
CN 306981916 * 12/2021

(Continued)

OTHER PUBLICATIONS

Chesney Leather Flared Heel Lace Up Boots, (2021), Airwair Dr Martens, [site visited: May 19, 2022], Available from URL: <https://www.drmartens.com/us/en/chesney-leather-flared-heel-lace-up-boots/p/26701001> (Year: 2021).*

www.drmartens.com/us/en/chesney-leather-flared-heel-lace-up-boots/p/26701001 (Year: 2021).*

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Hogan Lovells US LLP

(57) **CLAIM**

The ornamental design for a shoe sole, as shown and described.


DESCRIPTION

FIG. 1 is a front left-side perspective view of a first embodiment of a shoe sole showing my new design; FIG. 2 is a front right-side perspective view thereof; FIG. 3 is a front perspective view thereof; FIG. 4 is a rear perspective view thereof; FIG. 5 is a left-side perspective view thereof; FIG. 6 is a right-side perspective view thereof; FIG. 7 is a top perspective view thereof; FIG. 8 is an exploded rear-side left perspective view thereof; FIG. 9 is a front left-side perspective view of a second embodiment of a shoe sole; FIG. 10 is a front right-side perspective view thereof; FIG. 11 is a front perspective view thereof; FIG. 12 is a rear perspective view thereof; FIG. 13 is a left-side perspective view thereof; FIG. 14 is a right-side perspective view thereof; FIG. 15 is a top perspective view thereof; and, FIG. 16 is an exploded rear-side left perspective view thereof.

FIGS. 1-16 depict a first and second embodiment of a design for a left shoe sole. The third and fourth embodiments are for the right shoe sole with Embodiment 3 being a mirror image of the first embodiment and Embodiment 4 being a mirror image of the second embodiment.

The broken lines appearing in FIGS. 1-16 are to show the environment and form no part of the claimed design.

1 Claim, 16 Drawing Sheets



US D990,113 S

Page 2

(58) Field of Classification Search

USPC 36/22 R, 24.5, 25 R, 28, 3 B, 32 R, 34 R,
36/59 C, 67 A, 83, 101–107, 112–116,
36/117.2, 117.3, 117.4, 124–136
CPC A43B 13/00; A43B 13/02; A43B 13/04;
A43B 13/08; A43B 13/10; A43B 13/023;
A43B 13/026; A43B 13/12; A43B 13/14;
A43B 13/18; A43B 13/141; A43B
13/143; A43B 13/16; A43B 13/181; A43B
13/187; A43B 13/188; A43B 13/189;
A43B 13/223; A43B 13/20; A43B 13/22;
A43B 13/24; A43B 13/28; A43B 13/30;
A43B 13/32; A43B 13/34; A43B 13/36

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

299,691 A * 6/1884 Smith A43B 3/16
36/59 R
447,497 A * 3/1891 Smith A43B 13/223
36/32 R
621,287 A * 3/1899 Riemer A43B 13/08
36/13
631,821 A * 8/1899 Riemer A43B 13/08
36/15
1,305,812 A * 6/1919 Lambert A43B 13/36
36/15
1,317,975 A * 10/1919 Hunter A43B 13/08
36/13
1,363,076 A * 12/1920 Ajello A43B 13/10
36/30 R
D120,248 S * 4/1940 Sbicca D2/950
2,348,628 A * 5/1944 Jayne A43B 13/187
36/19.5
2,370,302 A * 2/1945 Ghez A43B 13/08
36/141
2,374,487 A * 4/1945 Jayne B29D 35/122
36/32 R
2,545,910 A * 3/1951 Aprile A43B 5/00
36/15
D164,456 S * 9/1951 Sprigg D2/954
2,683,317 A * 7/1954 Sprigg A43B 7/32
36/32 R
D182,781 S * 5/1958 Zerkowitz D2/960
2,937,462 A * 5/1960 Hack A43B 13/223
36/149
3,067,752 A * 12/1962 Schaller A43B 13/04
36/145
3,087,261 A * 4/1963 Russell A43B 13/181
D2/960
3,290,803 A * 12/1966 Spatola A43B 13/12
36/76 R
3,595,244 A * 7/1971 Kugler A43B 7/146
36/141
D243,483 S * 3/1977 Pietraszek D2/911
D248,512 S * 7/1978 Nova D2/912
D253,257 S * 10/1979 Pasquier D2/955
D266,797 S * 11/1982 Lucarelli D2/960
4,364,190 A * 12/1982 Yonkers A43B 13/04
36/114
D273,246 S * 4/1984 Tonkel B29D 35/122
D2/960
4,484,398 A * 11/1984 Goodwin A43B 5/185
36/73
D281,460 S * 11/1985 Parker D2/957
4,658,514 A * 4/1987 Shin A43B 5/06
36/32 R
D292,344 S * 10/1987 Austin D2/960
D292,946 S * 12/1987 Stubblefield D2/957
D294,077 S * 2/1988 Kiyosawa D2/960
D297,682 S * 9/1988 Le D2/954
D299,983 S * 2/1989 Zuidema D2/960

D301,283 S * 5/1989 Austin D2/960
4,893,420 A * 1/1990 Bezin A43B 5/14
36/131
4,936,028 A * 6/1990 Posacki A43B 13/36
36/15
D316,930 S * 5/1991 Bernasconi D2/960
5,025,573 A * 6/1991 Giese A43B 13/12
36/31
D318,365 S * 7/1991 Thornton D2/960
D319,531 S * 9/1991 Barrett D2/960
D325,668 S * 4/1992 Bianchini D2/956
D325,805 S * 5/1992 Herber D2/909
D335,762 S * 5/1993 Peterson D2/956
5,231,776 A * 8/1993 Wagner A43B 19/005
482/79
5,245,767 A * 9/1993 Morin A43B 3/0031
36/1
D350,434 S * 9/1994 Goldstein D2/960
D353,480 S * 12/1994 Merceron A43B 7/32
D2/956
D356,664 S * 3/1995 Cesaretti D2/912
D376,471 S * 12/1996 Kalin A43B 13/184
D2/947
D390,351 S * 2/1998 Nevens D2/954
D395,341 S * 6/1998 Greenberg A43B 13/42
D2/957
5,775,005 A * 7/1998 McClelland A43B 13/184
36/31
D408,977 S * 5/1999 Greenberg A43B 13/08
D2/960
D409,361 S * 5/1999 Greenberg A43B 13/08
D2/960
6,026,593 A * 2/2000 Harmon-Weiss A43B 13/206
36/35 R
6,041,518 A * 3/2000 Polycarpe A43B 7/34
36/3 R
D422,128 S * 4/2000 Adler A43B 13/08
D2/951
D435,332 S * 12/2000 Garcia A43B 13/08
D2/909
D435,958 S * 1/2001 White A43B 13/08
D2/947
D461,948 S * 8/2002 Merceron A43B 13/36
D2/960
D468,081 S * 1/2003 Recchi A43B 13/36
D2/954
6,505,421 B1 * 1/2003 Vaz A43B 13/42
36/31
D482,187 S * 11/2003 McClaskie D2/960
D492,840 S * 7/2004 Hearn D2/924
D507,397 S * 7/2005 McClaskie D2/957
D533,708 S * 12/2006 Earle D2/954
D541,510 S * 5/2007 McClaskie A43B 13/187
D2/954
7,225,564 B1 * 6/2007 Gillespie A43B 3/30
36/35 R
D576,392 S * 9/2008 Cintra A43B 13/04
D2/947
D577,184 S * 9/2008 McMillan A43B 13/223
D2/951
D578,745 S * 10/2008 Kaufman A43B 13/181
D2/956
D593,742 S * 6/2009 Issler A43B 13/12
D2/951
D620,243 S * 7/2010 McClaskie A43B 7/146
D2/951
D626,320 S * 11/2010 Anderson A43B 13/026
D2/954
D634,918 S * 3/2011 Katz A43B 19/005
D2/943
D639,037 S * 6/2011 McVicker A43B 3/0031
D2/923
D643,195 S * 8/2011 Yi A43B 5/14
D2/951
D648,513 S * 11/2011 McVicker A43B 3/16
D2/923

(56)

References Cited

U.S. PATENT DOCUMENTS

D669,255	S	*	10/2012	Birkinhead		A43B 7/34
						D2/947
D680,306	S	*	4/2013	Zimkind		D2/914
D687,219	S	*	8/2013	Anderson		D2/912
D719,322	S	*	12/2014	Ferraguti		D2/912
D764,156	S	*	8/2016	Della Valle		D2/954
D787,170	S	*	5/2017	Mokos		D2/970
D788,421	S	*	6/2017	Gibson		D2/951
D799,177	S	*	10/2017	Spring		D2/947
D799,802	S	*	10/2017	Matsumura		D2/947
D800,433	S	*	10/2017	Kuerbis		D2/947
D801,659	S	*	11/2017	Sullivan		A43B 5/185
						D2/951
D814,751	S	*	4/2018	Castilho De Brito		D2/916
D837,500	S	*	1/2019	Faulkenbery		D2/965
D845,600	S	*	4/2019	Evans		D2/951
D855,954	S	*	8/2019	Spring		D2/947
D859,793	S	*	9/2019	Vasyli		D2/907
D887,682	S	*	6/2020	Sogorb		D2/902
D901,155	S	*	11/2020	Comeaux		D2/947
D905,384	S	*	12/2020	Aldred		D2/910
D913,660	S	*	3/2021	Rist		A43B 5/00
						D2/947
D928,464	S	*	8/2021	Mokos		D2/960
D942,130	S	*	2/2022	Teoh		D2/919
D950,904	S	*	5/2022	Kroshinskaya		D2/947
D950,914	S	*	5/2022	Cristobal		D2/951
D959,802	S	*	8/2022	Sukkar		D2/947
D960,536	S	*	8/2022	Rist		D2/896
D970,858	S	*	11/2022	Pu		D2/965
2016/0331078	A1	*	11/2016	Conchieri		A43B 13/026
2017/0000213	A1	*	1/2017	Mason		A43B 13/187
						D2/947
2018/0222098	A1	*	8/2018	Strauss		A43B 13/14
2020/0163412	A1	*	5/2020	Mayer		A43B 13/14

FOREIGN PATENT DOCUMENTS

CN	307056714	*	1/2022
CN	307063252	*	1/2022
CN	307068148	*	1/2022
CN	307097778	*	2/2022
CN	307155304	*	3/2022
CN	307155307	*	3/2022
CN	307270244	*	4/2022
CN	307270246	*	4/2022
TW	216548-0001	*	1/2022
WO	D212291-001	*	1/2021
WO	D212291-002	*	1/2021

OTHER PUBLICATIONS

Spence Leather Flared Heel Chelsea Boots, (2021), Airwair Dr. Martens, [site visited: May 19, 2022], Available from URL: <https://www.drmartens.com/us/en/spence-leather-flared-heel-chelsea-boots/p/26440001> (Year: 2021).*

ASOS Design, Region Leather Mid-Heel Boots, (2022), ASOS, [site visited: May 19, 2022], Available from URL: www.shorturl.at/jBKO8 (Year: 2022).*

Public Desire, Stepup Mid-Heel Chunky Ankle Boot, (2022), ASOS, [site visited: May 19, 2022], Available from URL: <https://www.asos.com/us/public-desire/public-desire-stepup-mid-heel-chunky-ankle-boot-in-black/prd/201411583?clr=black&colourWayId=201411584&cid=13690> (Year: 2022).*

Side Zip Chunky Heeled Combat Boots, Shein, (2022), [May 19, 2022], Available from URL: https://us.shein.com/Side-Zip-Chunky-Heeled-Combat-Boots-p-9218177-cat-1748.html?scici=productDetail~~RecommendList~~RS_own,RJ_NoFault-Tolerant~~Customers%20Also%20Viewed~~SPcProductDetailCustomersAlsoViewedList~~0 (Year: 2022).*

Minimalist Chunky Classic Boots, Shein, (2022), [May 19, 2022], Available from URL: [shorturl.at/nuxQ7](https://us.shein.com/Minimalist-Chunky-Classic-Boots-p-9218177-cat-1748.html?scici=productDetail~~RecommendList~~RS_own,RJ_NoFault-Tolerant~~Customers%20Also%20Viewed~~SPcProductDetailCustomersAlsoViewedList~~0) (Year: 2022).*

* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16