



US00D990411S

(12) **United States Design Patent** (10) **Patent No.:** **US D990,411 S**
Sahashi et al. (45) **Date of Patent:** **** Jun. 27, 2023**

(54) **TIRE TREAD**

(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(72) Inventors: **Kohei Sahashi**, Tokyo (JP); **Shintaro Hayashi**, Tokyo (JP)

(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/789,083**

(22) Filed: **Aug. 30, 2021**

(30) **Foreign Application Priority Data**

Mar. 3, 2021 (JP) 2021-004450 D

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/579**

(58) **Field of Classification Search**
USPC D12/568-604, 900
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D656,086 S * 3/2012 Herbeuval D12/579
D763,781 S * 8/2016 Ashton D12/579
(Continued)

FOREIGN PATENT DOCUMENTS

JP 1309172 S 9/2007
JP 1532935 S 9/2015
(Continued)

OTHER PUBLICATIONS

HC3100267600, Falken on the Pulse Tire Catalog 2019, (Sumitomo Rubber Industries, Ltd.), May 31, 2019, Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.

(Continued)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire tread showing our new design;

FIG. 2 is a front view thereof, the back view being identical;

FIG. 3 is a top view thereof, the bottom view being identical;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a fragmentary enlarged front view thereof;

FIG. 7 is a cross-section view taken along line 7-7 in FIG. 6;


FIG. 8 is a cross-section view taken along line 8-8 in FIG. 6;

FIG. 9 is a cross-section view taken along line 9-9 in FIG. 6; and,

FIG. 10 is a cross-section view taken along line 10-10 in FIG. 6.

Broken lines show environmental portions of a tire tread that are not being claimed, and form no part of the claimed design. The light stippled surface shading represents the surface of the tire tread, and the dark stippled surface shading represents the recessed portion of the tread grooves, having the depth as shown in FIGS. 7,8,9 and 10.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D766,166 S * 9/2016 Uphouse D12/579
D780,103 S 2/2017 Sareen
D780,106 S * 2/2017 Zhao D12/600
D783,517 S 4/2017 Kuwano
D784,250 S * 4/2017 Kuwano D12/600
D791,690 S 7/2017 Ishigaki
D802,523 S * 11/2017 Uphouse D12/579
D821,966 S * 7/2018 Ninomiya D12/600
D841,568 S 2/2019 Wada
D843,927 S 3/2019 Canankamp et al.
D883,190 S 5/2020 Wada
D894,821 S * 9/2020 Petr D12/594
D947,110 S * 3/2022 Wang D12/600
D961,497 S * 8/2022 Kochanek D12/600
11,511,570 B2 * 11/2022 Wada B60C 11/1369
D975,623 S * 1/2023 Fox D12/579

FOREIGN PATENT DOCUMENTS

JP 1533134 S 9/2015
JP 1534238 S 9/2015

JP 1527963 S 6/2016
JP 1565556 S 6/2017
JP 1572792 S 9/2017
JP 1599824 S 9/2018
JP 1619525 S 12/2018
JP 1619737 S 12/2018
JP 1620559 S 12/2018
JP 1626446 S 3/2019
JP 1661631 S 6/2020

OTHER PUBLICATIONS

HJ2901792900, Website URL: <http://us.coopertire.com/Tires/Light-Truck/DISCOVERER-RTX.aspx>, (Cooper Tire & Rubber Co.), Dec. 11, 2017, [database online], [retrieved on Jul. 10, 2017], Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.
HJ3105658600, Website URL: <https://www.falken.co.jp/products/AT3W/img/tire.png>, (Sumitomo Rubber Industries, Ltd.), Jan. 31, 2020, [database online], [retrieved on Dec. 26, 2019], Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

