



US00D991161S

(12) **United States Design Patent** (10) **Patent No.:** **US D991,161 S**
Schmelling (45) **Date of Patent:** **** Jul. 4, 2023**

(54) **CHARGER FOR A CONTROL BOX**
(71) Applicant: **LINAK A/S**, Nordborg (DK)
(72) Inventor: **Steffen Schmelling**, Copenhagen (DK)
(73) Assignee: **Linak A/S**, Nordborg (DK)
(**) Term: **15 Years**
(21) Appl. No.: **29/734,289**
(22) Filed: **May 11, 2020**
(30) **Foreign Application Priority Data**

Nov. 12, 2019 (DK) DA 2019 00100

(51) **LOC (14) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/102–110, 118, 119, 153, 154, 184,
D13/199

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M
2/0207; H01M 2/0212; H01M 2/1061;
H01M 2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/20; H01M
2/202; H01M 2/204; H01M 2/206; H01M
10/44; H01M 10/46; H01M 10/465;
H01M 10/482; H01M 10/4257; H01M
10/0436; H01M 10/48; H01M 2200/30;
H01M 2250/30; H01M 2250/40; H02J
7/00; H02J 7/0003; H02J 7/0011; H02J
7/0013; H02J 7/0054; H02J 7/0055; H02J
7/0057; H02J 7/0034; H02J 7/1423;
Y02T 10/7005; Y02T 10/705; Y02T
10/7088; B60L 11/182

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D708,573 S * 7/2014 Gieniec D13/107
D708,574 S * 7/2014 Gieniec D13/107

D709,828 S * 7/2014 Fiaschetti D13/108
D734,249 S * 7/2015 Shimada D13/107
D749,503 S * 2/2016 Ferguson D13/107
D844,559 S * 4/2019 Mercer B60L 53/31
D13/107
D848,365 S * 5/2019 Yang D13/107
D896,765 S * 9/2020 Schmelling D13/162
D911,943 S * 3/2021 Louis D13/108
D913,249 S * 3/2021 Schmelling D13/162
D916,010 S * 4/2021 Gerber D13/107
D918,134 S * 5/2021 Bonilla D13/107
D922,314 S * 6/2021 Helnerus D13/107
D922,942 S * 6/2021 Hühne D13/107
D935,393 S * 11/2021 Erni D13/107

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/690,495, filed May 8, 2019, by Linak A/S.
(Continued)

Primary Examiner — Christy Nemeth
(74) *Attorney, Agent, or Firm* — Dykema Gossett PLLC


(57) **CLAIM**

The ornamental design for a charger for a control box, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right side perspective view of a charger for a control box;
FIG. 2 is a rear, top, left side perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D941,764 S * 1/2022 Liao D13/110
D942,929 S * 2/2022 Yi D13/103

OTHER PUBLICATIONS

CHJ2 External battery charger for Linak Jumbo systems in patient lifts. Web.archive.org/web/20170603063202mp_/https://www.linak.com/products/accessories/chj2/. Jun. 3, 2017.
Accessory CHJ2 2-D Drawing, dated Jun. 8, 2010, by Linak A/S.

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8