



US00D991787S

(12) **United States Design Patent** (10) **Patent No.:** **US D991,787 S**
Costantini (45) **Date of Patent:** **** Jul. 11, 2023**

(54) **BOTTLE CLOSURE**

(71) Applicant: **Guala Closures S.p.A.**, Alessandria (IT)

(72) Inventor: **Michela Costantini**, Saluggia (IT)

(73) Assignee: **Guala Closures S.p.A.**, Alessandria (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/767,834**

(22) Filed: **Jan. 26, 2021**

(30) **Foreign Application Priority Data**

Jul. 27, 2020 (EM) 008055768

(51) **LOC (14) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/452**

(58) **Field of Classification Search**

USPC D7/387, 391, 392.1, 396.1, 396.2, 396.6,
D7/388, 402, 403; D9/414, 415, 434,
D9/435, 436, 438, 439, 440, 442, 443,
D9/445, 446, 448, 449, 452, 453, 454,
D9/455, 456, 499, 503, 504, 549, 558,
D9/721, 761; D3/201, 273, 318, 319,
D3/323; D23/209, 258, 259, 260, 261;
D24/127, 162, 193, 194, 197, 199, 224,
D24/227

CPC B25B 13/5008; B25B 15/008; B65D 1/02;
B65D 1/0233; B65D 1/08; B65D 1/10;
B65D 41/14; B65D 41/16; B65D
41/3428; B65D 55/16; B65D 43/169;
B65D 43/26; B65D 43/08; B65D
2543/00972; B65D 2525/285; B65D
2525/286; B65D 2525/287; B65D
2525/288; B65D 53/02; A47G 19/24;
B67D 3/00; A24F 40/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D100,387	S	*	7/1936	Perry		D9/453
D235,791	S	*	7/1975	Kurtz		D21/759
5,172,615	A	*	12/1992	Albrecht		B25B 13/54 81/436
D542,133	S	*	5/2007	Haber		D9/453
D548,598	S	*	8/2007	Fillingham		D9/559
D551,972	S	*	10/2007	Jacobs		D9/452
D569,250	S	*	5/2008	Chou		D9/453
D574,239	S	*	8/2008	Lin		D9/453

(Continued)

OTHER PUBLICATIONS

Vinyl Hex Cap: Site Visited (Sep. 25, 2022). Available from Internet
URL: <https://www.capplugs.com/p/vinyl-hex-caps-ms>.*

(Continued)

Primary Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Mark E. Bandy; Rankin
Hill & Clark, LLP



(57) **CLAIM**

The ornamental design for a bottle closure, as shown and
described.

DESCRIPTION

FIG. 1 is a front right perspective view of a bottle closure.
FIG. 2 is a rear view of the bottle closure of FIG. 1.
FIG. 3 is a front view of the bottle closure of FIG. 1.
FIG. 4 is a right side view of the bottle closure of FIG. 1.
FIG. 5 is a left side view of the bottle closure of FIG. 1.
FIG. 6 is a top plan view of the bottle closure of FIG. 1; and,
FIG. 7 is a bottom plan view of the bottle closure of FIG. 1.
The broken lines are shown for the purpose of illustrating
parts of the article that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D607,340 S * 1/2010 Klis D9/453
D856,070 S * 8/2019 Baron D7/392.1
D889,263 S * 7/2020 Scharf D9/452
D914,907 S * 3/2021 Wang D24/224
D926,034 S * 7/2021 Bravman D9/452
D942,273 S * 2/2022 Bravman D9/452

OTHER PUBLICATIONS

Threaded End Cap: Site Visited (Sep. 25, 2022). Available from Internet URL: <https://www.directindustry.com/prod/pnr-italia/product-5289-1484091.html>.*

CNBTR Industry Airtight Dispensing Round Plastic Cap: Announced (May 6, 2016). Site Visited (Sep. 25, 2022). Available from Internet URL: https://www.amazon.com/CNBTR-Industry-Airtight-Dispensing-Plastic/dp/B01F6MPET8/ref=sr_1_70?crid=2ORZD8SYH4AOC&keywords=Hexagonal%E2%80%A6%201/7.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7