



US00D992434S

(12) **United States Design Patent** (10) **Patent No.:** **US D992,434 S**
Zhang et al. (45) **Date of Patent:** **** Jul. 18, 2023**

(54) **INFRARED TEMPERATURE
MEASUREMENT DEVICE**

(71) Applicant: **CHANGZHOU HUADA KEJIE
OPTO-ELECTRO INSTRUMENT
CO., LTD**, Jiangsu (CN)

(72) Inventors: **Ou Zhang**, Jiangsu (CN); **Yiting Pan**,
Jiangsu (CN)

(73) Assignee: **CHANGZHOU HUADA KEJIE
OPTO-ELECTRO INSTRUMENT
CO., LTD.**, Jiangsu (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/804,555**

(22) Filed: **Aug. 20, 2021**

(30) **Foreign Application Priority Data**

Feb. 20, 2021 (CN) 202130099433.8

(51) **LOC (14) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/52**

(58) **Field of Classification Search**
USPC D10/52, 53, 57
CPC G01K 1/00; G01K 1/02; G01K 1/022;
G01K 1/024; G01K 1/026; G01K
2201/02; G01K 2207/00; G01K 2207/02;
G01K 2207/04; G01K 2207/06; G01K
2207/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D230,361 S * 2/1974 Missio G01K 1/026
D10/52

D362,811 S * 10/1995 Capetanopolous D10/52

D463,297 S * 9/2002 Okamoto D10/52
D743,815 S * 11/2015 Janu D10/49
D790,367 S * 6/2017 Krafft D10/52
10,583,214 B2 * 3/2020 Childers G01K 1/026

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Dentons US LLP

(57) **CLAIM**

The ornamental design for an infrared temperature measure-
ment device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an infrared temperature measure-
ment device in accordance with the present invention;

FIG. 2 is rear view of the infrared temperature measurement
device of FIG. 1;

FIG. 3 is a left view of the infrared temperature measure-
ment device of FIG. 1;

FIG. 4 is a right view of the infrared temperature measure-
ment device of FIG. 1;


FIG. 5 is a top view of the infrared temperature measure-
ment device of FIG. 1;

FIG. 6 is a bottom view of the infrared temperature mea-
surement device of FIG. 1;

FIG. 7 is a first stereoscopic view of the infrared temperature
measurement device of FIG. 1; and,

FIG. 8 is a second stereoscopic view of the infrared tem-
perature measurement device of FIG. 1.

1 Claim, 8 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8