



US00D993152S

(12) **United States Design Patent** (10) **Patent No.:** **US D993,152 S**
Pribula et al. (45) **Date of Patent:** **** Jul. 25, 2023**

(54) **TIRE**

OTHER PUBLICATIONS

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

U.S. Appl. No. 29/708,574, filed Oct. 8, 2019, Guilford, Goodyear.
(Continued)

(72) Inventors: **David Michael Pribula**, Alliance, OH (US); **Derek John Becker**, Munroe Falls, OH (US)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — June E. Rickey; Robert N. Lipcsik

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(57) **CLAIM**

The ornamental Design for a tire, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/794,120**

(22) Filed: **Jun. 10, 2021**

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/600**

(58) **Field of Classification Search**
USPC D12/568–605, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,099,899 A *	3/1992	Takeuchi		B60C 11/042 152/DIG. 3
D370,439 S	6/1996	Feider et al.		D12/141
D383,713 S	9/1997	Grosskopf		D12/146
D385,235 S	10/1997	Young		D12/141
D388,370 S	12/1997	Young et al.		D12/146
D390,510 S	2/1998	Stone et al.		D12/143
D397,647 S	9/1998	Young		D12/146
D414,446 S	9/1999	Kemp, Jr.		D12/141
D414,725 S	10/1999	Kemp, Jr.		D12/143

(Continued)

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof taken along line 4-4 of FIG. 2;


FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

The dashed broken lines indicating an enlargement portion of the design form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D424,986 S 5/2000 Yoshioka D12/147
D433,356 S 11/2000 Loeffler et al. D12/147
D448,707 S * 10/2001 Maziarka D12/595
D451,438 S 12/2001 Galante et al. D12/146
D451,860 S 12/2001 Schuster et al. D12/147
D455,120 S * 4/2002 Dixon D12/900
D456,769 S * 5/2002 Dixon D12/900
D472,204 S 3/2003 Kemp, Jr. et al. D12/588
D481,670 S * 11/2003 Harden, Jr. D12/595
D489,036 S 4/2004 Irimiya D12/553
D506,722 S 6/2005 Nonaka D12/553
D555,081 S 11/2007 Feider et al. D12/588
D592,589 S 5/2009 Dixon et al. D12/600
D604,230 S 11/2009 Brown et al. D12/588
D605,108 S 12/2009 Brown et al. D12/588
D609,169 S 2/2010 Feider D12/588
D609,170 S 2/2010 Feider et al. D12/58
D609,175 S 2/2010 Feider et al. D12/600
D610,077 S 2/2010 Tobino D12/601
D610,529 S 2/2010 Tobino et al. D12/601
D615,485 S * 5/2010 Hamada D12/600
D615,922 S 5/2010 Takano D12/588
D617,262 S 6/2010 Tobino D12/601
D635,915 S 4/2011 Hamada D12/588
D656,891 S 4/2012 Yokomakura D12/588
D674,740 S 1/2013 Mathonet et al. D12/588
D674,741 S 1/2013 Mathonet et al. D12/588
D675,560 S 2/2013 Kato D12/590
D686,973 S 7/2013 Otani D12/588
D719,907 S 12/2014 Ohara D12/588
D730,273 S 5/2015 Schimmoeller D12/601
D732,465 S 6/2015 Yamada D12/588
D738,294 S 9/2015 Koog D12/584
D738,813 S 9/2015 Wang D12/584
D742,810 S 11/2015 Tian D12/589
D743,327 S 11/2015 Schimmoeller D12/588
D746,222 S 12/2015 Hutz et al. D12/588

D755,116 S 5/2016 Wang et al. D12/588
D758,293 S 6/2016 Kitajima D12/588
D763,784 S 8/2016 Mathonet et al. D12/603
D764,397 S 8/2016 Dixon et al. D12/601
D765,023 S 8/2016 Parr et al. D12/601
D779,420 S 2/2017 Krier et al. D12/601
D785,551 S * 5/2017 Farinelle D12/588
D787,434 S 5/2017 Oji D12/595
D788,693 S 6/2017 Westaway D12/600
D789,277 S 6/2017 Dixon et al. D12/518
D789,284 S 6/2017 Krier et al. D12/588
D815,021 S 4/2018 Oji D12/588
D815,024 S * 4/2018 Flynn D12/604
D818,940 S 5/2018 Parr D12/604
D818,941 S 5/2018 Parr et al. D12/604
D828,290 S 9/2018 Reygrobellet et al. D12/588
D843,313 S 3/2019 Cai D12/590
D845,225 S 4/2019 Kochanek D12/600
D845,880 S 4/2019 Jones et al. D12/553
D850,360 S 6/2019 Davenport D12/600
D856,269 S 8/2019 Hong et al. D12/588
D866,452 S 11/2019 Jones et al. D12/553
D868,680 S 12/2019 Becker et al. D12/588
D875,655 S 2/2020 Wang et al. D12/588
D877,693 S 3/2020 Coots D12/551
D880,413 S 4/2020 Schultz et al. D12/604
D900,724 S 11/2020 Guilford et al. D12/590
D919,557 S * 5/2021 Davenport D12/588
D954,635 S * 6/2022 Pribula D12/588
D956,679 S * 7/2022 Wang D12/601

OTHER PUBLICATIONS

U.S. Appl. No. 29/721,748, filed Jan. 23, 2020, Guilford, Goodyear.
U.S. Appl. No. 29/756,518, filed Oct. 29, 2020, Pribula, Goodyear.
U.S. Appl. No. 29/771,421, filed Feb. 23, 2021, Bortolet, Goodyear.
U.S. Appl. No. 29/772,039, filed Feb. 26, 2021, Reygrobellet, Goodyear.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6