

US00D993443S

(12)

United States Design Patent
McMurray et al.

(10)

Patent No.: US D993,443 S

(45)

Date of Patent: ** *Jul. 25, 2023

(54) MICROFLUIDIC GLASS CHIP INTERFACE
BRACKET

(71) Applicant: UT-Battelle, LLC, Oak Ridge, TN
(US)

(72) Inventors: Jacob W. McMurray, Clinton, TN
(US); Kevin M. Cooley, Knoxville, TN
(US); Abbey L. Mcalister, Knoxville,
TN (US); Randy J. Parten, Clinton,
TN (US)

(73) Assignee: UT-Battelle, LLC, Oak Ridge, TN
(US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: 15 Years

(56)		References Cited	
		U.S. PATENT DOCUMENTS	
7,223,371	B2 *	5/2007	Hayenga G01N 15/1404 422/50
D614,151	S *	4/2010	Petersen D13/182
8,318,109	B2 *	11/2012	Saltsman G01N 33/5304 422/417
8,550,503	B2 *	10/2013	Davies F16L 41/18 422/546
8,747,777	B2 *	6/2014	Park B01L 3/502707 422/503
8,961,903	B2 *	2/2015	Sadaba Champetier De Ribes B01L 3/5027 422/520
9,011,795	B2 *	4/2015	Lee B01L 3/502738 422/503
9,790,546	B2 *	10/2017	Froehlich B01F 25/31422
D878,622	S *	3/2020	Wild D24/224
10,732,649	B2 *	8/2020	Ismagilov B01L 3/502784
D951,479	S *	5/2022	Versteeg D24/224
(Continued)			

Primary Examiner — Elizabeth J Oswecki
(74) Attorney, Agent, or Firm — Edna I. Gergel

(21) Appl. No.: 29/723,077

(22) Filed: Feb. 4, 2020

(51) LOC (14) Cl. 24-02

(52) U.S. Cl.
USPC D24/224; D13/182

(58) Field of Classification Search
USPC D13/101, 103, 110, 117, 118, 123, 133,
D13/154, 155, 182, 184, 199; D15/140,
D15/144, 144.1, 199; D8/14, 349, 354,
D8/363, 364; D24/169, 216, 224, 225,
D24/226, 227, 230, 232, 233
CPC G01N 1/00; G01N 27/00; G01N 27/44;
G01N 27/791; B01L 3/00; B01L 3/50;
B01L 3/502; B01L 3/5027; B01L
3/502707; B01L 3/502715; B01L 3/5023;
B01L 9/00; B01L 9/52; B01L 9/523;
B01L 9/527; B01L 9/56

See application file for complete search history.

(57) CLAIM

The ornamental design for a micro fluidic glass chip inter-
face bracket, as shown and described.

DESCRIPTION

The invention was made with government support under
Contract No. DE-AC05-00OR22725 awarded by the U.S.
Department of Energy. The government has certain rights in
the invention.

FIG. 1 is a perspective view of a microfluidic glass chip
interface bracket showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof, the left side view being
a mirror image thereof;
FIG. 4 is a back view thereof;

(Continued)




FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.
The left side view is a mirror image of the right side view.

1 Claim, 5 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0184964	A1 *	9/2004	Watanabe	B01F 25/4331 422/502
2007/0166199	A1 *	7/2007	Zhou	B01L 3/502738 422/400
2008/0003142	A1 *	1/2008	Link	C12Q 1/6837 264/219
2009/0170189	A1 *	7/2009	Park	B29C 66/61 435/288.7
2010/0216126	A1 *	8/2010	Balachandran	B01F 33/30 422/82
2012/0009098	A1 *	1/2012	Mouradian	B01L 3/502761 422/502
2012/0230887	A1 *	9/2012	Zucchelli	C40B 60/14 422/502
2015/0087079	A1 *	3/2015	Coffey	G01N 33/54306 436/501
2018/0353958	A1 *	12/2018	Hinojosa	B01J 4/00
2019/0143332	A1 *	5/2019	Yu	B01L 3/563 422/503

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6