



US00D993898S

(12) **United States Design Patent** (10) **Patent No.:** **US D993,898 S**
Saito (45) **Date of Patent:** **** Aug. 1, 2023**

(54) **TIRE TREAD**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

JP D1474626 S 7/2013
JP D1558696 S 9/2016

(Continued)

(72) Inventor: **Keigo Saito**, Tokyo (JP)

(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/790,423**

(22) Filed: **Nov. 25, 2021**

(30) **Foreign Application Priority Data**

Aug. 6, 2021 (JP) 2021-017191 D

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/568-605, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D578,957 S * 10/2008 Bonko D12/605
D788,026 S * 5/2017 Lundgren D12/605
D788,695 S * 6/2017 Scheifele D12/605
D800,645 S * 10/2017 Tokizaki D12/605
D827,558 S 9/2018 Taniguchi
D861,588 S * 10/2019 Nagamoto D12/604
D867,973 S 11/2019 Taniguchi
D932,993 S * 10/2021 Scheifele D12/605

(Continued)

OTHER PUBLICATIONS

HC2950031800, Toyo Tires Passenger & Light Truck Tires 2017 Product Data Book, (Toyo Tire U.S.A. Corp.), Sep. 1, 2017, Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.

Primary Examiner — John A Voytek

(74) Attorney, Agent, or Firm — Kenja IP Law PC

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire tread showing my new design;

FIG. 2 is a front view thereof; the back view being a mirror image of FIG. 2;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a fragmentary enlarged front perspective view of the portion 5 framed in FIG. 1;

FIG. 6 is an enlarged cross-section view taken along line 6-6 between 6-6 in FIG. 2; and,

FIG. 7 is an enlarged cross-section view taken along line 7-7 between 7-7 in FIG. 2.

Broken lines show environmental portions of a tire tread that are not being claimed, and form no part of the claimed design. The light stippled surface shading represents the surface of the tire tread, and the dark stippled surface shading represents the recessed portion of the tread grooves, having the depth as shown in FIGS. 6 and 7.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D934,790 S * 11/2021 Lundgren D12/605
D937,191 S * 11/2021 Sato D12/605

FOREIGN PATENT DOCUMENTS

JP D1661699 S 6/2020
JP D1667374 S 8/2020

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

