

(12)

United States Design Patent

Sang

(10) Patent No.:

US D997,673 S

(45) Date of Patent:

** Sep. 5, 2023

(54) SEALED SCREW CAP

(71) Applicant: Xinglei Sang, Anhui (CN)

(72) Inventor: Xinglei Sang, Anhui (CN)

(**) Term: 15 Years

(21) Appl. No.: 29/768,680

(22) Filed: Feb. 1, 2021

(51) LOC (14) Cl. 08-03

(52) U.S. Cl. D8/60

(58) Field of Classification Search

USPC D7/399, 396, 396.5, 395, 393, 392.1, D7/387, 321, 300, 391, 392, 396.2, 510, D7/511, 538; D8/1, 60, 97, 61, 107, 11, D8/57, 26; D9/711, 457, 454, 453, 452, D9/447, 443, 436, 434, 432, 30, 415

CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 5/46; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; A47G 19/12; A47J 27/00; A47J 27/002; A47J 27/08; A47J 27/21; A47J 27/58; A47J 36/025; A47J 36/06; A47J 36/12; A47J 37/00; A47J 37/10; A47J 37/101; A47J 37/103; A47J 37/12; A47J 37/1204; A47J 45/061; A47J 45/071; A47J 45/08; B01L 3/502; H05B 6/12

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D195,372 S * 6/1963 Worsley D9/439

5,259,534 A * 11/1993 Lynd B65D 47/36

D379,304 S * 5/1997 Bova D9/447

D419,071 S * 1/2000 Peters D9/449

D483,252 S * 12/2003 Williamson D8/387

D552,472 S *	10/2007	Dobson	D9/447
D642,918 S *	8/2011	Taylor	D9/453
D642,919 S *	8/2011	Taylor	D9/453
D642,920 S *	8/2011	Taylor	D9/453
D643,288 S *	8/2011	Taylor	D9/453
D681,462 S *	5/2013	Taylor	D9/453
D681,463 S *	5/2013	Taylor	D9/453
D681,464 S *	5/2013	Taylor	D9/453
D687,709 S *	8/2013	Taylor	D9/453
D723,370 S *	3/2015	Medlin	D9/453
D818,766 S *	5/2018	Xie	D7/391
D851,983 S *	6/2019	Vazin	D7/391
D873,139 S *	1/2020	Chapin	D9/453
D903,408 S *	12/2020	Massucco	D9/453
D920,789 S *	6/2021	Evans	D9/447
D956,563 S *	7/2022	Lantz	D9/520
2003/0189494 A1 *	10/2003	Lin	B65D 51/28
			340/568.1
2007/0199914 A1 *	8/2007	Hung	B65D 47/243
			215/311
2016/0039580 A1 *	2/2016	Roese	B65D 41/58
			215/233

* cited by examiner

Primary Examiner — Eliza Z Harvey

Assistant Examiner — Kayla Marie Bennett

(57) CLAIM

The ornamental design for a sealed screw cap, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a sealed screw cap showing my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;


FIG. 5 is a left side elevation view thereof;

FIG. 6 is a right side elevation view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8