

US00D997678S

(12)

United States Design Patent

Handley

(10) Patent No.:

US D997,678 S

(45) Date of Patent:

** Sep. 5, 2023

(54) APPARATUS FOR HOLDING ELECTRONIC LOCK COMPONENTS

(71) Applicant: Electronic Locksmith, Inc., Apopka, FL (US)

(72) Inventor: James Handley, Apopka, FL (US)

(73) Assignee: Electronic Locksmith, Inc., Apopka, FL (US)

(**) Term: 15 Years

(21) Appl. No.: 29/852,648

(22) Filed: Sep. 8, 2022

Related U.S. Application Data

(62) Division of application No. 29/782,236, filed on May 5, 2021, now Pat. No. Des. 966,067, which is a division of application No. 29/643,700, filed on Apr. 11, 2018, now Pat. No. Des. 922,843.

(51) LOC (14) Cl. 08-05

(52) U.S. Cl. D8/71; D3/304

(58) Field of Classification Search USPC D8/71; D3/20, 26, 304–315; D19/65, D19/100 CPC B25H 5/00; B25H 1/04; B25H 3/00; A47B 13/00

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D307,500 S	4/1990	Mullaly
D331,942 S	12/1992	Kirchner
D358,710 S	5/1995	Meyers et al.
D419,772 S	2/2000	Williams
D433,568 S	11/2000	Willison
D472,711 S	4/2003	Chen
D504,568 S	5/2005	Willison

D512,836 S	12/2005	Marnell	
D584,546 S	* 1/2009	Chu	D6/707
D615,773 S	5/2010	Fojtasek	
D660,086 S	5/2012	Buchman	
D727,623 S	4/2015	Nickell	
D802,525 S	11/2017	Mohr	
D846,281 S	4/2019	Greenwood	
D848,151 S	5/2019	Greenwood	
D850,108 S	6/2019	Hsu	
D876,836 S	3/2020	Stevens	
D884,346 S	5/2020	Hsu	

(Continued)

OTHER PUBLICATIONS

Youtube, Electronic Locksmith Repairs Locks Too, Electronic Locksmith, , https://www.youtube.com/watch?v=kNouOdjG_LE&list=TLGGC_OCLJHxkxoyODAxMjAyMw&t=39s, Mar. 7, 2022 (Year: 2022).*

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) Attorney, Agent, or Firm — Christopher M. Ramsey; GrayRobinson, P.A.

(57) CLAIM

The ornamental design of an apparatus for holding electronic lock components, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an apparatus for holding electronic lock components.

FIG. 2 is a bottom perspective view thereof.

FIG. 3 is a front side perspective view thereof.


FIG. 4 is a back side perspective view thereof.

FIG. 5 is a right side view thereof; and,

FIG. 6 is a left side view thereof.

The broken lines illustrate portions of the apparatus for holding electronic lock components which form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D887,488 S	6/2020	Bakker	
10,723,015 B1	7/2020	Vallow	
D901,371 S	11/2020	Besley	
D906,420 S *	12/2020	Bakker	D19/77
D922,843 S	6/2021	Handley	
D941,026 S	1/2022	Stevens	
D943,379 S	2/2022	Zhang	
D966,067 S *	10/2022	Handley	D8/71
D972,301 S *	12/2022	Zhong	D3/310

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6