

US00D998099S

(12) **United States Design Patent**  
**Swart**

(10) **Patent No.:** **US D998,099 S**

(45) **Date of Patent:** **\*\* Sep. 5, 2023**

(54) **WILDFIRE FACILITY STRUCTURE PROTECTION SPRINKLER**

(71) Applicant: **Bob Simon Shane Swart**, Grand Forks (CA)

(72) Inventor: **Bob Simon Shane Swart**, Grand Forks (CA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/780,946**

(22) Filed: **Apr. 27, 2021**

(51) **LOC (14) Cl.** ..... **23-01**

(52) **U.S. Cl.**  
USPC ..... **D23/214**

(58) **Field of Classification Search**  
USPC ..... D23/213, 214, 215, 221, 222, 223, 224, D23/226, 229, 230  
CPC ..... A61H 9/0021; A61H 33/00; B05B 1/14; B05B 1/185; B05B 1/08; B05B 1/02; B05B 1/26; B05B 12/002; B05B 1/18; B05B 9/01; E03C 1/084; E04H 4/169; F15D 1/025

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D240,488 S *	7/1976	Taub .....	D6/664
D269,046 S *	5/1983	Faul .....	D34/4
4,480,793 A *	11/1984	Grande .....	B05B 1/14 239/589.1
D293,823 S *	1/1988	Fieschi .....	D26/11
D321,239 S *	10/1991	Cleveland .....	D23/213
D342,392 S *	12/1993	Mujica .....	D34/39
D539,384 S *	3/2007	Bogison .....	D23/213
D555,233 S *	11/2007	Bogison .....	D23/285
D662,727 S *	7/2012	Cooper .....	D9/633
D684,891 S *	6/2013	Team .....	D11/149
D729,901 S *	5/2015	Baziuk .....	D23/213

D781,931 S *	3/2017	Sherman .....	D15/80
D819,490 S *	6/2018	Ryan .....	D11/153
D872,411 S *	1/2020	Houchens .....	D34/39
D896,733 S *	9/2020	Postlethwait .....	D12/401
D917,939 S *	5/2021	Xiao .....	D6/688

(Continued)

*Primary Examiner* — Amy C Wierenga

*Assistant Examiner* — Kathryn Elizabeth Zieno

(57) **CLAIM**


The ornamental design for a wildfire facility structure protection sprinkler, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of a wildfire facility structure protection sprinkler showing my new design; FIG. 2 is a bottom rear perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a left-side view thereof; FIG. 8 is right-side view thereof; FIG. 9 is a top front perspective view thereof, showing the wildfire facility structure protection sprinkler in a stored configuration; FIG. 10 is a top view thereof, showing the wildfire facility structure protection sprinkler in the stored configuration; FIG. 11 is a vertical cross-sectional view thereof taken in the direction of line 11-11 in FIG. 10; and, FIG. 12 a top rear perspective view thereof, showing the wildfire facility structure protection sprinkler in an operational configuration.

The broken lines shown in the drawings illustrate portions of the wildfire facility structure protection sprinkler and environment associated with the article that form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2012/0279731 A1\* 11/2012 Howard, Sr. .... A62C 3/0214  
169/52  
2022/0176175 A1\* 6/2022 Swart ..... A62C 35/68

\* cited by examiner




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12