

US00D998543S

(12)

United States Design Patent

Azar et al.

(10) Patent No.: US D998,543 S

(45) Date of Patent: ** Sep. 12, 2023

(54) TIRE

(71) Applicant: The Goodyear Tire & Rubber Company, Akron, OH (US)

(72) Inventors: Jonathan Daniel Azar, Mersch (LU); Olivier Di Prizio, Hettange-Grande (FR); Thomas Gesenhoff, Kerben (DE)

(73) Assignee: The Goodyear Tire & Rubber Company, Akron, OH (US)

(**) Term: 15 Years

(21) Appl. No.: 29/797,403

(22) Filed: Jun. 30, 2021

(51) LOC (14) Cl. 12-15

(52) U.S. Cl. D12/523

(58) Field of Classification Search

USPC D12/500–534, 555, 604

CPC Y10T 152/10; Y10T 152/10027; Y10T 152/10504; B60C 1/0016; B60C 11/00; B60C 11/03; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D524,231 S	*	7/2006	Marazzi	D12/521
D599,276 S		9/2009	Fontaine et al.	D12/519
D601,939 S		10/2009	Fontaine et al.	D12/519
D606,926 S	*	12/2009	Heinen	D12/521
D633,433 S	*	3/2011	Sieber	D12/519
D635,916 S		4/2011	Krier	D12/588
D643,800 S	*	8/2011	Riswanda	D12/523
D646,627 S	*	10/2011	Takemoto	D12/588
D667,359 S	*	9/2012	Ishida	D12/523
D668,204 S		10/2012	Leendertse et al.	D12/524

D679,241 S		4/2013	Fehl et al.	D12/524
D689,429 S		9/2013	Harris et al.	D12/523
D709,024 S	*	7/2014	Shin	D12/586
D709,433 S		7/2014	Inoue	D12/5
D709,819 S	*	7/2014	Herbst	D12/521
D710,293 S		8/2014	Fontaine et al.	D12/588
D713,778 S		9/2014	Muthigi et al.	D12/521
D713,779 S		9/2014	Inoue	D12/521
8,881,782 B2	*	11/2014	Ishida	B60C 11/0306 152/DIG. 3
D721,641 S	*	1/2015	Sieber	D12/588

(Continued)

Primary Examiner — Garth Rademaker
Assistant Examiner — Joseph Thomas Hays
(74) Attorney, Agent, or Firm — June E. Rickey; Robert N. Lipsik


(57) CLAIM

The ornamental Design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a first embodiment of a tire;
FIG. 2 is a left side perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is an enlarged fragmentary front elevational view thereof;
FIG. 7 is a right side perspective view of a second embodiment of a tire;
FIG. 8 is a left side perspective view of a second embodiment; and,
FIG. 9 is a front elevational view of a second embodiment.
In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,925,598	B2 *	1/2015	Ebiko	B60C 11/1315
				152/209.15
D730,269	S	5/2015	Maxwell et al.	D12/523
D730,808	S	6/2015	Majerus et al.	D12/523
D732,462	S *	6/2015	Bindner	D12/523
9,139,047	B2 *	9/2015	Terashima	B60C 11/0083
D746,763	S *	1/2016	Kubo	D12/555
D758,953	S *	6/2016	Ebiko	B60C 11/0304
				D12/515
D768,054	S *	10/2016	Wang	D12/523
D772,785	S	11/2016	Kaneko	D12/519
D772,786	S *	11/2016	Morito	D12/523
D772,787	S *	11/2016	Morito	D12/523
D781,212	S *	3/2017	Bonitas	D12/521
D790,442	S	6/2017	Sei et al.	D12/529
D792,840	S *	7/2017	Hayashi	B60C 11/0306
				D12/604
D823,232	S	7/2018	Bode et al.	D12/515
D859,290	S *	9/2019	Raatikainen	D12/523
D871,313	S *	12/2019	Miyazaki	D12/523
D890,084	S *	7/2020	Speziari	D12/604
D892,712	S	8/2020	Kotlas	D12/517
D893,399	S	8/2020	Fujita	D12/521
D894,092	S	8/2020	Liu et al.	D12/501
D902,133	S *	11/2020	Ohte	D12/588
D916,648	S	4/2021	Kunkel et al.	D12/517
D952,543	S *	5/2022	Karasawa	D12/519
D960,814	S *	8/2022	Pautard	D12/519
D963,557	S *	9/2022	Nakamichi	B60C 11/0304
				D12/588

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6




FIG - 7




FIG - 8




FIG - 9