

(12) **United States Design Patent** (10) **Patent No.:** **US D999,256 S**
Hyakusawa (45) **Date of Patent:** **** Sep. 19, 2023**

(54) **ELECTRICALLY-POWERED SNOWPLOW**

(71) Applicant: **Honda Motor Co., Ltd.**, Tokyo (JP)

(72) Inventor: **Dai Hyakusawa**, Tokyo (JP)

(73) Assignee: **HONDA MOTOR CO., LTD.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/835,770**

(22) Filed: **Apr. 21, 2022**

(30) **Foreign Application Priority Data**

Oct. 27, 2021 (JP) 2021-023328 D

(51) **LOC (14) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/12**

(58) **Field of Classification Search**

USPC D15/10, 11, 12; 172/699
CPC .. E01H 6/00; E01H 1/00; E01H 1/056; E01H 1/05; E01H 1/0809; E01H 5/098; E01H 5/045; E01H 5/061; E01H 5/10; E01H 5/04; E01H 5/09; E01H 5/06; E01H 5/066; E01H 5/02; E01H 5/065; E01H 5/062; E01H 5/063; E01H 5/067; A01D 42/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D270,057 S * 8/1983 Nakamura D15/12
5,123,186 A * 6/1992 Matsushita E01H 5/04
37/251
5,127,174 A * 7/1992 Takeshita E01H 5/04
37/259

D494,193 S * 8/2004 Martin D15/12
D498,770 S * 11/2004 Yuzuriha D15/12
D500,053 S * 12/2004 Yuzuriha D15/12
D554,155 S * 10/2007 Yuzuriha D15/12
D603,428 S * 11/2009 Tashiro D15/12
8,011,120 B1 * 9/2011 Hipple E01C 19/203
37/244
D786,940 S * 5/2017 Dretzka D15/11
D808,440 S * 1/2018 Tucker D15/12
D824,427 S * 7/2018 Cohen D15/12
10,899,266 B2 * 1/2021 Kimura E01H 5/045
D921,053 S * 6/2021 Volovsek D15/12
2016/0138232 A1 * 5/2016 Friberg E01H 5/045
37/260
2017/0152638 A1 * 6/2017 Fu E01H 5/045
2018/0051430 A1 * 2/2018 Friberg E01H 5/045
2019/0323190 A1 * 10/2019 Waelbers G05D 1/0011
2021/0040701 A1 * 2/2021 Yamaoka H02K 7/116

* cited by examiner

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — WHDA, LLP

(57) **CLAIM**


The ornamental design for an electrically-powered snowplow, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of an electrically-powered snowplow, showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a left side elevational view thereof.

The broken lines shown in the drawings depict portions of the electrically-powered snowplow that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7