R. L. BYRUM

ROSE PLANT

Filed Nov. 1, 1941



R.L.Byrum

ATTORNEYS

and the Legensians waggin to obtain -- th

Frank Park Well welling on the Child of the Control of the Control

all spokDendielelist Ist akoli-okoluukite

and the course of the contract of the contract

a kindritt i vinna i indikalijaaddist henre

The second secon

### UNITED STATES PATENT OFFICE and to acold this could be oblive bifo

ROSE PLANT Roy L. Byrum, Richmond, Ind., assignor to Joseph H. Hill Company, Richmond, Ind., a corporation of Indiana

Application November 1, 1941, Serial No. 417,558

Claim. (Cl. 47—61)

The present invention relates to a new and distinct variety of miniature rose plant, originating from the crossing of "Joanna Hill" with an unnamed seedling, a large hybrid tea rose of a yellow color similar to that of the well-known 5 variety "Souv. de Claudius Pernet."

It may be noted, by way of comparison, that the only yellow miniature (semi-miniature) hybrid tea rose of which I am aware, is my previous origination commercially known as "Yellow Dot" 10 (Plant Patent No. 312). However, this new variety is smaller and does not otherwise resemble 'Yellow Dot." It resembles more "Joanna Hill" in growth, but produces short stems, since it is a miniature, and the bloom is much smaller than 15 "Joanna Hill." So far as color is concerned, the new rose resembles, its pollen parent, but is much smaller in size. It is not a polyantha.

The particular value of this new variety resides in special adaptability for corsages, both on ac- 20 count of its miniature size and the color of its blooms, so popular for corsages.

Among other distinguishing features, I have observed that as this new rose opens on a rose plant in a greenhouse, the color gets lighter 20 rapidly, becoming almost white, but when cut as a bud from a plant in the greenhouse and brought indoors, the color lightens very little, as it opens.

For geneological purposes, I note that the pollen parent used in originating this new variety was itself the result of a cross between "Justine" (Plant Patent No. 154) as the pollen parent, and "Captain Glisson" (Plant Patent No. 155) as the seed parent. It differs entirely from either of 35 these varieties.

The following is a detail description of the new variety, the color terminology being in accord with Ridgway's Color Standard:

Type: Greenhouse; seedling; for cut flowers. Class: Hybrid tea.

Breeding or discovery: Seedling.

Seed parent.—"Joanna Hill."

tine"×"Captain Glisson").

Propagation: Holds its distinguishing characteristics through succeeding propagations by cuttings, grafting and budding.

# Flower

Locality where grown: Richmond, Indiana. Flowers borne: Singly to stem on strong, short stems.

Quantity of bloom: Abundant in greenhouse. Continuity: Continuous. Fragrance: Slight tea.

Chiming of State Mining

· 1. 1867年 李武建设建设设施,本会中国自由的表示。1952年 李建建设 1953年 1953年

(1994) 1996 [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996] [1996]

Light of the Life of the mollow-opening of the

Peduncle.—Medium length; slender; erect; stiff; medium green; almost smooth; few green hairs.

Before calyx breaks.—Size—small. Form short; pointed, with a conspicuous neck; with foliaceous appendages on the surface of the bud; with slender, entire foliaceous parts extending beyond the tip of the bud equal to three-fourths or more of its length.

As calyx breaks.—Color—some buds are entirely Buff-Yellow, Plate IV; some are Light Orange-Yellow, Plate III, near tip.

As first petal opens.—Size—very small. Form—very short; pointed. Color: outside—some have Empire Yellow base. Plate IV, shading to Buff-Yellow, Plate IV; others are Empire Yellow, Plate IV, with a White edge toward tip of petal; inside some petals are Apricot Yellow, Plate IV, while others are Light Orange-Yellow, Plate III. Opening—opens up well.

# Bloom:

**50** 

55

Size, when fully open.—Small; two inches to three inches.

Petalage.—Semi-double, from fifteen to twenty petals arranged irregularly.

Form.—Globular at first, becoming flat, open; petals remaining at first loosely rolled outward; becoming later, at maturity, loosely rolled outward.

Petals: Thick, with inside satiny and outside shiny.

Shape.—Outside—obovate, with apex flat with one notch—most with none. Intermediate—obovate, with apex flat with one notch—most with none. Inside—obovate; irregular with one notch—most with none.

This description of a newly opened flower was Pollen parent.—Unnamed seedling ("Jus- 45 made from a rose grown in a greenhouse at Richmond, Indiana, in the month of August, 1941:

> Color.—Outside petal: outside surface— Maize Yellow, Plate IV; tips White; inside surface-Pale Orange Yellow, Plate III; tips White. Intermediate petal: outside surface—Maize Yellow, Plate IV; inside surface—Pale Orange-Yellow, Plate III. Inner petal: outside surface—Maize Yellow, Plate IV; inside surface—Pale Orange-Yellow, Plate III.

General color effect.—Newly opened flower—Pale Orange-Yellow, Plate III. Three days open—Marguerite Yellow, Plate XXX.

Behavior.—Persist.

Flower longevity.—Cut roses grown in greenhouse kept at living room temperatures six days in September.

This description was made from a rose that was open for three days in a greenhouse at Rich- 10 mond, Indiana, in the month of September, 1941.

Color.—Outside petal: outside surface—Marguerite Yellow, Plate XXX; inside surface—Marguerite Yellow, Plate XXX. Inside petal: outside surface—Marguerite Yellow, Plate XXX; inside surface—Marguerite Yellow, Plate XXX; inside surface—Marguerite Yellow, Plate XXX.

# Reproductive organs

Stamens: Medium number; arranged regularly about pistils.

Filaments: Long; reddish; most with anthers.

Anthers: Small; reddish; all open at once.

Pollen: Abundant; gold.

Pistils: Medium number.

Styles: Uneven; short; medium heavy; bunched.

Stigma: White.

Ovaries: Some protruding from calyx.

Hips: None.

Sepals: Permanent; spear-shaped.

Color.—Inside—Chalcedony Yellow, Plate XVII, center, edged by Biscay Green, Plate XVII. Outside—Light Bice Green, Plate XVII.

~~ Y J.L.

Seeds: None.

# Plant

Foliage:

Leaves.—Compound of five leaflets; abundant; small; moderately leathery.

Leaflets.—Shape—ovoid, with apex acute; base obtuse; margin simply serrate. Color—mature: upper surface—Darker than Dark Dull Yellow-Green, Plate XXXII; under surface—Deep Dull Yellow Green (1) Plate XXXII, overlaid with Sage Green, Plate XLVII. Young: upper surface—Green with Bronze edges; under surface—Green overlaid with bronze.

Rachis (the supporting stem of the compound leaf).—Medium heavy; upper side, smooth, grooved; under side, prickly.

Stipules.—Medium long; medium wide; with medium long points turning out at an angle of less than 45°.

Disease.—Resistant to mildew and blackspot. Growth:

Habit.—Bush; upright; much branched.

Growth.—Vigorous.

Canes.—Light.

Main stems.—Dull green with streaks of rust.

Thorns—several; medium long; hooked downward; with long, narrow base. Prick-les—none. Hairs—none.

Branches.—Dull Green. Thorns—several; medium long; hooked downward; with long, narrow base. Prickles—none. Hairs—none.

New shoots.—Green Bronze. Thorns-several; medium long; straight; with short, narrow base. Prickles—none. Hairs—none.

I claim:

25

A new and distinct variety of hybrid tea rose plant, characterized as to novelty by its miniature size, the yellow coloring and abundance of its blooms, their lasting quality and general distinction from all other roses of its class, substantially as shown and described.

ROY L. BYRUM.