


June 16, 1953

B. ENGVIST

Plant Pat. 1,196

ROSE PLANT

Filed July 18, 1952



Inventor.
Bror Engkvist
By: Robert Cook
Attorneys.

UNITED STATES PATENT OFFICE

1,196

ROSE PLANT

Bror Engkvist, Halsingborg, Sweden, assignor, by
mesne assignments, to Jackson & Perkins Com-
pany, Newark, N. Y., a corporation of New York

Application July 18, 1952, Serial No. 299,782

1 Claim. (Cl. 47—61)

1

The present invention relates to a new and distinct variety of rose plant of the hybrid tea class, which was discovered by me amongst cultivated plantings of the variety "Orange Delight" (Plant Patent No. 874), being grown in green-
houses on my property in Sweden. My new
variety occurred as a sport of the variety "Orange
Delight," and I have found that it is importantly
distinguished therefrom, as well as from all other
varieties of its class, by the following outstand-
ing characteristics which make it especially suit-
able as a greenhouse rose:

(1) The Peach Red general color tonality of
its flowers, lightly overcast with Capucine
Orange;

(2) An unusual and peculiar quilling charac-
teristic of the petals of the flowers, which is very
distinctive; and

(3) The relatively quick growth and produc-
tion of new flowers after each flower has been
cut.

Asexual reproduction of this new variety by
grafting in greenhouses at Newark, New York,
U. S. A., shows that the foregoing characteris-
tics and distinctions come true to form and are
established and transmitted through succeeding
propagations.

The accompanying drawing shows typical
specimens of my new variety, with the flowers
and foliage in different stages of development.

The following is a detailed description of my
new variety, with color terminology in accord-
ance with Ridgway's Color Standards and
Nomenclature:

Parentage: Sport of "Orange Delight."

Classification:

Botanic.—Hybrid tea.

Commercial.—Hybrid tea.

Flower

Observations made in a greenhouse at Newark,
New York, U. S. A., about mid-morning, near
the middle of the month of December.)

Blooming habit: Recurrent—continuous, with a
very short time between flowering periods.

Bud:

Size.—Medium.

Form.—Ovoid; is not affected by wet or hot
weather.

Color.—When sepals first divide—Jasper Red,
Plate 13. When petals begin to unfurl—
Jasper Red, Plate 13, lightly overcast with
Rose Doree, Plate 1, with the lower half
of the petal having a slight overcast of
Lemon Chrome, Plate 4. When half blown:
inside of petals — Rose Doree, Plate
1, lightly overcast with Peach Red, Plate 1;
reverse of petals—Peach Red, Plate 1,
lightly overcast with Rose Doree, Plate 1.

2

Sepals.—Smooth edge; slightly branched;
curl back when petals begin to unfurl.
Color: inside—Absinthe Green, Plate 31;
outside—Light Cress Green, Plate 31.

Calyx. — Shape — apple. Size — broad.
Aspect.—smooth. *Odor* when rubbed—
none. *Color.*—Lettuce Green, Plate 5.

Peduncle. — Length — medium. *Aspect.*—
prickly. *Strength.*—erect; slender.
Color.—Lettuce Green, Plate 5.

Opening.—Opens up well; is not affected by
adverse weather conditions.

Bloom:

Size.—Large. Average size when fully ex-
panded—4½ inches to 5 inches.

Borne.—Singly and several together.

Stems.—Medium length; strong.

Form.—When first open—high center. Per-
manence—all petals curl quill fashion like
a cactus dahlia.

Petalage.—Double (full but open center).
Number of petals under normal condi-
tions—35 to 45.

Color.—Center of flower—Peach Red, Plate
1. Outer petals—Strawberry Pink, Plate
1, lightly overcast with Capucine Orange,
Plate 3. Base of petals (aiglet)—Lemon
Chrome, Plate 4. Inside of petals—Peach
Red, Plate 1, lightly overcast with Capucine
Orange, Plate 3. Reverse of petals—Gren-
adine Pink, Plate 2, lightly overcast with
Capucine Orange, Plate 3. General to-
nality from a distance—Peach Red, Plate
1, lightly overcast with Capucine Orange,
Plate 3.

Discoloration.—General tonality at end of
first day—Peach Red, Plate 1, lightly over-
cast with Capucine Orange, Plate 3. Sec-
ond day—Grenadine Pink, Plate 2, lightly
overcast with Capucine Orange, Plate 3.
Third day—Strawberry Pink, Plate 1.

Petals:

Texture.—Thin; is not affected by wet or
hot weather.

Appearance. — Inside — satiny; outside —
shiny.

Form.—Oval.

Arrangement.—Informal (with "rags" in
center). Petaloids in center—many; large.

Persistence.—Drop off cleanly.

Fragrance.—Slight. Nature—tea (average
hybrid tea scent).

Lasting quality.—On the plant and as cut
flower—long.

Genital organs

Stamens, anthers:

Size.—Large.

Arrangement.—Mixed with petaloids.

Color.—Light Orange Yellow, Plate 3.

3

Stamens, filaments (threads):

Length.—Medium.

Color.—Apricot Yellow, Plate 4.

Pollen: Color—Maize Yellow, Plate 4.

Styles: Loosely separated; uneven length; medium length; thin.

Stigmas: Color—Maize Yellow, Plate 4.

Ovaries: All enclosed in calyx.

Plant

Form: Bush.

Growth: Vigorous; upright.

Foliage: 5 to 7 leaflets.

Size.—Medium.

Quantity.—Normal abundance.

Color.—New foliage: Upper side—Oil Green, Plate 5, lightly overcast with Pomegranate Purple, Plate 12, and serrations Pomegranate Purple, Plate 12; under side—Cosse Green, Plate 5, overcast with Pomegranate Purple, Plate 12, and serrations Pomegranate Purple, Plate 12. Old foliage: Upper side—Dark Cress Green, Plate 31; under side—Light Cress Green, Plate 31.

Shape.—Oval pointed.

Texture.—Upper side—smooth. Under side—rough. Ribs and veins—ordinary.

Edge.—Serrated (saw toothed).

Serration.—Double and single; small.

Leaf stem.—Color—Absinthe Green, Plate 31, lightly overcast with Oxblood Red, Plate 1. Under side—prickles.

Stipules.—Medium length; smooth.

4

Wood:

New wood.—Color—Pompeian Red, Plate 13.

Bark—smooth.

Old wood.—Color—Cress Green, Plate 31.

Bark—smooth.

Thorns:

Thorns.—Quantity: on main stalks from base—ordinary; on laterals from stalk—ordinary. Form—narrow base; medium length; hooked downward. Color when young—Eugenia Red, Plate 13. Position—irregular.

Prickles.—Quantity: on main stalks—few; on laterals—few. Color—Pale Lumiere Green, Plate 17.

Short needles.—On main stalks—none; on laterals—none.

I claim:

A new and distinct variety of rose plant of the hybrid tea class, substantially as herein shown and described, characterized as to novelty particularly by the Peach Red general color tonality, lightly overcast with Capucine Orange, of its flowers, by the distinctive quilling habit of the petals of its flowers, and by its relatively quick growth and rapid production of new flowers after each flower has been cut from the plant.

BROR ENGKVIST.

No references cited.