


Nov. 18, 1958

G. DE RUITER

Plant Pat. 1,771

ROSE PLANT

Filed March 3, 1958



Inventor.
Gerrit de Ruiter
By: Robb & Robb
Attorneys.

1

1,771

ROSE PLANT

Gerrit de Ruiter, Hazerswoude, Netherlands, assignor to
The Conard-Pyle Company, West Grove, Pa., a cor-
poration of Pennsylvania

Application March 3, 1958, Serial No. 718,936

1 Claim. (Cl. 47—61)

The present invention relates to a new and distinct
variety of rose plant of the hybrid polyantha class, which
was originated by me by crossing the variety "Alain" (un-
patented) with an unnamed and unpatented polyantha
seedling.

The primary objective of this breeding was to produce
a new rose variety which combines therein the most de-
sirable characteristics of the parent varieties. This ob-
jective was fully achieved, along with other improvements,
as evidenced by the following unique combination of
characteristics which are outstanding in my new variety:

- (1) Compact habit of growth and bloom, with attend-
ant special suitability for greenhouse pot forcing;
- (2) Excellent and disease-resistant foliage;
- (3) Uniform and decorative distribution of the blooms
on the plant;
- (4) Well-formed and long-lasting blooms; and
- (5) A distinctive Orient Red general color tonality of
the blooms.

The foregoing characteristics and distinctions definitely
differentiate my new variety from its parents, as well
as from all other varieties of its class of which I am
aware, and asexual reproduction of the new variety by
budding, as performed by me in Holland and as performed
on my behalf at West Grove, Pennsylvania, U. S. A.,
shows that the aforesaid characteristics and distinctions
come true to form and are established and transmitted
through succeeding propagations.

The accompanying drawing shows typical specimens
of the vegetative growth and flowers of my new variety
in different stages of development and as depicted in color
as nearly true as it is reasonably possible to make the
same in a color illustration of this character.

The following is a detailed description of my new
variety, with color terminology in accordance with the
Horticultural Color Chart of the Royal Horticultural
Society, except where general color terms of ordinary
dictionary significance are obvious:

Type: Hardy; bush; outdoor and greenhouse; seedling; for
garden decoration and for greenhouse pot forcing.

Class: Hybrid polyantha.

Breeding: Seedling.

Seed parent.—"Alain."

Pollen parent.—An unnamed polyantha seedling.

Propagation: Holds its distinguishing characteristics
through succeeding propagations by budding.

Flower

Locality where grown and observed: West Grove, Pennsyl-
vania, U. S. A.

Flowers borne: Several to stem; in regular, flat clusters;
on stems of medium length and normal strength.

Quantity of bloom: Free, outdoors and in greenhouse.

Continuity: Continuous.

Fragrance: Slight. Nature—sweetbriar.

Bud:

Peduncle.—Medium length; medium caliper; stiff;

2

rough; with medium number of hairs of Garnet
Brown color, Plate 00918. Color—Garnet Brown,
Plate 00918.

Before calyx breaks.—Size—medium. Form—
ovoid; with a conspicuous neck; with foliaceous
appendages on the surface of the bud; with stout,
entire foliaceous parts extending beyond the tip
of the bud equal to 1/4 or more of its length.

As calyx breaks.—Color—slightly darker than Chrys-
anthemum Crimson, Plate 824.

As first petal opens.—Size—medium. Form—ovoid.
Color: outside—slightly darker than Signal Red,
Plate 719; inside—Blood Red, Plate 820, overlaid
with Purple Madder, Plate 1028 where first ex-
posed to sun.

Opening.—Opens up well.

Bloom:

Size (when fully open).—From 2 1/4 inches to 2 3/4
inches.

Petalage.—Double; from 45 to 50 petals; arranged
regularly.

Form.—Cupped at first and remaining cupped; petals
being at first flat and remaining flat at maturity.

Petals:

Texture.—Medium thickness; with inside velvety and
outside satiny.

Shape.—Outer—obovate, with one notch. Inter-
mediate—round obovate, with one notch. Inner—
variable, but generally undulate, with one or two
notches.

This description of a newly opened flower was made
from a rose grown outdoors in the month of September
at West Grove, Pennsylvania, U. S. A.:

Color.—Outer petal: outside surface—Blood Red,
Plate 820, with point of attachment Uranium
Green, Plate 63/3; inside surface—Scarlet, Plate
19, with point of attachment Uranium Green,
Plate 63/3 which sometimes extends in streaks
towards apex of petal. Intermediate petal: out-
side surface—Currant Red, Plate 821/1, with point
of attachment Uranium Green, Plate 63/3; inside
surface—Scarlet, Plate 19, with point of attach-
ment Uranium Green, Plate 63/3. Inner petal:
outside surface—Turkey Red, Plate 721, with point
of attachment Uranium Green, Plate 63/2, and
occasionally with streaks of Uranium Green, Plate
63/3 extending towards the apex; inside surface—
Scarlet, Plate 19, with point of attachment Uranium
Green, Plate 63/3.

This description was made from a rose that was open
for three days outdoors in the month of September at
West Grove, Pennsylvania, U. S. A.:

Color.—Outer petal: outside surface—Currant Red,
Plate 821/2, with point of attachment Uranium
Green, Plate 63/3; inside surface—Orient Red,
Plate 819, with point of attachment Pod Green,
Plate 061/3. Inner petal: outside surface—Cur-
rant Red, Plate 821/3, with point of attachment
Uranium Green, Plate 63/3; inside surface—Orient
Red, Plate 819/3, with point of attachment Pod
Green, Plate 061/3.

General color effect.—Newly opened flower—Orient
Red, Plate 819. 3-days open—Orient Red, Plate
819/1.

Behavior.—Drop off cleanly.

Flower longevity.—On bush in garden—8 days in
September. Cut roses grown outdoors and kept at
living-room temperatures—6 days in September.

3

Reproductive organs

Stamens: Medium number; arranged regularly about pistils; mixed with petaloids.

Filaments: Many; most with anthers; medium length.

Color—Jasper Red, Plate 018 at base, with upper parts Chrome Yellow, Plate 605/1.

Anthers: All open at once; medium size; seldom an anther fused with a petaloid. **Color—**Buttercup Yellow, Plate 5.

Pollen: Moderate abundance. **Color—**gold.

Pistils: Medium number.

Styles: Uneven; medium length; medium caliper; bunched.

Stigma: **Color—**yellow.

Ovaries: All enclosed in receptacle.

Hips: Short; globular; with inconspicuous neck; smooth; walls of medium thickness. **Color—**reddish.

Sepals: Permanent; medium length; spear-shaped.

Seeds: Medium number; small.

*Plant**Foliage:*

Leaves.—Compound of 5 or 7 or more leaflets; abundant; medium size; moderately leathery.

Leaflets.—Shape—oval, with apex acuminate. Base—obtuse. Margin—simply serrate.

Color.—Mature: upper surface—Spinach Green, Plate 0960; under surface—Sage Green, Plate 000861/1. Young: upper surface—Fern Green, Plate 0862, heavily overlaid with Oxblood Red, Plate 00823; under surface—Oxblood Red, Plate 00823, veined with Fern Green, Plate 0862.

Rachis (the supporting stem of the compound leaf).—Medium caliper. Upper side—hairy. Under side—sparsely prickly.

Stipules.—Moderately long; medium width; with moderately short points turning out at an angle of more than 45°.

4

Disease resistance.—Better than average resistance to blackspot and powdery mildew, as determined by comparison with other varieties grown outdoors under the same cultural conditions at West Grove, Pennsylvania; Mentor, Ohio; and Livermore and San Jose, California, U. S. A.

Growth:

Habit.—Bushy; upright; much-branched.

Growth.—Free.

Canes.—Medium caliper.

Main stems.—Bright. **Color—**Spinach Green, Plate 0960/1. Prickles—several; **color—**Chrysanthemum Crimson, Plate 824, overlying Fern Green, Plate 0862/3. Hairs—none.

Branches.—Bright. **Color—**Spinach Green, Plate 0960/1. Prickles—several; **color—**Fern Green, Plate 0862/2, with point Oxblood Red, Plate 00823/3. Hairs—none.

New shoots.—Bright. **Color—**Lettuce Green, Plate 861/3, overlaid with Oxblood Red, Plate 00823/3 where exposed to sunlight. Prickles—several; **color—**Oxblood Red, Plate 00823/3. Hairs—none.

I claim:

A new and distinct variety of rose plant of the hybrid polyantha class, substantially as herein shown and described, characterized particularly as to novelty by the unique combination of its compact habit of growth and bloom, with attendant special suitability for greenhouse pot forcing, excellent and disease-resistant foliage, uniform and decorative distribution of bloom on the plant, well-formed and long-lasting blooms, and the distinctive Orient Red general color tonality of the blooms.

No references cited.