


July 31, 1973

M. TANTAU

Plant Pat. 3,382

ROSE PLANT

Filed Nov. 17, 1971



MATHIAS TANTAU
INVENTOR

BUCKHORN, BLORE, KLARQUIST & SPARKMAN
ATTORNEYS

1

3,382

ROSE PLANT

Mathias Tantau, Schliebfach, Germany, assignor to
Jackson & Perkins Company, Medford, Oreg.

Filed Nov. 17, 1971, Ser. No. 199,506

Int. Cl. A01h 5/00

U.S. Cl. Plt.—25

1 Claim

This invention relates to a new and distinct variety of
rose plant of the floribunda class originated by crossing
an unnamed seedling with Zorina, U.S. Plant Pat. 2,321.

The primary object of this breeding was to produce a
new and improved rose variety of the floribunda class
bearing flowers on a vigorous plant with better than usual
foliage for cutflower purpose in the greenhouse to produce
cutflowers of a marketable length in a new color.

This objective was fully achieved along with other de-
sirable improvements as evidenced by the following unique
combination of characteristics which are outstanding in
the new variety and which distinguish it from its parents
as well as from all other varieties of which I am aware:

(1) A medium sized flower (Zorina type), long lasting
as a cutflower in a bronze-gold/orange color without pal-
ing and with a good fragrance.

(2) Abundant production of medium long cutflowers
repeating very rapidly.

(3) For cutflower purpose side-buds have to be re-
moved.

(4) It may be forced very early and it produces very
firm stems.

(5) The color is very bright and very intense.

(6) Cutflowers may be stored in a cool environment
for several days without losing any of their color in-
tensity.

Asexual reproduction of my new variety by budding, as
performed at 2082 Uetersen, Germany, shows that the
aforementioned characteristics and distinctions come true
to form and are established and transmitted through suc-
ceeding propagations.

The accompanying drawing shows typical specimens of
the vegetative growth and flowers of my new variety in
different stages of development and as depicted in color
as nearly true as it is reasonably possible to make the
same in a color illustration of this character.

The following is a detailed description of my new rose
variety, with color terminology in accordance with Far-
benordnung Hickethier, Osterwald, Hanover, Germany,
except where general color terms of ordinary dictionary
significance are obvious:

Seedling

Parentage:

Seed parent.—Unnamed seedling.

Pollen parent.—Zorina.

Classification:

Botanic.—Rosa hybrid.

Commercial.—Floribunda.

Flower

(Observations were made in August in Uetersen, Ger-
many, of flowers grown in the greenhouse.)

Blooming habit: Recurrent—continuous.

Bud:

Size.— $\frac{1}{3}$ " when petals start to unfurl.

Form.—Pointed.

Color.—When sepals first divide—reddish-orange col-
ored (Hickethier 960). When half blown—inside
of petals—light orange color (Hickethier 940);
reverse of petals—golden-orange colored, at the
base more yellow (Hickethier 940).

2

Sepals.—Color: Outside: Light greyish green with
feltlike covering. Inside: Middle green, basis lighter
green. Three appendaged sepals normally.

Receptacle.—Color: Light green (603 Hickethier).
Shape: Funnel. Size: Small. Surface: Smooth.

Peduncle.—Length: Medium. Surface: Smooth. Col-
or: Light green. Strength: Erect.

Bloom:

Size.—Medium—average size when fully expanded
(3").

Borne.—Several together in pyramidal clusters.

Stems.—Medium, normal.

Form.—When first open—high centered. Perma-
nence—retains its form to the end; outer petals
curl back.

Petalage.—Number of petals under normal condi-
tions 32–35.

Color.—Center of flower: Upper side of petals—
copper-orange (950–940 Hickethier). Reverse of
petals—golden-orange (950–920 Hickethier). Out-
er petals: Upper side of petals orange (940 Hicke-
thier). Reverse of petals: Golden-orange (940–
920 Hickethier). Base of petals: Yellow (820
Hickethier). General tonality from a distance—
orange colored. The color changes a little. In
spring and autumn it is more orange till reddish
and in summer a little more yellow.

Discoloration.—General tonality at end of first day—
the same color; a little more yellow.

Fragrance.—Moderate.

Petals:

Texture.—Soft.

Surface.—Inside—satiny. Reverse—satiny.

Shape.—Oval.

Form.—Tips slightly recurved; edges slightly quilled.

Arrangement.—Informal, imbricated.

Petaloids in center.—Few—small.

Persistence.—Drop off cleanly.

Lastingness.—On the plant—long. As cut flower—
long.

Reproductive parts:

Stamens, anthers.—Medium, many. Color—reddish
brown; arrangement regular around styles.

Stamens, filaments (threads).—Long. Color—yellow.

Pollen.—Color—gold yellow.

Styles.—Columnar, uneven lengths.

Stigmas.—Color—red.

Ovaries.—All enclosed in calyx.

Fruit

Form: Round headed.

Surface: Smooth.

Color at maturity: Scarlet red.

Sepals: Permanent, recurved.

Plant

Form: Bush.

Growth: Vigorous.

Foliage: Compound of 5 leaflets.

Size.—Medium.

Quantity.—Normal.

Color.—New foliage: Reddish green. Old foliage:
Dark green.

Leaflets:

Shape.—Oval pointed.

Texture.—Upper side—leathery. Underside—
smooth. Ribs and veins—ordinary.

Edge.—Serrated.

Serration.—Single, sharp.

Petiole.—Rachis—Color; green. Underside—prickles.

Stipules.—Medium, serrated.

Disease resistance.—Resistant to mildew under normal growing conditions at Uetersen, Germany.

Wood:

New wood.—Color—reddish. Bark—smooth.

Old wood.—Color—green. Bark—smooth.

Thorns:

Quantity.—On main stalks from base—ordinary. On laterals from stalk—few.

Form.—Narrow based, long, straight.

Color when young.—Green and red.

Position.—Irregular.

Pickles.—Quantity: On main stalks—few. On laterals—none. Color: Brown.

Short needles.—Quantity: On main stalks—On laterals—none.

Other traits: These specifications were made of plants in the greenhouse. Habit of growth is similar to the greenhouse variety of Zorina and Minigold, being, however, nearer to Minigold.

I claim:

- 5 1. A new and distinct variety of rose plant of the floribunda class, substantially as herein shown and described, characterized particularly as to novelty by the unique combination of a vigorous, bushy, fast repeating habit of growth, leathery foliage, medium size, double flowers of
- 10 a bronze-gold/orange color, outstanding as a medium sized cutflower.

No references cited.

15 ROBERT E. BAGWILL, Primary Examiner

UNITED STATES PATENT OFFICE
CERTIFICATE OF CORRECTION

Patent No. PP 3,382 Dated July 31, 1973

Inventor(s) Mathias Tantau

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 2, line 14, "retails" should read --retains--.
Column 3, line 13, after "stalks-" insert --few--.

Signed and sealed this 27th day of November 1973.

(SEAL)
Attest:

EDWARD M. FLETCHER, JR.
Attesting Officer

RENE D. TEGTMEYER
Acting Commissioner of Patents