



US00PP09188P

# United States Patent [19]

[11] Patent Number: Plant 9,188

Dehan

[45] Date of Patent: Jul. 4, 1995

- [54] IMPATIENS PLANT NAMED 'BALLET'
- [75] Inventor: Klara Dehan, Holon, Israel
- [73] Assignee: Danziger—"Dan" Flower Farm, Moshav Mishmar Hashiva, Israel
- [21] Appl. No.: 315,541
- [22] Filed: Sep. 30, 1994
- [51] Int. Cl.<sup>6</sup> ..... A01H 5/00
- [52] U.S. Cl. .... Plt./87.6
- [58] Field of Search ..... Plt. 87.6

Primary Examiner—James R. Feyber

## [57] ABSTRACT

A distinct cultivar of Impatiens plant named Ballet, characterized by its medium to large round white flowers; freely branching habit; upright growth habit; moderate growth rate; dark green and glossy, non-variegated foliage; medium leaf size; and early flowering.

1 Drawing Sheet

### 1

The present invention relates to a new and distinctive cultivar of New Guinea Impatiens, botanically known as *Impatiens hawkeri*, and hereinafter referred to by the cultivar name Ballet.

The new cultivar was developed by me in a controlled breeding program at Danziger, "Dan" Flower Farm, Mishmar Hashiva, Israel, by crossing the female, or seed, parent identified as *Impatiens hawkeri* selection DAN 4-1204 with the male, or pollen, parent identified as *Impatiens hawkeri* selection DAN 5-130. Both parents are nonpatented selections developed by me in a controlled breeding program and used only as breeding parents.

Asexual reproduction of the new cultivar by terminal cuttings taken by me at Mishmar Hashiva, Israel, has shown that the combination of features of this new Impatiens are firmly fixed and retained through successive generations of asexual reproduction.

The following characteristics are repeatedly observed and are determined to be the distinctive and unique characteristics of Ballet. These characteristics in combination distinguish Ballet from both its parent varieties and other cultivated New Guinea Impatiens used in the floriculture industry:

1. Medium to large white rounded flowers.
2. Freely branching habit.
3. Upright growth habit.
4. Moderate growth rate.
5. Dark green and glossy non-variegated foliage.
6. Medium leaf size.
7. Early flowering.

The new cultivar is most similar to the patented *Impatiens hawkeri* cultivar Jasius (U.S. Plant Pat. No. 7,345) in flower color. However Ballet differs from Jasius in its larger, more rounded flowers, darker green and glossier leaves, more upright growth habit, and more vigorous growth compared to the cultivar Jasius.

The accompanying colored photograph illustrates the overall appearance and flower color of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. The photograph constitutes a top perspective view of a typical potted plant of Ballet.

In the following description, color references are made to the Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used. The following observations, measurements and comparisons describe plants grown in Mishmar Hashiva, Israel, under normal commercial practice in a polyethylene-covered greenhouse with

### 2

minimum temperatures of 12° to 14° C. during the winter and maximum temperatures of 35° C. during the summer. Average light levels in the greenhouse is 40,000 lux. Ballet has not been observed under all possible environmental conditions. The phenotype may vary significantly with variations in environment such as temperature, light intensity and daylength.

Botanical classification: *Impatiens hawkeri* cultivar Ballet.

Parentage:

Female (seed) parent.—*Impatiens hawkeri* DAN 4-1204.

Male (pollen) parent.—*Impatiens hawkeri* DAN 5-130.

Propagation:

a. Type.—Terminal tip cuttings.

B. Time to initiate roots.—1. Summer: 7 days at 25°

C. 2. Winter: 9 days at 20° C.

C. Rooting habit.—Fibrous and well-branched.

Plant description:

A. General appearance.—Moderate growth rate, freely branching and upright growth habit; suitable for 10 to 16 cm pots and hanging baskets.

B. Foliage description.—1. Shape: Lanceolate with acuminate tip and attenuate base. 2. Size: a. Length: 7 cm. b. Width: 3 cm. 3. Texture: Smooth and very glossy. 4. Margin: Finely serrated. 5. Color a. Young foliage, upper surface: 147A. b. Young foliage, under surface: 147B. c. Mature foliage, upper surface: 147A. d. Mature foliage, under surface: 147B. e. Veins, upper surface: 147A. f. Veins, under surface: 147B.

C. Stem description.—1. Internode length: 4 cm. 2. Stem color: 143C.

Flowering description:

A. Flowering habit.—Freely flowering.

B. Natural flowering season.—Year-round. Early flowering: under summer conditions, plants flower 8 to 9 weeks after planting; and under winter conditions, plants flower 12 to 13 weeks after planting.

C. Flowers borne.—Flower buds develop in leaf axils. Open flowers are displayed above the foliage.

D. Quantity of inflorescences.—Very floriferous; usually 3 flowers per axil and about 10 to 15 flowers per lateral branch at various stages of

Plant 9,188

3

development; usually 4 fully open flowers per lateral branch.

E. *Flower opening rate*.—From bud initiation, flowers are fully open after 5 to 10 days depending on temperature, humidity and light level.

F. *Flower size*.—1. Length: 5.5 cm. 2. Width: 5.5 cm.

G. *Petals*.—1. Shape: Cordate. 2. Quantity: 5. 3. Color: a. When opening: 155D. b. Upper surface: 155D. c. Under surface: 155D. d. Fading to: 155D.

H. *Flower bud*.—1. Shape: Round with spur. 2. Color: 145A.

4

I. *Spur*.—1. Shape: Needle-shaped, curved at end. 2. Color: 144A. 3. Length: a. On flower bud: 2.6 cm. b. On open flower: 4.6 cm.

J. *Reproductive organs*.—1. Androecium: a. Stamen number: 5. b. **Anther shape: Oblong.** c. **Anther color: 145D.** d. Pollen color: 155D. 2. Gynoecium: a. Stigma color: 145D. b. Style color: 147B. c. Ovary: Superior, 5-celled. d. Ovary color: 147B. e. Ovary size: 1 to 2 mm.

10 Disease resistance: No fungal or bacterial problems observed.

Seed development: Seed production is very rarely observed.

15 I claim:

1. A new and distinct cultivar of *Impatiens* plant named Ballet, as illustrated and described.

\* \* \* \* \*

20

25

30

35

40

45

50

55

60

65

**U.S. Patent**

**July 4, 1995**

**Plant 9,188**

