



US00PP09946P

United States Patent [19]
Jack et al.

[11] Patent Number: Plant 9,946
[45] Date of Patent: Jul. 8, 1997

[54] CHAMELAUCIUM (WAXFLOWER) PLANT
NAMED PAINTED LADY

[75] Inventors: Brian Jack; Victoria Syme, both of
Coorow, Australia

[73] Assignee: New World Plants USA, Escondido,
Calif.

[21] Appl. No.: 604,069

[22] Filed: Feb. 20, 1996

[51] Int. Cl.⁶ A01H 5/00

[52] U.S. Cl. Plt./54.1

[58] Field of Search Plt./54.1

Primary Examiner—James R. Feyrer
Attorney, Agent, or Firm—C. A. Whealy

[57] ABSTRACT

A new and distinct interspecific Chamelaucium hybrid cul-
tivar (known commercially as waxflower) distinguished by
its strong and erect flowering stems; upright and freely
branching, dense plant habit; dark red flower bud color;
purple flower color; and excellent postharvest longevity.

3 Drawing Sheets

1

The present invention relates to a new and distinct cultivar
of Chamelaucium (Waxflower), botanically known as an
interspecific Chamelaucium hybrid, and hereinafter referred
to by the cultivar name Painted Lady.

The new cultivar is a product of a planned and controlled
breeding program conducted by the inventors in Coorow,
Western Australia, Australia. The new cultivar originated
from a deliberate cross by the inventors between two dif-
ferent species of the genus Chamelaucium. An unnamed
selection of *Chamelaucium megalopetalum* was used as the
female or seed parent and the *Chamelaucium uncinatum*
cultivar Purple Pride (not patented) was used as the male or
pollen parent. Twenty days after the cross-pollination, the
immature seed pod was harvested and the developing
embryos were aseptically dissected and transferred onto a
nutrient agar-based medium for further development. Ma-
ture plants developed from these dissected embryos. The
cultivar Painted Lady was discovered and selected by the
inventors as a flowering plant within the progeny of the
stated cross in a controlled environment in Coorow, Western
Australia, Australia.

Asexual propagation of the new cultivar by cuttings taken
at Coorow, Western Australia, Australia, and Escondido,
Calif., has shown that the unique features of this new
Chamelaucium plant are stabilized and reproduced true to
type in successive generations of asexual propagation.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of the new
Chamelaucium. These characteristics in combination distin-
guish Painted Lady as a new and distinct cultivar:

1. Strong and erect flowering stems.
2. Upright and freely branching, dense plant habit.
3. Dark red flower bud color.
4. Purple flower color.
5. Excellent postharvest longevity.

The new Chamelaucium differs from its seed parent, the
selection of *Chamelaucium megalopetalum*, in the following
characteristics:

1. Plants of the new Chamelaucium flower faster than
plants of the seed parent.
2. The petal shape of plants of the new Chamelaucium is
round whereas the petal shape of plants of the seed parent is
obovate.
3. When opening, the petal color of the new Chame-
laucium is light violet whereas the petal color of the seed
parent is white. At maturity, the petal color of the new
Chamelaucium is purple whereas the petal color of the seed
parent is white.
4. The floral tubes of the new Chamelaucium are more
narrow than the floral tubes of the seed parent.

2

5. Plants of the new Chamelaucium have more flowers per
stem and appear more dense and full than plants of the seed
parent.

6. Plants of the new Chamelaucium have broader flow-
ering stems compared to plants of the seed parent.

The new Chamelaucium differs from its pollen parent, the
Chamelaucium uncinatum cultivar Purple Pride, in the fol-
lowing characteristics:

1. The petal shape of the new Chamelaucium is round
whereas the petal shape of Purple Pride is obovate.

2. The petal color of the new Chamelaucium when
opening is light violet compared to the purple petal color of
Purple Pride. At maturity, the petal color of the new Cha-
melaucium is lighter and less red than the petal color of
Purple Pride. The floral tube color is also different, as the
floral tube of the new Chamelaucium is yellow green and the
floral tube of Purple Pride is red brown. Additionally the
floral tube is narrow on plants of the new Chamelaucium
compared to plants of Purple Pride.

3. Plants of the new Chamelaucium have more flowers per
stem and appear more dense and full than plants of Purple
Pride.

The new Chamelaucium can be compared to the Chame-
laucium cultivar Revelation, disclosed in U.S. Plant Pat. No.
8,791. Plants of Painted Lady differ from plants of Revela-
tion in the following characteristics:

1. Plants of the new Chamelaucium have a more freely
branching habit, shorter internodes and more flowers than
plants of Revelation giving plants of the new Chamelaucium
a dense and full appearance compared to Revelation's
semi-open habit.

2. Plants of the new Chamelaucium have shorter leaves
and peduncles than plants of Revelation.

3. The petal color of the new Chamelaucium when
opening is light violet compared to the white petal color of
Revelation. At maturity, the petal color of the new Chame-
laucium is purple compared to the light violet petal color of
Revelation. The petal coloration develops slower on plants
of the new Chamelaucium compared to plants of Revelation.

4. Plants of the new Chamelaucium have narrow and
smooth floral tubes compared to the wide and fluted floral
tubes of plants of Revelation.

5. Cut flowering stems of plants of the new Chame-
laucium last twice as long after harvesting as cut flowering
stems of Revelation.

A detailed comparison of the new Chamelaucium, its
parents and Revelation plants appears in Chart A at the end
of the specification.

The new Chamelaucium plant has not been observed

under all possible environmental conditions. The phenotype may vary significantly with variations in environment such as temperature and light level, without, however, any variance in genotype.

The accompanying colored photographs show typical specimens of the vegetative growth and flowers of the new *Chamelaucium* plant, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type.

The first photograph comprises a side perspective view of typical flowering stems of the new *Chamelaucium* plant grown in Escondido, Calif. This photograph shows the floriferousness, freely branching habit and denseness of flowering stems of the new *Chamelaucium*.

The second and third photographs comprise close-up views of the cultivar's unique petal colors that change with the development of the flower. In the second photograph, flower buds are dark red; and as the flowers open, the petal color changes to a light violet at the distal end with a lighter violet or white at the petal base. In the third photograph, flowers shown are mature and petal color is uniformly purple. In these photographs, the petal colors appear more red than the actual petal colors due to light reflectance.

The following observations, measurements, values, and comparisons describe plants grown in Escondido, Calif. Values representing size of plants, flowers and foliage are averages of plants produced under standard commercial cultural practices. Color references are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used.

Classification:

Botanical.—An interspecific *Chamelaucium* hybrid, *Chamelaucium megalopetalum*×*Chamelaucium uncinatum* cultivar Painted Lady.

Commercial.—Hybrid waxflower.

Parentage:

Female or seed parent.—Selection of *Chamelaucium megalopetalum* (not patented).

Male or pollen parent.—*Chamelaucium uncinatum* cultivar Purple Pride (not patented).

Plant description:

Form.—Erect, branched woody shrub.

Growth habit.—Vigorous rigid and unright. Freely branching, dense, full appearance.

Flowering stem length.—1.5 to 2 m.

Foliage description.—Numerous leaves on one- and two-year-old wood; opposite arrangement; sessile; and aromatic. Internode length: 8 mm. Leaf size: Length: 13 mm. Width: 1.5 mm. Shape: Narrowly lanceolate. Texture: Glabrous. Margin: Entire. Aspect: Flat and thick. Color: Dark green sometimes with red tint.

Flower description:

Flowering season.—Flowers develop and open throughout the spring.

Flower longevity as a cut flower.—Flower last at least 28 days after harvesting, flowers and calyx persistent.

Flowering habit.—Flowers develop on thin first-year stems from upper axils. Numerous flowers arranged in terminal clusters, broad and dense floral display.

Flower shape.—Rounded outline, flattened cup-shaped floral tube with rounded, slightly cupped, orbicular petals.

Flower diameter.—1.7 cm.

Flower bud.—Form: Rounded, covered with thin deciduous bracteoles. Diameter: 7 to 8 mm prior to petal opening. Color: With operculum: Dark red (53A) with hints of dark green (147A). Without operculum: White (155D) to very light violet (77D). Bud tube: Green (143B).

Petals.—Quantity: Five. Shape: Rounded, slightly cupped and orbicular. Diameter: 7 mm. Texture: Waxy. Calyx: Five calyx lobes arranged alternately between petals. Color: When opening: Light violet (77C) on the distal portion of the flower petal shading to a lighter violet (77D or 75D) or white (155D) at the base of the petal. Mature flowers: Purple (72B). Flower nectary, immature: Yellow green (152C). Flower nectary, mature: Purple brown (183B). Calyx lobe, mature: Pale pink/purple. Floral tube: Fluting: Slight. Outline: Flared. Diameter: Narrow, 3.5 mm. Color: Midpoint: Yellow green. Distal end: Yellow green. Peduncles: Length: 6 to 8 mm. Aspect: Upright and erect. Color: Green. Fragrance: Aromatic when crushed.

Reproductive organs.—Stamens: Quantity: Ten fertile stamens with ten infertile stamenoids arranged alternately between stamens. Staminoidal outline: Narrow to medium, triangular. Stamenoidal collar color, mature: Pale pink to purple. Anthers, mature: Width: 0.7 mm. Color: Brown (199B). Filaments: Length: 25 mm. Color: White. Pollen: Color: Green brown. Texture: Waxy and sticky. Pistils: Quantity: One. Style: Length: 7 mm. Color: Immature: White. Mature: Light violet (84B) with red base. Stigma: Color, mature: Yellow (17B). Texture: Bearded and pubescent.

Fruit.—Shape: Hemispherical. Form: Three-celled capsule formed by the hardened base of the persistent calyx.

Disease resistance: No resistance or susceptibility to plant pathogens has been observed.

CHART A

CHARACTER- ISTIC	PAINT- ED LADY	PUR- PLE PRIDE, pollen parent	<i>Chamel- aucium mega- petalum</i> selection, seed parent	REV- ELA- TION
FLOWER BUD COLOR, WITH OPERCULUM	Dark red with hint of dark green 53A with 147A	Dark red 46A	Red 46B	Dark red 46A
BUD COLOR, WITHOUT OPERCULUM	White to light violet 155D to 77D	Pale purple 80A	White 155B	White 155D
BUD TUBE COLOR	Green 143B	Green 146A	Light green 145A	Green to violet 144A to 77B
PETAL SHAPE, AFTER OPENING	Round	Obovate	Obovate	Round
PETAL COLOR, WHEN OPENING	Light violet Tip: 77C Base: 77D to 75D to 155D	Purple 78A	White 155B	White 155C

CHART A-continued

CHARACTER- ISTIC	PAINT- ED LADY	PUR- PLE PRIDE, pollen parent	<i>Chamel- aucium mega- petalum</i> selection, seed parent	REV- ELA- TION
PETAL COLOR DEVELOPMENT RATE	Medium	Medium	Slow	Fast
PETAL COLOR, MATURE	Purple 72B	Red purple 59B/59C	White 155D	Light violet 84B
FLOWER NECTARY COLOR, IMMATURE	Yellow green 152C	Light brown 177D	Green 148A	Green 146D
FLOWER NECTARY COLOR, MATURE	Purple brown 183B	Dark purple 187A	Green 146B/ 146C	Green 147A
STAMINOIDAL OUTLINE	Narrow to medium, triangular	Broad, triangu- lar	Medium, triangu- lar	Narrow, triangu- lar
STAMINOIDAL COLLAR COLOR, MATURE	Pale pink/ purple	Pale pink/ purple	White	Very pale pink/ purple
CALYX LOBE COLOR, MATURE	Pale pink/ purple	Pale pink/ purple	White	Pale purple
STYLE COLOR,	Light	Purple	White	Light

CHART A-continued

CHARACTER- ISTIC	PAINT- ED LADY	PUR- PLE PRIDE, pollen parent	<i>Chamel- aucium mega- petalum</i> selection, seed parent	REV- ELA- TION
MATURE	violet, 84B, with red base			violet 84B
FLORAL TUBE FLUTING, IMMATURE	Slight	Slight	Slight	Prom- inent
FLORAL TUBE OUTLINE	Flared	Flared	Conical	Flared
FLORAL TUBE DIAMETER	3.5 mm	7 mm	6.8 mm	6.8 mm
FLORAL TUBE COLOR, MIDPOINT	Yellow green	Red/ brown	Green	Green
FLORAL TUBE COLOR, DISTAL END	Yellow green	Red/ brown	Green	Purple brown
FLOWERING STEM SHAPE	Broad	Broad	Narrow	Broad

It is claimed:
1. A new and distinct Chamelaucium interspecific hybrid plant named Painted Lady, as illustrated and described.

* * * * *





