

United States Patent [19]

Van Wingerden

- [54] SAINTPAULIA PLANT NAMED 'LUMINOUS'
- [75] Inventor: John Van Wingerden, Oberlin, Ohio
- [73] Assignee: Green Circle Growers, Inc., Oberlin, Ohio
- [21] Appl. No.: 671,571
- [22] Filed: Jun. 28, 1996

 [11]
 Patent Number:
 Plant 10,101

 [45]
 Date of Patent:
 Nov. 4, 1997

Primary Examiner—James R. Feyrer Attorney, Agent, or Firm—C. A. Whealy

[57] **ABSTRACT**

A distinctive cultivar of Saintpaulia plant named 'Luminous', characterized by its compact plant habit; moderate growth rate; durable dark green foliage; light pink flowers with a narrow purple edge; and numerous longlasting flowers.

[]2]		1 115/07+1
[58]	Field of Search	Plt./69.1

1

The present invention relates to a new and distinct cultivar of Saintpaulia or African Violet, botanically known as *Saintpaulia ionantha*, and hereinafter referred to by the cultivar name 'Luminous'. It is anticipated that the plant of this application will be marketed under the Trademark "Ultra Violet". Accordingly, the plant of this application may be referred to as "Ultra Violet" 'Luminous' in the market place.

The new cultivar is a product of a planned breeding program conducted by the inventor in Oberlin, Ohio. The objective of the breeding program was to develop compact and durable Saintpaulia varieties with numerous, upright, ¹⁰ long-lasting flowers and uniform flowering.

The new cultivar originated from a cross made by the inventor of two unnamed proprietary seedling selections. The female parent had pale pink flowers and the male parent had dark pink flowers with a narrow purple edge. The ¹⁵ cultivar 'Luminous' was discovered and selected by the inventor as a flowering plant within the progeny of the stated cross in a controlled environment in Oberlin, Ohio.

2

comparisons describe plants grown in Oberlin, Ohio, under a double layer of polyethylene covering with average day and night temperatures of 21C and an average light level of 1,500 foot-candles.

In the following description, color references are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used.

Classification:

Botanical.—Saintpaulia ionantha cultivar 'Luminous'. Commercial.—Saintpaulia or African Violet.

Parentage:

Female or seed parent.—Unnamed proprietary seedling selection with pale pink flowers.

Male or pollen parent.—Unnamed proprietary seedling selection with dark pink flowers with a narrow purple edge.

In side-by-side comparisons in Oberlin, Ohio, under commercial practice, plants of the new Saintpaulia were different ²⁰ in flower color and more compact in growth habit than either parent seedling selection.

Asexual reproduction of the new cultivar by leaf cuttings taken at Oberlin, Ohio, has shown that the unique features of this new Saintpaulia plant are stable and reproduced true to ²⁵ type in successive generations of asexual reproduction.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Luminous'. These characteristics in combination distinguish the new Saintpaulia plant as a new and distinct cultivar:

1. Compact plant habit.

2. Moderate growth rate.

3. Durable dark green foliage.

4. Light pink flowers with a narrow purple edge that are held upright. 35

5. Numerous long-lasting flowers.

The new Saintpaulia plant has not been observed under all possible environmental conditions. The phenotype may vary significantly with variations in environment such as temperature and light level, without, however, any variance in ⁴⁰ genotype. The accompanying colored photograph illustrates the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Flower and foliage colors in the ⁴⁵ photograph may differ from the actual colors due to light reflectance. The photograph comprises a top perspective view of a typical potted plant of 'Luminous'.

Plant description:

Plant form.—Leaves outwardly arching, flowers held upright and above the foliage.

Growth habit and rate.—Moderately vigorous, yet compact. Suitable for 10-cm containers. Time to produce a finished flowering plant in a 10-cm container from a rooted plantlet is generally 8 to 10 weeks depending on temperature, light level, and cultural practices.

Height, soil level to top of leaves.—About 3.5 cm.
Height, soil level to top of flowers.—About 8.5 cm.
Distance, top of leaves to top of flowers.—About 5 cm.
30 Foliage description:

Arrangement.—Rosette.

Leaf appearance.—"Plain" or "tailored" of foliage. Quantity of leaves.—About 20 per 4-inch pot. Leaf size, largest leaves.—Length: About 6 cm. Width: About 5.5 cm. Leaf shape.—Cordate. Leaf tip.—Acute. Leaf base.—Cordate, overlapping. Margin type.—Crenate. Leaf surface.'Slightly undulating. *Texture*.—Leathery, glossy, pubescent, durable Pubescence.—Moderate on both upper and under sides. Venation pattern.—Pinnate. Color.—Young foliage: Upper side: Darker than 147A. Under side: 147C. Venation upper side: Darker than 147A. Venation under side: 186A. Mature foliage: Upper side: Darker than 147A. Under side: 147C/ 147D. Venation upper side: Darker than 147A. Venation under side: 147C.

The following observations, measurements, values, and

Plant 10,101

3

Petiole.—Length: About 4 cm. Diameter: About 4 mm. Shape: Tubular. Pubescence: Moderate. Aspect: Horizontal. Color: 187A.

Flower description:

- Flower arrangement.—Branched panicle, flowers held upright and above the foliage.
- Flower appearance.—Semi-double, frilled, fused corolla with five petals and three additional petaloids above the center of the corolla. Two upper petals usually smaller than lower three petals. Petaloids smaller than upper petals, middle petaloid largest. Flower type characteristics.—Pink and purple bi-color, pink in center surrounded by narrow 1 mm purple

4

Margin: 77A. Under side: Base and center: 75C. Margin: 77A. Fading to: Maintains color, does not fade.

Peduncle.—Length: About 5 cm. Diameter, at base: About 3 mm. Strength: Strong. Angle: Erect. Pubescence: Moderate. Color: Base: 183A. Apex; 187A.
Flower bud, just before opening.—Length: About 7 mm. Diameter: About 7 mm. Form or shape: Spherical. Rate of opening: Rapid. Color: 71A.

Calyx/sepals.—Calyx shape: Star-shaped. Calyx size: Height: About 7 mm. Width: About 9 mm. Sepal shape: Linear. Sepal arrangement: Fused at base. Sepal size: Length: About 5 mm. Width: About 2

- outer margin.
- Flower longevity.—Individual flowers last approximately 7 to 10 days. Inflorescences are generally in flower for approximately 3 to 4 weeks under greenhouse conditions. Flowers persistent.
- Quantity of flowers per peduncle.—Generally 7 to 10 open flowers and flower buds at a time are present, usually 3 to 4 per particle branch.

Flower diameter.—About 3.25 cm.

- Flower depth, base of calyx to upper petal surface.— About 3 mm.
- Petals.—Appearance: Velvety, satiny. Texture: Smooth. Arrangement: Five fused into a corolla, overlapping. Shape: Ovate, rounded. Margin: Frilled or ruffled. Surface: Flat, undulating at margins. Tip: Rounded. Size: Largest petals, length: About 1.5 cm. Largest petals, width: About 1.5 cm. Smallest petals, length: About 1.1 cm. Smallest petals, width: About 1.3 cm. Color: When opening: Base and center: 75C. Outer edges: 77A. Upper side: Base and center: 75C.

- mm. Sepal texture: Pubescent. Sepal number: 5. Sepal margin: Entire. Sepal tip: Pointed. Sepal color: Upper side: 146A. Under side: 187A.
- Stammens, mature flower.—Stamen number: 2. Anther size: Length: About 3 mm. Width: About 3 mm. Height: About 2 mm. Anther color: 7A. Filament length: About 3 mm. Filament color: White with purple tinge.
- Pistils.—Pistil number: 1. Style color: 71A. Style length: About 2 mm, Receptacle height: About 3 mm. Receptacle width: About 2 mm.
- Disease resistance: Under commercial conditions, resistance or susceptibility to pathogens of Saintpaulias has not been observed.

Seed production: Seed production is rarely observed.

It is claimed:

1. A new and distinct Saintpaulia plant named 'Luminous', as illustrated and described.

* * * * *

U.S. Patent

Nov. 4, 1997

Plant 10,101

