

US00PP10409P

# United States Patent

# van Andel

ALSTROEMERIA PLANT VARIETY NAMED **'STAPRILAN'** 

Jacob van Andel, Aalsmeer, Inventor:

Netherlands

Assignee: Van Staaveren b.v., Aalsmeer,

Netherlands

Appl. No.: 716,499

Sep. 16, 1996 [22] Filed:

U.S. Cl. Plt./87.1

Plant 10,409

May 19, 1998

Primary Examiner—James R. Feyrer Assistant Examiner—Kent L. Bell

Patent Number:

Date of Patent:

[11]

[45]

Attorney, Agent, or Firm-Christie. Parker & Hale. LLP

**ABSTRACT** [57]

A new and distinct Alstroemeria plant variety producing flowers of good quality and attractive coloration, suitable for growing in pots.

1 Drawing Sheet

# BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of Alstroemeria originated as a seedling by crossing as seed parent an unreleased, unpatented seedling identified as 5 87D1262-5 and as pollen parent an unreleased, unpatented seedling identified as 89G1041-01 from among my collection of Alstroemeria seedlings maintained under controlled conditions in a greenhouse at Van Staaveren B.V., Aalsmeer, The Netherlands, for developmental purposes. The varietal 10 denomination of the new variety is 'Staprilan'.

The first act of asexual reproduction of 'Staprilan' was in Aalsmeer, The Netherlands, by propagation by dividing rootstocks. Asexual reproduction in Aalsmeer, The Netherlands, through successive generations has demonstrated that 15 the combination of characteristics as herein disclosed for 'Staprilan' are firmly fixed and retained through successive generations of asexual reproduction.

'Staprilan' has not been observed under all possible environmental conditions. Phenotypic expression may vary 20 with variations in environment such as temperature, light intensity, day length and growing and cultural conditions.

Comparison with Variety 'Staprimil' application Ser. No. 08/716,498.

The new variety 'Staprilan' differs from the variety 'Staprimil' in flower color. The main color of 'Staprilan' is deeper. near 5C as compared to 'Staprimil' whose main color is lighter, near 5D.

## SUMMARY OF THE INVENTION

Flowers of the new variety of Alstroemeria, 'Staprilan' are characterized by flowers of unusual coloration, as described herein. The new variety is especially suitable for growing in 35 pots.

# DESCRIPTION OF ILLUSTRATIONS

The new variety of Alstroemeria hybrid is illustrated in 40 the accompanying illustration, which shows typical growth and flower characteristics, with colors being as nearly true as is possible for illustrations of this type.

# DETAILED DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of the new cultivar of Alstroemeria hybrid as observed in a greenhouse in Aalsmeer, The Netherlands. Color designations indicated are in accordance with the Royal Horticultural Society Colour Chart by color plate designations.

Botanical classification:

Family.—Amaryllidaceae

Genus.—Alstroemeria sp.

Commercial.—Alstroemeria hybrid.

Origin: Seedling.

#### Plant

Form: Bush, pot-type.

Shape: Upright.

Height: About 25 to 40 cm.

Main stem or cane length: About 30 cm.

Growth: Vigorous. Strength: Strong.

Foliage:

30

Quantity.—Abundant.

Number of leaves.—About 20 to 25.

Size of leaf.—Length: About 3 to 10 cm. Width: About

1 to 2 cm.

Shape of leaf.—Elliptical.

Margin type.—Straight.

Texture.—Smooth.

Color.—Upper side: Near 147A. Underside: Near 147B.

Rhizomes.—Yes. Color: Near 155D. Size: About 10-15 cm.

## Inflorescence — Flower/Floret

Blooming habit: Intermittent.

Blooms: Profusely.

Spring.—Yes.

Fall.—Yes.

Has tendency to give few blooms in fall.—No.

Size: Medium.

Diameter.—About 5-6 cm.

Depth.—About 4–5 cm.

Borne: Singly along simple racemes.

Shape or form:

When bloom first opens.—Cup.

When bloom matures.—Cup.

Petalage 45

Number of petals.—6.

Arrangement.—Two concentric circles of 3 petals.

Form.—Obovate.

Margin type.—Minutely crimped.

Apex.—Pointed.

How long do petals stay on stem?.—About 3 weeks.

1

Appearance.—Shiny. Color.—Outer petal: Body near 5C; body tip near 63B; base near 62C; reverse side near 5C to 63B; 1-7 stripes, near 185A. Inside petal: Body near 12A; base near 12A; reverse side near 12A; about 20 to 30 stripes, near 185A. Peduncle or flower stem: Length.—About 2 to 3. Color.—Near 143A. Strength.—Strong. Upright.—Yes. Discoloration after full bloom? Slightly, from near 5C to near 5B. Is bloom affected by wet or hot weather? No. Persistence (does flower hang on and dry?): No. Disease resistance: Unknown. Fragrance: None. Lasting quality: On plant.—About 3 weeks. As cut flowers.—About 14 days.

#### Bud

Size:

Diameter.—About 1 cm.

Depth or length.—About 2 cm.

Form or shape:

Long.—Yes.

Pointed.—No. ovoid.

Texture.—Leathery.

Rate of opening: Fast.

Color of petals:

When petals begin to unfurl.—Near 59D.

Peduncle or flower stem:

Length.—About 2 to 3 cm.

Hairy: No.

Strength or character: Erect.

Color: Near 143A.

# Reproductive Organs

Stamen:

Number.—6.

Arrangement.—Around the style.

Anthers:

Size.—About 8 to 10 mm.

Color.—Near 152C.

Filaments:

Length.—About 5 cm. Color.—Near 69A to 4C.

Pollen:

Color.—Near 152A.

Pistils:

Number.—1.

Styles:

Length.—About 4 to 5 cm. Color.—Near 69A to 4C.

Stigmas:

Color.—Near 62A.

Fruit

Fertile: Yes. Shape: Round.

Color at maturity: Near 164A.

I claim:

1. A new variety of Alstroemeria plant substantially as herein shown and described, suitable for growing in pots.

\* \* \* \*



# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

Plant 10,409

DATED

May 19, 1998

INVENTOR(S):

Jacob van Andel

It is certified that error appears in the above-indentified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 10, after "2 to 3" insert -- cm --.

Column 3, line 27, after "Form or shape:" insert -- Pear-shaped --.

Signed and Sealed this
Third Day of August, 1999

Attest:

Q. TODD DICKINSON

Attesting Officer

Acting Commissioner of Patents and Trademarks